



Sarah Walton &lt;viamed.sarah.walton@gmail.com&gt;

---

**Fwd: FW: O2 cells for Meg15 CCR**

1 message

---

**Steve Nixon** <office@viamed.co.uk>  
Reply-To: steve.nixon@vandagraphst.com  
To: Sarah Walton <sarah.walton@vandagraphst.com>  
Cc: Cathy Green <cathy.green@viamed.co.uk>

15 February 2022 at 11:13

Please supply one sensor FOC in with the next batch to Dennis.

To replace **ISC116442** which has been fitted with the incorrect output cap.

We do not need the sensor back.

Steve

----- Forwarded message -----

From: **Steve Nixon** <steve.nixon@vandagraphst.com>  
Date: Tue, 15 Feb 2022 at 10:33  
Subject: Re: FW: O2 cells for Meg15 CCR  
To: Dennis Vessey <dennis.vessey@btconnect.com>

Thanks Dennis

Steve

On Tue, 15 Feb 2022 at 06:54, Main Account <office@viamed.co.uk> wrote:

----- Forwarded message -----

From: **Dennis Vessey** <dennis.vessey@btconnect.com>  
Date: Mon, 14 Feb 2022 at 18:05  
Subject: FW: O2 cells for Meg15 CCR  
To: Steve Nixon <office@viamed.co.uk>

Steve

Dave sent the cell number

Regards,

Dennis Vessey & Co

Fernery Lane

Barnetby

North Lincolnshire

England

DN38 6HN

Telephone: +44 1652 688904

VAT No 317271374

phone +441652688904

CONFIDENTIALITY NOTICE: This message and its attachments, if any, is strictly private and confidential and is intended only for use by the addressee. Any disclosure, copying, distribution or other action taken in reliance of the information contained in this e-mail is strictly prohibited. If you have received this transmission in error, please use the reply function to tell me and then permanently delete what you have received.

**From:** David Witting - NOAA Federal [mailto:[david.witting@noaa.gov](mailto:david.witting@noaa.gov)]  
**Sent:** 14 February 2022 17:33  
**To:** Dennis <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)>  
**Subject:** Re: O2 cells for Meg15 CCR

Sure, here it is.

ISC116442

Thanks,

Dave

On Mon, Feb 14, 2022 at 8:56 AM Dennis <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

David

When you get a minute can you give me the serial number from the cell please

---

**From:** David Witting - NOAA Federal [mailto:[david.witting@noaa.gov](mailto:david.witting@noaa.gov)]  
**Sent:** 14 February 2022 13:40  
**To:** Dennis Vessey  
**Cc:** Steve Nixon  
**Subject:** Re: O2 cells for Meg15 CCR

Thanks Dennis

On Mon, Feb 14, 2022 at 5:14 AM Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

David

New cell on the way

Regards,

Dennis Vessey & Co

Fernery Lane

Barnetby

North Lincolnshire

England

DN38 6HN

Telephone: +44 1652 688904

VAT No 317271374

phone +441652688904

CONFIDENTIALITY NOTICE: This message and its attachments, if any, is strictly private and confidential and is intended only for use by the addressee. Any disclosure, copying, distribution or other action taken in reliance of the information contained in this e-mail is strictly prohibited. If you have received this transmission in error, please use the reply function to tell me and then permanently delete what you have received.

**From:** David Witting - NOAA Federal [mailto:[david.witting@noaa.gov](mailto:david.witting@noaa.gov)]

**Sent:** 12 February 2022 17:53

**To:** Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)>

**Subject:** Re: O2 cells for Meg15 CCR

Sounds good. Let me know either way. Hopefully there aren't any more like that.

On Sat, Feb 12, 2022 at 9:21 AM Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

David. I don't think so but I will ask Steve at Vandergraph. I better check the rest of the batch.

Sent from my BlackBerry — the most secure mobile device

---

**From:** [david.witting@noaa.gov](mailto:david.witting@noaa.gov)

**Sent:** 12 February 2022 17:01

---

**To:** [dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)

**Cc:** [office@viasmed.co.uk](mailto:office@viasmed.co.uk)

**Subject:** Re: O2 cells for Meg15 CCR

Do you want the other cell back?

On Sat, Feb 12, 2022 at 7:26 AM David Witting - NOAA Federal <[david.witting@noaa.gov](mailto:david.witting@noaa.gov)> wrote:

Thank you. First time for me as well.

On Sat, Feb 12, 2022 at 12:11 AM Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

Thats a first David never seen that before. I'll send you another Monday for you. Sorry for the inconvenience

Sent from my BlackBerry — the most secure mobile device

---

**From:** [david.witting@noaa.gov](mailto:david.witting@noaa.gov)

**Sent:** 12 February 2022 00:06

**To:** [dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)

**Cc:** [office@viamed.co.uk](mailto:office@viamed.co.uk)

---

**Subject:** Re: O2 cells for Meg15 CCR

Hi all,

I went ahead and opened the sensor with the larger cap and sure enough, it does not fit in my Meg15 head. The other two fit perfectly. I've attached a photo that shows the difference in size.

On Fri, Feb 11, 2022 at 5:35 AM David Witting - NOAA Federal <[david.witting@noaa.gov](mailto:david.witting@noaa.gov)> wrote:

I measured the diameters of all three cells through the package. I was concerned because one was clearly larger in diameter than the other two. I can go ahead and open the package and confirm it doesn't fit if that would help.

On Fri, Feb 11, 2022 at 3:22 AM Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

David

Hi that's very strange , if you haven't opened the packed how do you know it won't fit . if it's more than 15mm it won't fit and I will have to send you a replacement

Steve is there a chance the cell has the wrong cap on it ? if so do I have to check the ones left in the new batch

Regards,

Dennis Vessey & Co

Fernery Lane

Barnetby

North Lincolnshire

England

DN38 6HN

Telephone: +44 1652 688904

VAT No 317271374

phone +441652688904

CONFIDENTIALITY NOTICE: This message and its attachments, if any, is strictly private and confidential and is intended only for use by the addressee. Any disclosure, copying, distribution or other action taken in reliance of the information contained in this e-mail is strictly prohibited.

If you have received this transmission in error, please use the reply function to tell me and then permanently delete what you have received.

**From:** David Witting - NOAA Federal [mailto:[david.witting@noaa.gov](mailto:david.witting@noaa.gov)]

**Sent:** 10 February 2022 20:42

**To:** Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)>

**Subject:** Re: O2 cells for Meg15 CCR

Hi Dennis,

The cells arrived today and thanks very much for getting them out to me. I do have one concern. Two of the cells have a 15mm diameter fitting around the Molex connector, which will fit into the receiver on my Meg15 head. One of the cells has a slightly larger fitting (~16mm) which will probably not fit in the receiver on the head. It's weird that one would be a different size as they are all in the same serial number series. I haven't opened any of them yet in case there was a way to swap them out.

Thanks,

Dave

On Thu, Feb 3, 2022 at 9:03 AM Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

David

Hi the cells have left invoice is in the box fedex tracking number 775947819835 many thanks and I hope we can work together again

Regards,

Dennis Vessey & Co

Fernery Lane

Barnetby

North Lincolnshire

England

DN38 6HN

Telephone: +44 1652 688904

VAT No 317271374

phone +441652688904

CONFIDENTIALITY NOTICE: This message and its attachments, if any, is strictly private and confidential and is intended only for use by the addressee. Any disclosure, copying, distribution or other action taken in reliance of the information contained in this e-mail is strictly prohibited. If you have received this transmission in error, please use the reply function to tell me and then permanently delete what you have received.

**From:** David Witting - NOAA Federal [mailto:[david.witting@noaa.gov](mailto:david.witting@noaa.gov)]

**Sent:** 27 January 2022 18:32

**To:** Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)>

**Subject:** Re: O2 cells for Meg15 CCR

10 days is no problem. Just let Scott know how to pay for them and he can do so as soon as you get them in.

Thanks,

Dave

On Thu, Jan 27, 2022 at 10:13 AM Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

Thanks Dave

As I mentioned the new batch of cells are due in 10 days

Regards,

Dennis Vessey & Co

Fernery Lane

Barnetby

North Lincolnshire

England

DN38 6HN

Telephone: +44 1652 688904

VAT No 317271374

phone +441652688904

CONFIDENTIALITY NOTICE: This message and its attachments, if any, is strictly private and confidential and is intended only for use by the addressee. Any disclosure, copying, distribution or other action taken in reliance of the information contained in this e-mail is strictly prohibited. If you have received this transmission in error, please use the reply function to tell me and then permanently delete what you have received.

**From:** David Witting - NOAA Federal [mailto:[david.witting@noaa.gov](mailto:david.witting@noaa.gov)]

**Sent:** 27 January 2022 15:03

**To:** Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)>; Scott Mau <[scott.mau@noaa.gov](mailto:scott.mau@noaa.gov)>

**Subject:** Re: O2 cells for Meg15 CCR

Great. Thanks Dennis

I've added Scott Mau to this thread. He has the purchase card so I thought it might be easier if you connected with him directly to complete the purchase.

Cheers

Dave

On Thu, Jan 27, 2022 at 1:49 AM Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

Morning David

Shipment with fedex is £24 so total invoice would be £150

Regards,

Dennis Vessey & Co

Fernery Lane

Barnetby

North Lincolnshire

England

DN38 6HN

Telephone: +44 1652 688904

VAT No 317271374

phone [+441652688904](tel:+441652688904)

CONFIDENTIALITY NOTICE: This message and its attachments, if any, is strictly private and confidential and is intended only for use by the addressee. Any disclosure, copying, distribution or other action taken in reliance of the information contained in this e-mail is strictly prohibited. If you have received this transmission in error, please use the reply function to tell me and then permanently delete what you have received.

**From:** David Witting - NOAA Federal [mailto:[david.witting@noaa.gov](mailto:david.witting@noaa.gov)]  
**Sent:** 27 January 2022 00:24  
**To:** Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)>  
**Subject:** Re: O2 cells for Meg15 CCR

No problem. Thanks Dennis

On Wed, Jan 26, 2022 at 3:56 PM Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

Dave. Sorry I was out most of the day I will do it first thing in the morning

Sent from my BlackBerry — the most secure mobile device

---

**From:** [david.witting@noaa.gov](mailto:david.witting@noaa.gov)  
**Sent:** 26 January 2022 22:18  
**To:** [dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)

---

**Subject:** Re: O2 cells for Meg15 CCR

Hi Dennis,

Any word on the shipping cost yet?

Thanks,  
Dave

On Tue, Jan 25, 2022 at 8:29 AM David Witting - NOAA Federal <[david.witting@noaa.gov](mailto:david.witting@noaa.gov)> wrote:

[+1 562-508-3264](tel:+15625083264)



On Tue, Jan 25, 2022 at 8:16 AM Dennis Vessey  
<[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

Dave

I need a phone number please to get a shipping quote

Regards,

Dennis Vessey & Co

Fernery Lane

Barnetby

North Lincolnshire

England

DN38 6HN

Telephone: [+44 1652 688904](tel:+441652688904)

VAT No [317271374](tel:+441652688904)

phone [+441652688904](tel:+441652688904)

CONFIDENTIALITY NOTICE: This message and its attachments, if any, is strictly private and confidential and is intended only for use by the addressee. Any disclosure, copying, distribution or other action taken in reliance of the information contained in this e-mail is strictly prohibited. If you have received this transmission in error, please use the reply function to tell me and then permanently delete what you have received.

**From:** David Witting - NOAA Federal [mailto:[david.witting@noaa.gov](mailto:david.witting@noaa.gov)]  
**Sent:** 24 January 2022 21:23  
**To:** Dennis Vessey <[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)>  
**Subject:** Re: O2 cells for Meg15 CCR

I work for NOAA. It would be ideal if they could be sent to my home address. I rarely go to my office anymore due to Covid restrictions. The address is:

[4352 Brookside St](#)

[Irvine Ca 92604](#)

Also, we would pay for the cells with a federal purchase card (Visa credit card). Will that work for you?

On Mon, Jan 24, 2022 at 1:14 PM Dennis Vessey  
<[dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)> wrote:

Hi Dave

I have a new batch confirmed to be delivered in a week (Vandergraph) if you work for NOAA or are a instructor they are £42 each shipping by post is about £10 FEDEX between £20 - £30 If you give me an address I will check in the

---

**From:** David Witting - NOAA Federal <[david.witting@noaa.gov](mailto:david.witting@noaa.gov)>  
**Sent:** 24 January 2022 18:25  
**To:** [dennis.vessey@btconnect.com](mailto:dennis.vessey@btconnect.com)  
**Subject:** O2 cells for Meg15 CCR

Hello Dennis

Leon Scamahorn gave me your contact information and suggested you might have O2 cells in stock that fit my Meg15 CCR. Can you send me price for 3 cells and the approximate shipping cost?

Thanks

Dave

--

Steve

Steve Nixon  
Director - Vandagraph Sensor Technologies Ltd.

Office: +44 (0)1535 634900  
Mobile: +44 (0)7850 252267

--

Steve

Steve Nixon  
Director - Vandagraph Sensor Technologies Ltd.

Office: +44 (0)1535 634900  
Mobile: +44 (0)7850 252267