



Sarah Walton <viamed.sarah.walton@gmail.com>

RE: Envirogen PO 46762 - Viamed - Amendment Request

1 message

Procurement <procurement@envirogengroup.com>

10 March 2022 at 14:13

To: "sarah.walton@viamed.co.uk" <sarah.walton@viamed.co.uk>, Procurement <procurement@envirogengroup.com>

Cc: Tracey McAllister <tmcallister@envirogengroup.com>

Hi Sarah

I have attached our PO which has been revised 😊

Many Thanks

Em

Emily Jones*Purchasing Administrator***m:** 07515 994412**t:** +44 (0) 1773 441029EmilyJones@envirogengroup.comwww.envirogengroup.com**Your voice matters: [Take our customer survey](#)****Envirogen Water Technologies Ltd****Head Office:** [Unit 9 Wimsey Way](#)
Alfreton Trading Estate, Derbyshire DE55 4LS**Reg Number:** 3289389
VAT Number: GB 841026364

CONFIDENTIALITY AND WARNING NOTICE: The information sent by this communication is intended solely for the use of the individual or entity to whom it is addressed. If you are not the intended recipient, please notify the sender and delete this e-mail message from your system. Any disclosure, copying, distribution or taking any action in reliance on the contents of this information is strictly prohibited. Envirogen Group S.A. cannot be held liable for the incorrect and/or incomplete transmission of the information contained in this communication.

Before Printing, please think about the Environment!**From:** Main Account <viamedinbox@gmail.com> **On Behalf Of** Sarah Walton**Sent:** 10 March 2022 13:50**To:** Procurement <procurement@envirogengroup.com>**Cc:** Tracey McAllister <tmcallister@envirogengroup.com>**Subject:** Re: Envirogen PO 46762 - Viamed - Amendment Request

Hi Em,

If you can send me an amended PO to include the extra 250 sensors, I can add to your existing order.

Kind regards

Sarah Walton

Customer Service Representative

Please note: We are working remotely however telephone calls to the main office will still be answered.**Our office opening hours are Monday - Friday 8.30am - 5.30pm.**<http://www.viamed.co.uk>