



Kate Griffiths &lt;viamed.kate.griffiths@gmail.com&gt;

---

**Fwd: coax and molex sensors new order(PO 2850)**

1 message

**Main Account** <office@viamed.co.uk>

11 April 2022 at 10:11

To: Kate Griffiths &lt;kate.griffiths@vmsecure.me.uk&gt;

----- Forwarded message -----

From: **Info** <[info@narkedat90.com](mailto:info@narkedat90.com)>

Date: Mon, 11 Apr 2022 at 10:07

Subject: coax and molex sensors new order(PO 2850)

To: [sarah.walton@vandagraphst.com](mailto:sarah.walton@vandagraphst.com) <[sarah.walton@vandagraphst.com](mailto:sarah.walton@vandagraphst.com)>Cc: Sales <[Sales@narkedat90.com](mailto:Sales@narkedat90.com)>

Good morning sarah, can I please ask for a new sensor order to be placed  
(PO 2850)

X100 molex and x300 coax sensors

Also do you have an ETA on the current batch your cooking for us?

Kind Regards,  
**John Routley**

J. ROUTLEY

Tel: +44(0)1933 681255

URL: <http://www.narkedat90.com>Or Accounting: [accounts@narkedat90.com](mailto:accounts@narkedat90.com)

The contents of this email are confidential in nature and is a copyright work belonging to Na90. This email may not be copied or disseminated without the prior authorisation of the author, whether by forwarding or copying this email in reply except as stated below.

The recipient of this email may reply to the author with a copy of this email attached but may not copy other addressees. By replying to the author with a copy of this email attached, the recipient agrees that Na90 may use the contents of this email in any way, including distribution to third parties. The recipient also waives the right to any confidentiality notice applied to their correspondence. This email is intended for the above named addressee only.