

Kate Griffiths <viamed.kate.griffiths@gmail.com>

Fwd: VST sales order to process - JFD (Scotland)

1 message

Cathy Green <office@viamed.co.uk> Reply-To: cathy.green@viamed.co.uk

To: office@vmsecure.me.uk

11 April 2022 at 15:46

Please add the attached VST order to the system.

Thanks cathy

----- Forwarded message ------

From: Steve Nixon <office@viamed.co.uk>

Date: Fri, 8 Apr 2022 at 17:21

Subject: VST sales order to process - JFD (Scotland)

To: <info@vandagraphst.com>

Cc: <zoey.teal@vandagraphst.com>, <kate.griffiths@vandagraphst.com>, <sophie.lines@vandagraphst.com>, Cathy

Green <cathy.green@viamed.co.uk>

VST account: VST036

Please generate order to ship:

980 x 8030450 Cathode (non mag) £0.00 1 x PPUPS3 £0.00

Add note:

For the attention of Duncan Clark and supplied for non-mag assessment testing.

Whoever processes the order please give me a call and I'll explain what we are doing with the above. Once the order is generated I'll give Cathy a test sheet to include.

Steve

Steve Nixon

Director - Vandagraph Sensor Technologies Ltd.

Office: +44 (0)1535 634900 Mobile: +44 (0)7850 252267

Kind regards

Cathy Green Viamed Ltd.

http://www.viamed.co.uk

Email:Cathy.Green@viamed.co.uk

Tel: +44 (0)1535 634 542 Fax: +44 (0)1535 635 582

Sign up to our mailing list, go to www.viamed.co.uk/sign-up

Twitter: twitter.com/ViamedLtd

Facebook: facebook.com/ViamedLtdUK

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended soley for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542