SAFETY DATA SHEET

Page:

1 of 4

Revision Date:

07/06/2000

REF.: CP0010 v1.6 RS 227-4427, 227-4433, 494-584, 494-590, 557-067, 567-890

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name:

IPA SOLVENT CLEANER

Product code:

RS 227-4427, 227-4433, 494-584, 494-590, 557-067, 567-890

Supplier:

RS Components Ltd Birchington Road,

Corby,

Northants, NN17 9RS.

Telephone No:

01536 402888

Fax No: 01536 401588

2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation

General purpose solvent

Chemical Name

CAS-No.

EC-No.

Class

Weight %

~PROPAN-2-OL

67-63-0

200-661-7

F; R11 Xi; R36 R67 100.00

3. HAZARDS IDENTIFICATION

Most important hazards:

Highly flammable. Irritating to eyes.

Specific hazards

Irritant effect on eyes. Prolonged skin contact may defat the skin and produce dermatitis. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

4. FIRST AID MEASURES

General advice:

Use only in well-ventilated areas.

Inhalation:

Move to fresh air. Consult a physician after significant exposure.

Skin contact:

Wash off with soap and plenty of water.

Eye contact:

Flush eye(s) immediately with plenty of water. If eye irritation persists,

consult a specialist.

Ingestion:

Immediately give large quantities of water to drink. Consult a physician

if necessary

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Extinguish with carbon dioxide, dry chemical, foam or waterspray

Extinguishing media which must not be used for safety reasons:

Do not use water jet

Specific hazards:

Cool containers / tanks with spray water.

Special protective equipment for

firefighters:

Wear self contained breathing apparatus for fire fighting if necessary.

Specific methods:

none

Product name: IPA SOLVENT CLEANER

Page:

2 of 4

Revision Date:

07/06/2000

REF.: CP0010 v1.6 RS 227-4427, 227-4433, 494-584, 494-590, 557-067, 567-890

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Remove all sources of ignition.. Wear suitable gloves and eye/face

protection.

Environmental precautions:

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up:

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Keep in suitable, closed containers for

disposal.

7. HANDLING AND STORAGE

Handling:

Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact

with the skin and the eyes. When using, do not eat, drink or smoke.

Storage:

Keep in a cool, well-ventilated place. Keep product and empty container away from heat

and sources of ignition. Take precautionary measures against static discharges.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name:

National occupational exposure limits:

HSC(EH40)

~PROPAN-2-OL

Long term (8 hrs) = 400ppm / 999mgm⁻³ Short term (15 min) = 500ppm / 1250mgm⁻³

Engineering measures:

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment:

- Respiratory protection:

In case of insufficient ventilation wear suitable respiratory

equipment.

- Hand protection:

solvent-resistant gloves.

- Eye protection:

goggles / safety glasses

- Skin and body protection:

not required under normal use

Hygiene measures:

When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:

liquid

Colour:

colourless characteristic

Odour: pH:

no data

available

Boiling point/range:

82

°C °C

°C

Melting point/range:

-89

Decomposition temperature:

no data available

Flash point:

12 °C

Autoignition temperature:

425 °C

Flammability (solid, gas):

Highly flammable.

Explosion limits:

- lower 2.3

12

vol. %

Vapour pressure:

- upper

vol. %

(20 °C) 44 hPa

Relative density:

(20 °C)

>= 0.78

Bulk density: Solubility:

Water solubility

g/l)

completely miscible

785

kg/m3

Product name: IPA SOLVENT CLEANER

Page:

3 of 4

Revision Date:

07/06/2000

REF.: CP0010 v1.6 RS 227-4427, 227-4433, 494-584, 494-590, 557-067, 567-890

2.43

- fat solubility

no data available

Partition coefficient (n-octanol/water)

<3 log P,ow

Viscosity:

(20 °C)

mPa.s

10. STABILITY AND REACTIVITY

Stability:

Stable under recommended storage conditions.

Conditions to avoid:

Caustic alkali liquids, n.o.s., oxidising agents, aldehydes,

ammonia.

Materials to avoid:

strong acids and oxidising agents

Hazardous decomposition products:

None

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

LD50/oral/rat = 5.05g/kg, LD50/dermal/rabbit = 16.4ml/kg

Local effects:

May cause skin irritation in susceptible persons.

Sensitisation:

May cause sensitization by skin contact.

Long term toxicity:

Liver injury may occur.

Chronic toxicity:

Effects of excessive exposures may include liver toxicity

12. ECOLOGICAL INFORMATION

Mobility:

Readily soluble in water

Persistence and degradability:

Propan-2-ol: Readily biodegradable, according to appropriate

OECD test. (>99.9%)

Bioaccumulation:

None

Ecotoxicity effects:

LC50/96h/fathead minnows = 9600mg/l

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of as special waste in compliance with the Control of

Pollution (Special Waste) Regulations 1980..

Contaminated packaging:

Store containers and offer for recycling of material according to the Environmental Protection (Duty of Care) Regulations 1991.

14. TRANSPORT INFORMATION

UN-No:

1219

Marine pollutant:

Not applicable

ADR/RID

Class:

3

Item:

3 (b) 1219

Proper shipping name:

Isopropanol (Isopropyl alcohol)

IMO

Class: EmS: 3.2 3-06 **IMDG Page:**

HI/UN No:

3244 305

Proper shipping name:

MFAG:

ги

ICAO Class:

2

Isopropanol (Isopropyl alcohol)

1219

Proper shipping name

3

UN/ID No.:

Isopropanol (Isopropyl alcohol)

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 90/492/EEC.

- Contains:

Isopropanol

Product name: IPA SOLVENT CLEANER

Page:

4 of 4

Revision Date:

07/06/2000

REF.: CP0010 v1.6 RS 227-4427, 227-4433, 494-584, 494-590, 557-067, 567-890

- Symbol(s):





F - Highly flammable

Xi - Irritant

R-phrase(s):

R11 - Highly flammable. R36 - Irritating to eyes. R67 - Vapours may cause

drowsiness and dizziness.

S-phrase(s):

S 2 - Keep out of reach of children. S 7 - Keep container tightly closed. S16 - Keep away from sources of ignition - No smoking. S24/25 - Avoid contact with skin and eyes. S26 - In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

16. OTHER INFORMATION

Revision number:

Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.