



Kate Griffiths <viamed.kate.griffiths@gmail.com>

Fwd: sensor order PO#2904

1 message

Steve Nixon <office@viamed.co.uk>
Reply-To: steve.nixon@vandagraphst.com
To: office@vmsecure.me.uk
Cc: ryan@vandagraph.co.uk

1 September 2022 at 16:51

Please process the first part of this order from **Narked at 90** via VST.

200 x 8010007
100 x 8010008

The second part is for Ryan to be processed through Vandagraph:

X2 VN202MK11 02676 7910100 (Just the analysers in the box)

X2 din kits

Steve

----- Forwarded message -----

From: **Info** <info@narkedat90.com>
Date: Wed, 31 Aug 2022 at 15:48
Subject: sensor order PO#2904
To: steve.nixon@vandagraphst.com <steve.nixon@vandagraphst.com>

Hello steve, hope your well, can I please get x200 coax and x100 molex cooking please?

Also need

X2 VN202MK11 02676 7910100 (Just the analysers in the box)

X2 din kits

Kind Regards,
John Routley

J. ROUTLEY

Tel: +44(0)1933 681255



URL: <http://www.narkedat90.com>

Or Accounting: accounts@narkedat90.com

The contents of this email are confidential in nature and is a copyright work belonging to Na90. This email may not be copied or disseminated without the prior authorisation of the author, whether by forwarding or copying this email in reply except as stated below.

The recipient of this email may reply to the author with a copy of this email attached but may not copy other addressees. By replying to the author with a copy of this email attached, the recipient agrees that Na90 may use the contents of this email in any way, including distribution to third parties. The recipient also waives the right to any confidentiality notice applied to their correspondence. This email is intended for the above named addressee only.

--

Steve

Steve Nixon
Director - Vandagraph Sensor Technologies Ltd.

Office: +44 (0)1535 634900
Mobile: +44 (0)7850 252267