Document VOP 15 Data and Information Analysis Revision ID31056

Suggested Upload Document Name: Risk Assesment For Updating Document ID31056 Completed by Derek Lamb 07 Sep 2022 Reason for Risk Assesment added the objective of the vop Document VOP 15 Data and Information Analysis Revision ID31056 Is linked to the Following Standards and processes Notes On Risk / Benefits statement i Update Risk on Update Assesment Question required ID31056 Affect Notes On Risk / Benefits statement i 31056Q0 Does this Update warrant updating Any External Parties due to any Terms and Does Risk Freqency Conditional Agreements E.G. Notified Body or is the update a Significate change to any Update due to Update reauired ISO Certifications Affect? 1.Improbable > No ✔ Risk Likly Due to Update 1.Negligible Action Required: No Action Required Viamed Ltd ISO13485:2016 Section: 7.3.6 Does Risk Frequency Notes On Risk / Benefits statement i 31056Q1 Design and development verification Update due to Update required Design and development verification shall be performed in accordance with planned and Affect? 1.Improbable > documented No ✔ Risk Likly Due arrangements to ensure that the design and development outputs have met the design and to Update development 1.Negligible input requirements Action Required: The organization shall document verification plans that include methods, acceptance No Action criteria and, as Required appropriate, statistical techniques with rationale for sample size. If the intended use requires that the medical device be connected to, or have an interface medical device(s), verification shall include confirmation that the design outputs meet design inputs when so connected or interfaced. Records of the results and conclusions of the verification and necessary actions shall be maintained (see 4.2.4 and 4.2.5). 31056Q2 Viamed Ltd ISO13485:2016 Section: 7.3.7 Risk Frequency Notes On Risk / Benefits statement i Does Design and development validation Update due to Update required Design and development validation shall be performed in accordance with planned and Affect? 1.Improbable > documented No ✔ Risk Likly Due arrangements to ensure that the resulting product is capable of meeting the requirements to Update for the 1.Negligible specified application or intended use. Action Required: The organization shall document validation plans that include methods, acceptance criteria, No Action Required appropriate, statistical techniques with rationale for sample size. Design validation shall be conducted on representative product. Representative product includes initial production units, batches or their equivalents. The rationale for the choice of product used for validation shall be recorded (see 4.2.5). As part of design and development validation, the organization shall perform clinical evaluations or performance evaluations of the medical device in accordance with applicable regulatory requirements A medical device used for clinical evaluation or performance evaluation is not considered to be released for use to the customer. If the intended use requires that the medical device be connected to, or have an interface medical device(s), validation shall include confirmation that the requirements for the specified application or intended use have been met when so connected or interfaced. Validation shall be completed prior to release for use of the product to the customer. Records of the results and conclusion of validation and necessary actions shall be maintained (see 4.2.4 and 4.2.5).

31056Q3 Viamed Ltd ISO13485:2016 Section: 7.5.6

Validation of processes for production and service provision

The organization shall validate any processes for production and service provision where

output cannot be or is not verified by subsequent monitoring or measurement and, as a

Risk Fregency Does Update due to Update Affect? 1.Improbable ➤ No ✔ Risk Likly Due to Update

Notes On Risk / Benefits statement i

required

No Action Required

Current Likly 3 Current Frequency 1

1.Negligible Action Required: No Action Required

31056Q33 QProcessProcess 7874

Review For Latest Version Med Dev 2.12. To Ensure we have the latest version of Med Dev 2.12. and update management if its been updated Current Known Risk Using out of date Med Dev Current Likly 1 Current Frequency 1

Does Risk Frequecy Update due to Update Affect? 1.Improbable > No V Risk Likly Due to Update 1.Negligible Action Required: No Action Required

Notes On Risk / Benefits statement i required

31056Q34 ProcessProcess 7875

Software Validation Document Control To test document control is working as intended.

Current Known Risk If not carried out, document index is unvalidated

Current Likly 1 Current Frequency 1

Does Risk Frequecy Update due to Update Affect? 1.Improbable > No V Risk Likly Due to Update 1.Negligible Action Required: No Action

Notes On Risk / Benefits statement i required

31056Q35 ProcessProcess 7876

Maintain Update Of ISO Route Maps To review Route map VIAMED 13485:2016 and VST 9001:2015

See if a new Summary sheet needs producing, print new PDF, and upload on top of the old summary

Current Known Risk Summary sheet gets out of date. Current Likly 2 Current Frequency 1

Does Risk Frequecy Update due to Update Affect? 1.Improbable > No V Risk Likly Due to Update 2.Minor

> No Action Required

Action Required:

Required

Notes On Risk / Benefits statement i required

31056Q36 ProcessProcess 7878

Review Possible Upcoming Regulation Changes

Review possible legal / regulator changes that might affect Viamed / VST Current Known Risk Legal / Regulatory changes stop us being able to carry out our

processes as per QMS Current Likly 1 Current Frequency 3

Risk Freqency Update due to Update Affect? 3.Occasional > No V Risk Likly Due to Update 1.Negligible Action Required:

No Action Required

Notes On Risk / Benefits statement i required

31056Q37 \(\text{ProcessProcess } 7879 \)

Software Validation Scheduled Tasks And Audits

To check the Scheduled Tasks and Audits is working as Intended. To also Check the Out of Date documents is working as Intended.

Current Known Risk Tasks and Audit Rolling Issues Key to ISO requirements.

risk of losing standards

Current Likly 1 Current Frequency 1

Does Risk Freqency Update due to Update Affect? 1.Improbable > No 🗸 Risk Likly Due to Update 1.Negligible

> No Action Required

Action Required:

Notes On Risk / Benefits statement i required

31056Q38 QProcessProcess 7880

Software Validation Out Of Date Documents

To confirm the out of documents computer software functions as expected flagging out of date items on to the list

Current Known Risk Old document in the system

Current Likly 1 Current Frequency 1

Risk Freqency Does Update due to Update Affect? 1.Improbable > No ✔ Risk Likly Due to Update 1.Negligible Action Required:

No Action Required

Risk Freqency

Does

Notes On Risk / Benefits statement i required

31056Q39 \(\text{ProcessProcess 7881} \)

Software Validation - Live Orders

To compare Opera Live Orders to Intrastats Back order Active List

NO LONGER REQUIRED

Opera is now out of the system

Current Known Risk no risks, confirmation back orders is working as inteneded Current Likly 1 Current Frequency 1

Update due to Update Affect? 1.Improbable > No V Risk Likly Due to Update 1.Negligible Action Required: No Action

Required

Notes On Risk / Benefits statement i required

31056Q40 Does Generic CE File Attached to All Technical file #2

Of type 5 require any Notificaions and/or Risk assesment updates due to this update

Risk Fregency Does Update due to Update 1.Improbable ✓ Notes On Risk / Benefits statement i required

No 🗸	to Update	
	1.Negligible 🗸	
	Action Required:	
	No Action	
	Required	

31056Q41 Final Notes

No ISO Procedures or Process are negativly affected by updating this document with the new document proposed

SAVE FORM Only saves your progress in filling in above Questions - No feed back to pressing save form button Once Form Complete Print Page to PDF (Landscape mode prefereable), go back to document upload page and upload to risk assessment button