

Viamed Ltd
15 Station Road
Cross Hills
Keighley, West Yorkshire
BD20 7DT, United Kingdom
Tel: +44 (0) 1535 634542
Fax: +44 (0) 1535 635582
Email: info@viamed.co.uk
VAT Reg No: GB287389593
Company Reg No: 01291765
Eori No: GB287389593000

Viamed Ltd



Delivery Address

Bionetics
1580 Rue Beaulac
St. Laurent
Quebec
H4R 1W8
Canada

Invoice Address

Bionetics
1580 Rue Beaulac
St. Laurent
Quebec
H4R 1W8
Canada

Contact Name : Charles Reitelman
Contact Tel : 8006659930

Account CID26962
Customer Reference 37509-23
Date 21 Nov 2023
Priority : 3
Valid until : 22 Dec 2023
Priced In : US Dollars

Proforma Invoice MVM146780

Page 1

CIP Carriage and Insurance Paid To Bionetics, Canada * Incoterms(R) 2020

Your Viamed Contact for this Proforma Invoice : kate.griffiths@viamed.co.uk

Item Reference	Description	Quantity	Unit	Unit Vat	Total
2520000 Tariff 90181990-00 CoO United Kingdom	Microstim DB3 - Patient Lead Press Studs - Cable Length: 0.90m Set of 2	15	18.72		280.80
Please note: items are for Veterinary use and not for use on humans					
2530012 Tariff 90181990-00	Microstim DB3 Intensity Control Knob	11	5.20		57.20
2530013 Tariff 90181990-00	Microstim DB3 - Potentiometer	3	26.73		80.19
2530004 Tariff 90181990-00	Microstim DB3 - Battery Cover	8	4.16		33.28
Bank Charges	Bank Charges	1	25.00		25.00
INS	Insurance	1	12.50		12.50
PPUPS8	UPS Courier Delivery - Express	1	33.81		33.81
	23 x 15 x 15 cm 0.60 kg				

Banking details
Bank BIC
Sort Code 20-78-42
Account Number 89771244
IBAN GB82BUKB20784289771244
BIC BUKGB22
Terms and conditions <https://www.viamed.co.uk/terms>

Total Net: 522.78
Total Vat: 0.00
Total: 522.78
Full proforma amount to be credited to our account net of bank charges.
Claims: Please claim non delivery within 14 days of invoice.
Shortages or damage within 3 days of receipt.
Claims after these times cannot be entertained.
Title to goods does not pass until payment in full has been received.
Proforma Valid for 30 days only.
Viamed Ltd reserves the right to add an administration fee to the Proforma if multiple changes are requested.