Viamed Ltd 15 Station Road Cross Hills Keighley, West Yorkshire BD20 7DT, United Kingdom Tel: +44 (0) 1535 634542 Fax: +44 (0) 1535 635582 Email: info@viamed.co.uk VAT Reg No: GB287389593 Company Reg No: 01291765 Eori No: GB287389593000

Viamed Ltd



Delivery Address

Thailand

BB Biochem Partner Limited 68/522 Soi Rattanathibet 28 Junction 2, Bangkraso Mueang Nonthaburi District Nonthaburi 11000

Invoice Address

Thailand

BB Biochem Partner Limited 68/522 Soi Rattanathibet 28 Junction 2, Bangkraso Mueang Nonthaburi District Nonthaburi 11000

Contact Name Contact Tel

: Pongnarin Yoosomboon

: 66822838995

Account Customer Reference Date

CID15760 04042484KG 09 Apr 2024

Priority 3

Valid until : 08 May 2024 Priced In **US Dollars**

Proforma Invoice MVM149180

Page 1

CIP Carriage and Insurance Paid To BB Bio-Chem, Thailand * Incoterms(R) 2020

Your Viamed Contact for this Proforma Invoice: kate.griffiths@viamed.co.uk

Item Reference	Description	Quantity	Unit	Unit Vat	Total
0110420 Tariff 9019209000 CoO Germany	Maxtec Oxygen Sensor MAX-14 (Fluke)	8	80.10		640.80
0110427 Tariff 9019209000 CoO United States	Oxygen sensor MAX-250+	8	90.30		722.40
0110041 Tariff 9019209000 CoO Germany	Viamed Oxygen Sensor R-41V	1	40.00		40.00
Bank Charges	Bank Charges	1	45.00		45.00
INS	Insurance	1	14.03		14.03
PPUPS7	UPS Courier Delivery - Express Saver	1	66.69		66.69
	32 x 24 x 16 cm				
	1.50 kg				

Total Net: 1,528.92 Total Vat: 0.00

> Total: 1,528.92

Banking details Bank Sort Code Account Number IBAN

BIC Barclays Bank 20-78-42 89771244 GB82BUKB20784289771244

BIC BUKBGB22
Terms and conditions https://www.viamed.co.uk/terms

Full proforma amount to be credited to our account net of all bank charges. Claims: Please claim non delivery within 14 days of invoice. Shortages or damage within 3 days of receipt. Claims after these times cannot be entertained. Title to goods does not pass until payment in full has been received. Proforma Valid for 30 days only.

Viamed Ltd reserves the right to add an administration

fee to the Proforma if multiple changes are requested.