

Viamed Ltd  
15 Station Road  
Cross Hills  
Keighley, West Yorkshire  
BD20 7DT, United Kingdom  
Tel: +44 (0) 1535 634542  
Fax: +44 (0) 1535 635582  
Email: info@viamed.co.uk  
VAT Reg No: GB287389593  
Company Reg No: 01291765  
Eori No: GB287389593000

# Viamed Ltd



## Delivery Address

Modern Technology Company  
Municipality Street  
P.O. Box 156  
Beit Sahour  
Bethlehem  
9992100  
Palestine Via Israel

## Invoice Address

Modern Technology Company  
Municipality Street  
P.O. Box 156  
Beit Sahour  
Bethlehem  
9992100  
Palestine Via Israel

## Contact Name Contact Tel

: Mike Kharoufeh  
: 970569037891

## Account

00006188

## Customer Reference

15042493JG

## Date

15 Apr 2024

## Priority

3

## Valid until

: 16 May 2024

## Priced In

US Dollars

## Proforma Invoice MVM149365

Page 1

CIP Carriage and Insurance Paid To Modern Tech Co, Palestine \* Incoterms(R) 2020

Your Viamed Contact for this Proforma Invoice : janine.gill@viamed.co.uk

Item Reference	Description	Quantity	Unit	Unit Vat	Total
0131202 Tariff 90181990-00 CoO United Kingdom	Oxygen Sensor Cable Black - Viamed version Coiled cable with right angled connectors	3	20.00		60.00
0110017 Tariff 901920900 CoO United States	Teledyne Sensor R-17MED	3	47.90		143.70
INS	Insurance	1	12.50		12.50
PPUPS7	UPS Courier Delivery - Express Saver	1	87.29		87.29
	0.60kg 32 x 24 x16cm				

Total Net: 303.49  
Total Vat: 0.00  
Total: 303.49

Banking details  
Bank BIC  
Sort Code Barclays Bank  
Account Number 20-78-42  
IBAN 89771244  
BIC GB82BUKB20784289771244  
Terms and conditions BUKBGB22  
<https://www.viamed.co.uk/terms>

Full proforma amount to be credited to our account net of all bank charges.  
Claims: Please claim non delivery within 14 days of invoice.  
Shortages or damage within 3 days of receipt.  
Claims after these times cannot be entertained.  
Title to goods does not pass until payment in full has been received.  
Proforma Valid for 30 days only.  
Viamed Ltd reserves the right to add an administration fee to the Proforma if multiple changes are requested.