

Viamed Ltd
15 Station Road
Cross Hills
Keighley, West Yorkshire
BD20 7DT, United Kingdom
Tel: +44 (0) 1535 634542
Fax: +44 (0) 1535 635582
Email: info@viamed.co.uk
VAT Reg No: GB287389593
Company Reg No: 01291765
Eori No: GB287389593000

Viamed Ltd



Delivery Address

BB Biochem Partner Limited
68/522 Soi Rattanathibet
28 Junction 2, Bangkraso
Mueang Nonthaburi District
Nonthaburi
11000
Thailand

Invoice Address

BB Biochem Partner Limited
68/522 Soi Rattanathibet
28 Junction 2, Bangkraso
Mueang Nonthaburi District
Nonthaburi
11000
Thailand

Contact Name Contact Tel

: Pongnarin Yoosomboon
: 66822838995

Account Customer Reference Date Priority Valid until Priced In

CID15760
21062484KG3
25 Jun 2024
3
: 25 Jul 2024
US Dollars

Proforma Invoice MVM150576

Page 1

CIP Carriage and Insurance Paid To BB Bio-Chem, Thailand * Incoterms(R) 2020

Your Viamed Contact for this Proforma Invoice : kate.griffiths@viamed.co.uk

Item Reference	Description	Quantity	Unit	Unit Vat	Total
0110420 Tariff 9019209000 CoO Germany	Maxtec Oxygen Sensor MAX-14 (Fluke)	15	80.10		1,201.50
0110427 Tariff 9019209000 CoO United States	Oxygen sensor MAX-250+	10	90.30		903.00
0110429 Tariff 9019209000 CoO United States	Maxtec Oxygen Sensor MAX-250E	15	60.10		901.50
INS	Insurance	1	30.06		30.06
Bank Charges	Bank Charges	1	45.00		45.00
PPUPS7	UPS Courier Delivery - Express Saver	1	50.08		50.08

23 x 15 x 15 cm
1.10 kg

Total Net: 3,131.14
Total Vat: 0.00
Total: 3,131.14

Banking details BIC
Bank Barclays Bank
Sort Code 20-78-42
Account Number 89771244
IBAN GB82BUKB20784289771244
BIC BUKGB22
Terms and conditions <https://www.viamed.co.uk/terms>

Full proforma amount to be credited to our account net of all bank charges.
Claims: Please claim non delivery within 14 days of invoice.
Shortages or damage within 3 days of receipt.
Claims after these times cannot be entertained.
Title to goods does not pass until payment in full has been received.
Proforma Valid for 30 days only.
Viamed Ltd reserves the right to add an administration fee to the Proforma if multiple changes are requested.