

Viamed Ltd
15 Station Road
Cross Hills
Keighley, West Yorkshire
BD20 7DT, United Kingdom
Tel: +44 (0) 1535 634542
Fax: +44 (0) 1535 635582
Email: info@viamed.co.uk
VAT Reg No: GB287389593
Company Reg No: 01291765
Eori No: GB287389593000

Viamed Ltd



Delivery Address

Dartin Slovensko spol. s r.o
L Podjavorinskej 25
Presov
080 05
Slovak Republic

Invoice Address

Dartin Slovensko Spol. S R.o
L Podjavorinskej 25
Presov
080 05
Slovak Republic
VAT SK2020519193

Contact Name

Contact Tel

: Katarina Semancova
: 421517734403

Account

Customer Reference

Date

Priority

Valid until

Priced In

CID18697

F240072

06 Aug 2024

3

: 06 Sep 2024

Euros

Proforma Invoice MVM151511

Page 1

CIP Carriage and Insurance Paid To Dartin Slovensko, Slovakia * Incoterms(R) 2020

Your Viamed Contact for this Proforma Invoice : sophie.lines@viamed.co.uk

Item Reference	Description	Quantity	Unit	Unit Vat	Total
0110022 Tariff 9019209000 CoO United States	Teledyne Oxygen Sensor R-22MED	30	33.90		1,017.00
0110073 Tariff 9019209000 CoO Germany	Viamed Oxygen Sensor R-22VA - Pack of 2	35	64.00		2,240.00
0110047 Tariff 9019209000 CoO Germany	Viamed Oxygen Sensor R-47V	20	55.20		1,104.00
0110021 Tariff 9019209000 CoO Germany	Viamed Oxygen Sensor R-22MEDV	1	30.20		30.20
INS	Insurance	1	43.91		43.91
BC	Bank Charges	1	35.00		35.00
PPUPS6	UPS Courier Delivery - Standard	1	22.61		22.61

61 x 47 x 25 cm
8.8 kg

Total Net: 4,492.72
Total Vat: 0.00
Total: 4,492.72

Banking details
Bank BIC
Sort Code Barclays Bank
Account Number 20-78-42
IBAN 87399700
BIC GB33BUKB20784287399700
Terms and conditions BUKGB22
<https://www.viamed.co.uk/terms>

Full proforma amount to be credited to our account net of all bank charges.
Claims: Please claim non delivery within 14 days of invoice.
Shortages or damage within 3 days of receipt.
Claims after these times cannot be entertained.
Title to goods does not pass until payment in full has been received.
Proforma Valid for 30 days only.
Viamed Ltd reserves the right to add an administration fee to the Proforma if multiple changes are requested.