

Viamed Ltd
15 Station Road
Cross Hills
Keighley, West Yorkshire
BD20 7DT, United Kingdom
Tel: +44 (0) 1535 634542
Fax: +44 (0) 1535 635582
Email: info@viamed.co.uk
VAT Reg No: GB287389593
Company Reg No: 01291765
Eori No: GB287389593000

Viamed Ltd



Delivery Address

Medical Solution System
Inje University Creation Hall
(B Building) Room 425
197 Inje-ro Gyeongsangnam-do
Gimhae-si
50834
South Korea

Invoice Address

Medical Solution System
Inje University Creation Hall
(B Building) Room 425
197 Inje-ro Gyeongsangnam-do
Gimhae-si
50834
South Korea

Contact Name : Min Soo Kang
Contact Tel : 01022297462

Account CID31335
Customer Reference 24022584KG4
Date 14 Mar 2025
Priority 3
Valid until : 14 Apr 2025
Priced In Euros

Proforma Invoice MVM155208

Page 1

CIP Carriage and Insurance Paid To Med System Sol, South Korea * Incoterms(R) 2020

Your Viamed Contact for this Proforma Invoice : kate.griffiths@viamed.co.uk

Item Reference	Description	Quantity	Unit	Unit Vat	Total
0012749 Tariff 9018199000 CoO Germany	SMARTsat Sensor Connector (6 pin) Standard Flex Connector Cable (57.9 mm)	20	22.00		440.00
0014651 Tariff 9018199000 CoO Germany	Pulse Oximetry Finger Clip Sensor Viamed SMARTsat - Adult SF7500VM Cable Length: 1.2m	1	70.00		70.00
INS	Insurance	1	11.50		11.50
PPUPS7	UPS Courier Delivery - Express Saver	1	64.96		64.96

32 x 24 x 16 cm

1 kg

Personal customs clearance number: P170017333372

Total Net: 586.46
Total Vat: 0.00
Total: 586.46

Banking details
Bank BIC
Sort Code Barclays Bank
Account Number 20-78-42
IBAN 87399700
BIC GB33BUKB20784287399700
Terms and conditions https://www.viamed.co.uk/terms

Full proforma amount to be credited to our account net of all bank charges.
Claims: Please claim non delivery within 14 days of invoice.
Shortages or damage within 3 days of receipt.
Claims after these times cannot be entertained.
Title to goods does not pass until payment in full has been received.
Proforma Valid for 30 days only.
Viamed Ltd reserves the right to add an administration fee to the Proforma if multiple changes are requested.