

Viamed Ltd  
15 Station Road  
Cross Hills  
Keighley, West Yorkshire  
BD20 7DT, United Kingdom  
Tel: +44 (0) 1535 634542  
Fax: +44 (0) 1535 635582  
Email: info@viamed.co.uk  
VAT Reg No: GB287389593  
Company Reg No: 01291765  
Eori No: GB287389593000

# Viamed Ltd



## Delivery Address

Lifepack Nigeria Limited  
Plot 21 Block 47 Poluyi Street  
Ilapo Estate  
AIT Alagbado  
Lagos  
23401  
Nigeria

## Invoice Address

Lifepack Nigeria Limited  
Plot 21 Block 47 Poluyi Street  
Ilapo Estate  
AIT Alagbado  
Lagos  
23401  
Nigeria

## Contact Name

## Contact Tel

: Oladayo J Olaleye  
: 234 8056000276

## Account

## Customer Reference

## Date

## Priority

## Valid until

## Priced In

00006681

17062538CHLNL

18 Jun 2025

3

: 18 Jul 2025

Euros

## Proforma Invoice MVM157370

Page 1

CIP Carriage and Insurance Paid To Lifepack Nigeria Ltd, Nigeria \* Incoterms(R) 2020

Your Viamed Contact for this Proforma Invoice : catrin.hollings@viamed.co.uk

Item Reference	Description	Quantity	Unit	Unit Vat	Total
0111260 Tariff 90181990-00 CoO United States	Maxtec MaxO2+A Oxygen analyser with internal sensor Ref. R217P62	1	321.60	0.00	321.60
0110429 Tariff 9019209000 CoO United States	Maxtec Oxygen Sensor MAX-250E	1	57.30	0.00	57.30
INS	Insurance	1	11.50	0.00	11.50
PPUPS7	UPS Courier Delivery - Express Saver  32 x 24 x 16cm 1.0kg	1	94.83	0.00	94.83

Total Net: 485.23  
Total Vat: 0.00  
Total: 485.23

Banking details  
Bank BIC  
Sort Code Barclays Bank  
Account Number 20-78-42  
IBAN 87399700  
BIC GB33BUKB20784287399700  
Terms and conditions BUKBGB22  
<https://www.viamed.co.uk/terms>

Full proforma amount to be credited to our account net of all bank charges.  
Claims: Please claim non delivery within 14 days of invoice.  
Shortages or damage within 3 days of receipt.  
Claims after these times cannot be entertained.  
Title to goods does not pass until payment in full has been received.  
Proforma Valid for 30 days only.  
Viamed Ltd reserves the right to add an administration fee to the Proforma if multiple changes are requested.