



Viamed Ltd  
 15 Station Road  
 Cross Hills  
 Keighley, West Yorkshire  
 BD20 7DT, United Kingdom  
 Tel: +44 (0) 1535 634542  
 Fax: +44 (0) 1535 635582  
 Email: info@viamed.co.uk  
 VAT Reg No: GB287389593  
 Company Reg No: 01291765  
 Eori No: GB287389593000

# Viamed Ltd

**Delivery Address**  
 Arah BME Sdn Bhd  
 B1-22-2 Space U8  
 Persiaran Pasak Bumi  
 Bukit Jelutong Shah Alam  
 Selangor  
 40150  
 Malaysia

**Invoice Address**  
 Arah BME Sdn Bhd  
 B1-22-2 Space U8  
 Persiaran Pasak Bumi  
 Bukit Jelutong Shah Alam  
 Selangor  
 40150  
 Malaysia

**Contact Name** : Ahmad Ridhuan Abdullah  
**Contact Tel** : 0196949858

**Account** CID22360  
**Customer Reference** AR/PO/26100  
**Date** 14 Apr 2026  
**Priority** 3

**Valid until** 15 May 2026  
**Priced In** US Dollars

Page 1

## Proforma Invoice MVM162928

CIP Carriage and Insurance Paid To Arah BME Sdn Bhd, Malaysia \* Incoterms 2020

Your Viamed Contact for this Proforma Invoice : kate.griffiths@viamed.co.uk

Item Reference	Description	Quantity	Unit	Unit Vat	Total
0110420 Tariff 9019209000 CoO Germany	Maxtec Oxygen Sensor MAX-14 (Fluke)	2	94.30	0.00	188.60
PAYPAL	PayPal Account : paypal@viamed.co.uk	1	16.00	0.00	16.00
INS	Insurance	1	12.50	0.00	12.50
PPUPS7	UPS Courier Delivery - Express Saver	1	61.00	0.00	61.00
	23 x 15 x 12 cm 0.30 kg				

**Total Net:** 278.10  
**Total Vat:** 0.00  
**Total:** 278.10

**Banking details**  
 Bank BIC  
 Sort Code Barclays Bank  
 Account Number 20-78-42  
 IBAN 89771244  
 BIC GB82BUKB20784289771244  
 BIC BUKGB22  
 Terms and conditions <https://www.viamed.co.uk/terms>

Full proforma amount to be credited to our account net of all bank charges.  
 Claims: Please claim non delivery within 14 days of invoice.  
 Shortages or damage within 3 days of receipt.  
 Claims after these times cannot be entertained.  
 Title to goods does not pass until payment in full has been received.  
 Proforma Valid for 30 days only.  
 Viamed Ltd reserves the right to add an administration fee to the Proforma if multiple changes are requested.