



Viamed Ltd  
 15 Station Road  
 Cross Hills  
 Keighley, West Yorkshire  
 BD20 7DT, United Kingdom  
 Tel: +44 (0) 1535 634542  
 Fax: +44 (0) 1535 635582  
 Email: info@viamed.co.uk  
 VAT Reg No: GB287389593  
 Company Reg No: 01291765  
 Eori No: GB287389593000

# Viamed Ltd

Delivery Address  
 AJ Medical  
 Vasavagen 78-80  
 Lidingo  
 181 41  
 Sweden  
 eori SE9696229427

Invoice Address  
 AJ Medical  
 Box 10022  
 Lidingo  
 181 10  
 Sweden  
 VAT SE969622942701

Contact Name : Lotta Kronaker Bostrom  
 Contact Tel : 004687672970

Account CID31337  
 Customer Reference 22042694AM  
 Date 22 Apr 2026  
 Priority 3

Valid until 23 May 2026  
 Priced In Euros

Page 1

## Proforma Invoice MVM163101

CIP Carriage and Insurance Paid To AJ Medical, Sweden \* Incoterms 2020

Your Viamed Contact for this Proforma Invoice : aqib.majeed@viamed.co.uk

Item Reference	Description	Quantity	Unit	Unit Vat	Total
0022171 Tariff 90181990-00 CoO E.U.	Universal Mounting Plate with V Mount	2	13.00	0.00	26.00
0121182 Tariff 90181990-00 CoO United Kingdom	Viamed `V` Mount Pole Clamp - Large	2	32.80	0.00	65.60
0014895 Tariff 9018199000 CoO E.U.	Pulse Oximetry Extension Cable - XT 6500 Cable Length 1.2m Ref. 1020132275	2	47.25	0.00	94.50
INS	Insurance	1	11.50	0.00	11.50
PPUPS6	UPS Courier Delivery - Standard  23 x 15 x 15cm 0.8kg	1	17.85	0.00	17.85

Total Net: 215.45  
 Total Vat: 0.00  
 Total: 215.45

Banking details BIC  
 Bank Barclays Bank  
 Sort Code 20-78-42  
 Account Number 87399700  
 IBAN GB33BUKB20784287399700  
 BIC BUKBGB22  
 Terms and conditions <https://www.viamed.co.uk/terms>

Full proforma amount to be credited to our account net of all bank charges.  
 Claims: Please claim non delivery within 14 days of invoice.  
 Shortages or damage within 3 days of receipt.  
 Claims after these times cannot be entertained.  
 Title to goods does not pass until payment in full has been received.  
 Proforma Valid for 30 days only.  
 Viamed Ltd reserves the right to add an administration fee to the Proforma if multiple changes are requested.