

Invoice Address  
Vandagraph Sensor Tec VST  
15 Station Road  
Cross Hills  
Keighley  
BD20 7DT

Supplier  
Viamed Ltd  
15 Station Road  
Cross Hills  
Keighley, West Yorkshire  
BD20 7DT, United Kingdom  
Tel: +44 (0) 1535 634542  
Fax: +44 (0) 1535 635582  
Email: info@viamed.co.uk  
VAT Reg No: GB287389593  
Company Reg No: 01291765  
EORI No: GB287389593000



Contact Name Steve Nixon  
Contact Tel 01535634900  
Account 00009191  
Customer Reference PST4259  
Date 20 Feb 2025  
Priced In UK Pounds

Delivery Address  
Vandagraph Sensor Tec VST  
15 Station Road  
Cross Hills  
Keighley  
BD20 7DT

## Invoice RVM154776-1

EXW Ex Works VST, UK \* Incoterms(r) 2020

Delivery Reference DVM154776-1 Contact aqib.majeed@viamed.co.uk

| Item Reference             | Description                                 | Quantity | Unit | Unit Vat | Total    |
|----------------------------|---------------------------------------------|----------|------|----------|----------|
| 8000004<br>Tariff 85442000 | Cable assembly for oxygen sensor 8010004    | 200      | 5.00 | 1.00     | 1,200.00 |
|                            | PS3747                                      |          |      |          |          |
| EXW                        | Delivery: EXW - Viamed, UK (Incoterms 2020) |          | 0.00 | 0.00     | 0.00     |
|                            | Consigned to:                               |          |      |          |          |

Total Net: 1,000.00  
Total Vat: 200.00  
Total: 1,200.00

Banking details  
Bank Barclays Bank PLC  
Sort Code 20-78-42  
Account Number 00906662  
IBAN GB05BUKB20784200906662  
BIC BUKGBB22  
Terms & conditions <https://www.viamed.co.uk/terms>

Terms: Net 30 days from date of invoice.  
Full invoice amount to be credited to our account net of all bank charges.  
Claims: Please claim non delivery within 7 days of invoice.  
Shortages or damage within 3 days of receipt.  
Claims after these times cannot be entertained.  
Title to goods does not pass until payment in full has been received.