



# Viamed Production Sheet PS3852

U Drive: WAN3852.pdf

Advanced Ref 1762247207

Started:04/Nov/2025 By Catherine Spence Quantity 30

0110224 Oxygen sensor R-33DE

Produced By Philip Crossley

Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_



Barcode(2838862) 261915 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838863) 261916 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838864) 261917 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838865) 261918 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838866) 261919 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838867) 261920 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838868) 261921 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838869) 261922 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838870) 261923 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838871) 261924 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838872) 261925 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838873) 261926 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838874) 261927 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3852

U Drive: WAN3852.pdf

Advanced Ref 1762247207

Started:04/Nov/2025 By Catherine Spence Quantity 30

0110224 Oxygen sensor R-33DE

Produced By Philip Crossley

Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_



Barcode(2838875) 261928 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838876) 261929 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838877) 261930 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838878) 261931 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838879) 261932 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838880) 261933 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838881) 261934 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838882) 261935 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838883) 261936 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838884) 261937 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838885) 261938 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838886) 261939 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838887) 261940 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]





# Viamed Production Sheet PS3852

U Drive: WAN3852.pdf

Advanced Ref 1762247207

Started:04/Nov/2025 By Catherine Spence Quantity 30

0110224 Oxygen sensor R-33DE

Produced By Philip Crossley

Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_



Barcode(2838888) 261941 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838889) 261942 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838890) 261943 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2838891) 261944 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]