



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402677) PR03608A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402678) PR03608A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402679) PR03608A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402680) PR03608A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402681) PR03608A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402682) PR03608A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402683) PR03608A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402684) PR03608A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402685) PR03608A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402686) PR03608A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402687) PR03608A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402688) PR03608A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402689) PR03608A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402690) PR03608A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402691) PR03608A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402692) PR03608A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402693) PR03608A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402694) PR03608A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402695) PR03608A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402696) PR03608A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402697) PR03608A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402698) PR03608A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402699) PR03608A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402700) PR03608A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402701) PR03608A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402702) PR03608A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402703) PR03608A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402704) PR03608A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402705) PR03608A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402706) PR03608A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402707) PR03608A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402708) PR03608A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402709) PR03608A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402710) PR03608A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402711) PR03608A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402712) PR03608A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402713) PR03608A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402714) PR03608A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402715) PR03608A48 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402716) PR03608A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402717) PR03608A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402718) PR03608A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402719) PR03608A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402720) PR03608A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402721) PR03608A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402722) PR03608A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402723) PR03608A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402724) PR03608A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402725) PR03608A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402726) PR03608A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402727) PR03608A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402728) PR03608A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402729) PR03608A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402730) PR03608A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402731) PR03608A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402732) PR03608A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402733) PR03608A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402734) PR03608A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402735) PR03608A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402736) PR03608A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402737) PR03608A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402738) PR03608A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402739) PR03608A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402740) PR03608A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402740) PR03608A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402741) PR03608A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402742) PR03608A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402743) PR03608A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402744) PR03608A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402745) PR03608A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402746) PR03608A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402747) PR03608A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402748) PR03608A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402749) PR03608A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402750) PR03608A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402751) PR03608A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402752) PR03608A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402753) PR03608A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402754) PR03608A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402755) PR03608A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402756) PR03608A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402757) PR03608A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402758) PR03608A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402759) PR03608A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402760) PR03608A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402761) PR03608A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402762) PR03608A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402763) PR03608A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402764) PR03608A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402765) PR03608A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402766) PR03608A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402767) PR03608A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402768) PR03608A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402769) PR03608A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402770) PR03608A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402771) PR03608A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402772) PR03608A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402773) PR03608A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402774) PR03608A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402775) PR03608A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402776) PR03608A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402777) PR03608A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402778) PR03608A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402779) PR03608A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402780) PR03608A113 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402781) PR03608A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402782) PR03608A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402783) PR03608A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402784) PR03608A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402785) PR03608A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402786) PR03608A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402787) PR03608A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402788) PR03608A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402789) PR03608A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402790) PR03608A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402791) PR03608A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402792) PR03608A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402793) PR03608A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402794) PR03608A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402795) PR03608A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402796) PR03608A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402797) PR03608A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402798) PR03608A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402799) PR03608A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402800) PR03608A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402801) PR03608A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402802) PR03608A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402803) PR03608A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402804) PR03608A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402805) PR03608A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402806) PR03608A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402807) PR03608A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402808) PR03608A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402809) PR03608A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402810) PR03608A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402811) PR03608A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402812) PR03608A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402813) PR03608A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402814) PR03608A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402815) PR03608A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402816) PR03608A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402817) PR03608A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402818) PR03608A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402819) PR03608A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402820) PR03608A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402821) PR03608A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402822) PR03608A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402823) PR03608A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402824) PR03608A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402825) PR03608A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402826) PR03608A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402827) PR03608A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402828) PR03608A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402829) PR03608A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402830) PR03608A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402831) PR03608A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402832) PR03608A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402833) PR03608A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402834) PR03608A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402835) PR03608A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402836) PR03608A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402837) PR03608A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402838) PR03608A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402839) PR03608A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402840) PR03608A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402841) PR03608A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402842) PR03608A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402843) PR03608A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402844) PR03608A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402845) PR03608A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402846) PR03608A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402847) PR03608A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402848) PR03608A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402849) PR03608A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402850) PR03608A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402851) PR03608A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402852) PR03608A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402853) PR03608A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402854) PR03608A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402855) PR03608A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402856) PR03608A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402857) PR03608A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402858) PR03608A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402859) PR03608A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402860) PR03608A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402861) PR03608A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402862) PR03608A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402863) PR03608A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402864) PR03608A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402865) PR03608A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402866) PR03608A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402867) PR03608A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402868) PR03608A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402869) PR03608A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402870) PR03608A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402871) PR03608A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3608

U Drive: WVM3608.pdf

Advanced Ref 1709020041

Started:27/Feb/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2402872) PR03608A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402873) PR03608A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402874) PR03608A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402875) PR03608A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2402876) PR03608A209 Produced [] Q.A. [] Boxed Ready For Sale []