



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528992

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419837) PR03616A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419838) PR03616A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419839) PR03616A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419840) PR03616A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419841) PR03616A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419842) PR03616A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419843) PR03616A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419844) PR03616A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419845) PR03616A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419846) PR03616A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419847) PR03616A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419848) PR03616A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419849) PR03616A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528992

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419850) PR03616A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419851) PR03616A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419852) PR03616A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419853) PR03616A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419854) PR03616A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419855) PR03616A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419856) PR03616A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419857) PR03616A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419858) PR03616A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419859) PR03616A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419860) PR03616A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419861) PR03616A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419862) PR03616A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528992

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419863) PR03616A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419864) PR03616A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419865) PR03616A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419866) PR03616A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419867) PR03616A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419868) PR03616A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419869) PR03616A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419870) PR03616A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419871) PR03616A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419872) PR03616A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419873) PR03616A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419874) PR03616A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419875) PR03616A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528992

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419876) PR03616A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419877) PR03616A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419878) PR03616A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419879) PR03616A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419880) PR03616A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419881) PR03616A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419882) PR03616A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419883) PR03616A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419884) PR03616A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419885) PR03616A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419886) PR03616A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419887) PR03616A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419888) PR03616A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528992

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419889) PR03616A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419890) PR03616A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419891) PR03616A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419892) PR03616A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419893) PR03616A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419894) PR03616A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419895) PR03616A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419896) PR03616A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419897) PR03616A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419898) PR03616A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419899) PR03616A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419900) PR03616A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419901) PR03616A74 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528992

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419902) PR03616A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419903) PR03616A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419904) PR03616A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419905) PR03616A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419906) PR03616A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419907) PR03616A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419908) PR03616A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419909) PR03616A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419910) PR03616A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419911) PR03616A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419912) PR03616A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419913) PR03616A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419914) PR03616A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528992

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419915) PR03616A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419916) PR03616A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419917) PR03616A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419918) PR03616A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419919) PR03616A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419920) PR03616A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419921) PR03616A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419922) PR03616A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419923) PR03616A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419924) PR03616A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419925) PR03616A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419926) PR03616A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419927) PR03616A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528992

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419928) PR03616A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419929) PR03616A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419930) PR03616A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419931) PR03616A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419932) PR03616A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419933) PR03616A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419934) PR03616A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419935) PR03616A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419936) PR03616A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419937) PR03616A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419938) PR03616A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419939) PR03616A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419940) PR03616A113 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528993

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419941) PR03616A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419942) PR03616A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419943) PR03616A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419944) PR03616A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419945) PR03616A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419946) PR03616A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419947) PR03616A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419948) PR03616A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419949) PR03616A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419950) PR03616A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419951) PR03616A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419952) PR03616A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419953) PR03616A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528993

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419954) PR03616A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419955) PR03616A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419956) PR03616A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419957) PR03616A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419958) PR03616A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419959) PR03616A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419960) PR03616A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419961) PR03616A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419962) PR03616A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419963) PR03616A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419964) PR03616A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419965) PR03616A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419966) PR03616A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528993

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419967) PR03616A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419968) PR03616A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419969) PR03616A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419970) PR03616A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419971) PR03616A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419972) PR03616A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419973) PR03616A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419974) PR03616A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419975) PR03616A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419976) PR03616A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419977) PR03616A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419978) PR03616A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419979) PR03616A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528993

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419980) PR03616A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419981) PR03616A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419982) PR03616A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419983) PR03616A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419984) PR03616A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419985) PR03616A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419986) PR03616A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419987) PR03616A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419988) PR03616A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419989) PR03616A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419990) PR03616A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419991) PR03616A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419992) PR03616A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528993

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2419993) PR03616A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419994) PR03616A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419995) PR03616A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419996) PR03616A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419997) PR03616A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419998) PR03616A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2419999) PR03616A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420000) PR03616A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420001) PR03616A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420002) PR03616A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420003) PR03616A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420004) PR03616A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420005) PR03616A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528993

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2420006) PR03616A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420007) PR03616A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420008) PR03616A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420009) PR03616A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420010) PR03616A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420011) PR03616A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420012) PR03616A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420013) PR03616A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420014) PR03616A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420015) PR03616A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420016) PR03616A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420017) PR03616A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420018) PR03616A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528993

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2420019) PR03616A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420020) PR03616A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420021) PR03616A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420022) PR03616A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420023) PR03616A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420024) PR03616A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420025) PR03616A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420026) PR03616A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420027) PR03616A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420028) PR03616A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420029) PR03616A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420030) PR03616A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420031) PR03616A204 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3616

U Drive: WVM3616.pdf

Advanced Ref 1711528993

Started:27/Mar/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2420032) PR03616A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420033) PR03616A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420034) PR03616A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420035) PR03616A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2420036) PR03616A209 Produced [] Q.A. [] Boxed Ready For Sale []