



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855629


Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2438156) PR03622A10 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438157) PR03622A11 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438158) PR03622A12 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438159) PR03622A13 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438160) PR03622A14 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438161) PR03622A15 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438162) PR03622A16 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438163) PR03622A17 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438164) PR03622A18 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438165) PR03622A19 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438166) PR03622A20 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438167) PR03622A21 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438168) PR03622A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855629

Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2438169) PR03622A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438170) PR03622A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438171) PR03622A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438172) PR03622A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438173) PR03622A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438174) PR03622A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438175) PR03622A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438176) PR03622A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438177) PR03622A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438178) PR03622A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438179) PR03622A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438180) PR03622A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438181) PR03622A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855629

Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2438182) PR03622A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438183) PR03622A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438184) PR03622A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438185) PR03622A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438186) PR03622A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438187) PR03622A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438188) PR03622A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438189) PR03622A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438190) PR03622A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438191) PR03622A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438192) PR03622A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438193) PR03622A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438194) PR03622A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855629














Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____

	Barcode(2438195) PR03622A49 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438196) PR03622A50 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438197) PR03622A51 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438198) PR03622A52 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438199) PR03622A53 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438200) PR03622A54 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438201) PR03622A55 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438202) PR03622A56 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438203) PR03622A57 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438204) PR03622A58 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438205) PR03622A59 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438206) PR03622A60 Produced [] Q.A. [] Boxed Ready For Sale []
	Barcode(2438207) PR03622A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855629

Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2438208) PR03622A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438209) PR03622A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438210) PR03622A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438211) PR03622A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438212) PR03622A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438213) PR03622A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438214) PR03622A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438215) PR03622A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438216) PR03622A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438217) PR03622A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438218) PR03622A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438219) PR03622A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438220) PR03622A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855629


Started:23/Apr/2024 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2438221) PR03622A75 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438222) PR03622A76 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438223) PR03622A77 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438224) PR03622A78 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438225) PR03622A79 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438226) PR03622A80 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438227) PR03622A81 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438228) PR03622A82 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438229) PR03622A83 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438230) PR03622A84 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438231) PR03622A85 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438232) PR03622A86 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438233) PR03622A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855629

Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2438234) PR03622A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438235) PR03622A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438236) PR03622A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438237) PR03622A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438238) PR03622A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438239) PR03622A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438240) PR03622A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438241) PR03622A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438242) PR03622A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438243) PR03622A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438244) PR03622A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438245) PR03622A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438246) PR03622A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855629

Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2438247) PR03622A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438248) PR03622A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438249) PR03622A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438250) PR03622A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438251) PR03622A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438252) PR03622A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438253) PR03622A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438254) PR03622A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438255) PR03622A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438256) PR03622A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438257) PR03622A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438258) PR03622A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438259) PR03622A113 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855630

Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2438260) PR03622A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438261) PR03622A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438262) PR03622A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438263) PR03622A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438264) PR03622A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438265) PR03622A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438266) PR03622A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438267) PR03622A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438268) PR03622A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438269) PR03622A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438270) PR03622A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438271) PR03622A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438272) PR03622A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855630


Started:23/Apr/2024 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____

Boxed By _____


 Barcode(2438273) PR03622A127 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438274) PR03622A128 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438275) PR03622A129 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438276) PR03622A130 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438277) PR03622A131 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438278) PR03622A132 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438279) PR03622A133 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438280) PR03622A134 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438281) PR03622A135 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438282) PR03622A136 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438283) PR03622A137 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438284) PR03622A138 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438285) PR03622A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855630

Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2438286) PR03622A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438287) PR03622A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438288) PR03622A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438289) PR03622A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438290) PR03622A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438291) PR03622A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438292) PR03622A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438293) PR03622A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438294) PR03622A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438295) PR03622A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438296) PR03622A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438297) PR03622A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438298) PR03622A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855630

Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2438299) PR03622A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438300) PR03622A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438301) PR03622A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438302) PR03622A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438303) PR03622A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438304) PR03622A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438305) PR03622A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438306) PR03622A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438307) PR03622A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438308) PR03622A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438309) PR03622A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438310) PR03622A164 Produced [] Q.A. [] Boxed Ready For Sale []
















Barcode(2438311) PR03622A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf
Advanced Ref 1713855630
Started:23/Apr/2024 By Catherine Spence Quantity 200
8000004 Cable assembly for oxygen sensor 8010004
Produced By Michael Green
Q.A. By _____
Boxed By _____

-  Barcode(2438312) PR03622A166 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438313) PR03622A167 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438314) PR03622A168 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438315) PR03622A169 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438316) PR03622A170 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438317) PR03622A171 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438318) PR03622A172 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438319) PR03622A173 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438320) PR03622A174 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438321) PR03622A175 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438322) PR03622A176 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438323) PR03622A177 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2438324) PR03622A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855630


Started:23/Apr/2024 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2438325) PR03622A179 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438326) PR03622A180 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438327) PR03622A181 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438328) PR03622A182 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438329) PR03622A183 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438330) PR03622A184 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438331) PR03622A185 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438332) PR03622A186 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438333) PR03622A187 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438334) PR03622A188 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438335) PR03622A189 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438336) PR03622A190 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438337) PR03622A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855630


Started:23/Apr/2024 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____

Boxed By _____

 Barcode(2438338) PR03622A192 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438339) PR03622A193 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438340) PR03622A194 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438341) PR03622A195 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438342) PR03622A196 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438343) PR03622A197 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2438344) PR03622A198 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438345) PR03622A199 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438346) PR03622A200 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438347) PR03622A201 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438348) PR03622A202 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438349) PR03622A203 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2438350) PR03622A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3622

U Drive: WVM3622.pdf

Advanced Ref 1713855630

Started:23/Apr/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2438351) PR03622A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438352) PR03622A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438353) PR03622A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438354) PR03622A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2438355) PR03622A209 Produced [] Q.A. [] Boxed Ready For Sale []