



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455075) PR03640A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455076) PR03640A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455077) PR03640A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455078) PR03640A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455079) PR03640A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455080) PR03640A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455081) PR03640A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455082) PR03640A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455083) PR03640A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455084) PR03640A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455085) PR03640A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455086) PR03640A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455087) PR03640A22 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455088) PR03640A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455089) PR03640A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455090) PR03640A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455091) PR03640A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455092) PR03640A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455093) PR03640A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455094) PR03640A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455095) PR03640A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455096) PR03640A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455097) PR03640A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455098) PR03640A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455099) PR03640A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455100) PR03640A35 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455101) PR03640A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455102) PR03640A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455103) PR03640A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455104) PR03640A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455105) PR03640A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455106) PR03640A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455107) PR03640A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455108) PR03640A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455109) PR03640A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455110) PR03640A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455111) PR03640A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455112) PR03640A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455113) PR03640A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455114) PR03640A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455115) PR03640A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455116) PR03640A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455117) PR03640A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455118) PR03640A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455119) PR03640A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455120) PR03640A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455121) PR03640A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455122) PR03640A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455123) PR03640A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455124) PR03640A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455125) PR03640A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455126) PR03640A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455127) PR03640A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455128) PR03640A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455129) PR03640A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455130) PR03640A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455131) PR03640A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455132) PR03640A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455133) PR03640A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455134) PR03640A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455135) PR03640A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455136) PR03640A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455137) PR03640A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455138) PR03640A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455139) PR03640A74 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455140) PR03640A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455141) PR03640A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455142) PR03640A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455143) PR03640A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455144) PR03640A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455145) PR03640A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455146) PR03640A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455147) PR03640A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455148) PR03640A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455149) PR03640A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455150) PR03640A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455151) PR03640A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455152) PR03640A87 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455153) PR03640A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455154) PR03640A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455155) PR03640A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455156) PR03640A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455157) PR03640A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455158) PR03640A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455159) PR03640A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455160) PR03640A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455161) PR03640A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455162) PR03640A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455163) PR03640A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455164) PR03640A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455165) PR03640A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455166) PR03640A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455167) PR03640A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455168) PR03640A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455169) PR03640A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455170) PR03640A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455171) PR03640A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455172) PR03640A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455173) PR03640A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455174) PR03640A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455175) PR03640A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455176) PR03640A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455177) PR03640A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455178) PR03640A113 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455179) PR03640A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455180) PR03640A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455181) PR03640A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455182) PR03640A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455183) PR03640A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455184) PR03640A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455185) PR03640A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455186) PR03640A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455187) PR03640A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455188) PR03640A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455189) PR03640A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455190) PR03640A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455191) PR03640A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455192) PR03640A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455193) PR03640A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455194) PR03640A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455195) PR03640A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455196) PR03640A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455197) PR03640A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455198) PR03640A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455199) PR03640A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455200) PR03640A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455201) PR03640A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455202) PR03640A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455203) PR03640A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455204) PR03640A139 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455205) PR03640A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455206) PR03640A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455207) PR03640A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455208) PR03640A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455209) PR03640A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455210) PR03640A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455211) PR03640A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455212) PR03640A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455213) PR03640A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455214) PR03640A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455215) PR03640A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455216) PR03640A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455217) PR03640A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455218) PR03640A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455219) PR03640A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455220) PR03640A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455221) PR03640A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455222) PR03640A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455223) PR03640A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455224) PR03640A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455225) PR03640A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455226) PR03640A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455227) PR03640A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455228) PR03640A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455229) PR03640A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455230) PR03640A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455231) PR03640A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455232) PR03640A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455233) PR03640A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455234) PR03640A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455235) PR03640A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455236) PR03640A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455237) PR03640A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455238) PR03640A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455239) PR03640A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455240) PR03640A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455241) PR03640A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455242) PR03640A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455243) PR03640A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455244) PR03640A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455245) PR03640A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455246) PR03640A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455247) PR03640A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455248) PR03640A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455249) PR03640A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455250) PR03640A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455251) PR03640A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455252) PR03640A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455253) PR03640A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455254) PR03640A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455255) PR03640A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455256) PR03640A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455257) PR03640A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455258) PR03640A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455259) PR03640A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455260) PR03640A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455261) PR03640A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455262) PR03640A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455263) PR03640A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455264) PR03640A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455265) PR03640A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455266) PR03640A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455267) PR03640A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455268) PR03640A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455269) PR03640A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3640

U Drive: WVM3640.pdf

Advanced Ref 1716189050

Started:20/May/2024 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2455270) PR03640A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455271) PR03640A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455272) PR03640A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455273) PR03640A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2455274) PR03640A209 Produced [] Q.A. [] Boxed Ready For Sale []