



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604

Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2964148) PR03896A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964149) PR03896A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964150) PR03896A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964151) PR03896A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964152) PR03896A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964153) PR03896A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964154) PR03896A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964155) PR03896A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964156) PR03896A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964157) PR03896A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964158) PR03896A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964159) PR03896A21 Produced [] Q.A. [] Boxed Ready For Sale []
















Barcode(2964160) PR03896A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf
Advanced Ref 1779276604
Started:20/May/2026 By Catherine Spence Quantity 200
8000004 Cable assembly for oxygen sensor 8010004
Produced By Michael Green
Q.A. By _____
Boxed By _____

-  Barcode(2964161) PR03896A23 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964162) PR03896A24 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964163) PR03896A25 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964164) PR03896A26 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964165) PR03896A27 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964166) PR03896A28 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964167) PR03896A29 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964168) PR03896A30 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964169) PR03896A31 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964170) PR03896A32 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964171) PR03896A33 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964172) PR03896A34 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964173) PR03896A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604

Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2964174) PR03896A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964175) PR03896A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964176) PR03896A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964177) PR03896A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964178) PR03896A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964179) PR03896A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964180) PR03896A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964181) PR03896A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964182) PR03896A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964183) PR03896A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964184) PR03896A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964185) PR03896A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964186) PR03896A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604

Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2964187) PR03896A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964188) PR03896A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964189) PR03896A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964190) PR03896A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964191) PR03896A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964192) PR03896A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964193) PR03896A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964194) PR03896A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964195) PR03896A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964196) PR03896A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964197) PR03896A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964198) PR03896A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964199) PR03896A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604

Started:20/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____

Boxed By _____

 Barcode(2964200) PR03896A62 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964201) PR03896A63 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964202) PR03896A64 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964203) PR03896A65 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964204) PR03896A66 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964205) PR03896A67 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964206) PR03896A68 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964207) PR03896A69 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964208) PR03896A70 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964209) PR03896A71 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964210) PR03896A72 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964211) PR03896A73 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964212) PR03896A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf
Advanced Ref 1779276604
Started:20/May/2026 By Catherine Spence Quantity 200
8000004 Cable assembly for oxygen sensor 8010004
Produced By Michael Green
Q.A. By _____
Boxed By _____

-  Barcode(2964213) PR03896A75 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964214) PR03896A76 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964215) PR03896A77 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964216) PR03896A78 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964217) PR03896A79 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964218) PR03896A80 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964219) PR03896A81 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964220) PR03896A82 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964221) PR03896A83 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964222) PR03896A84 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964223) PR03896A85 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964224) PR03896A86 Produced [] Q.A. [] Boxed Ready For Sale []
-  Barcode(2964225) PR03896A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604

Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2964226) PR03896A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964227) PR03896A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964228) PR03896A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964229) PR03896A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964230) PR03896A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964231) PR03896A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964232) PR03896A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964233) PR03896A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964234) PR03896A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964235) PR03896A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964236) PR03896A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964237) PR03896A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964238) PR03896A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604


Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2964239) PR03896A101 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964240) PR03896A102 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964241) PR03896A103 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964242) PR03896A104 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964243) PR03896A105 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964244) PR03896A106 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964245) PR03896A107 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964246) PR03896A108 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964247) PR03896A109 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964248) PR03896A110 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964249) PR03896A111 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964250) PR03896A112 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964251) PR03896A113 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604

Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2964252) PR03896A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964253) PR03896A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964254) PR03896A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964255) PR03896A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964256) PR03896A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964257) PR03896A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964258) PR03896A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964259) PR03896A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964260) PR03896A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964261) PR03896A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964262) PR03896A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964263) PR03896A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964264) PR03896A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604


Started:20/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____

Boxed By _____


 Barcode(2964265) PR03896A127 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964266) PR03896A128 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964267) PR03896A129 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964268) PR03896A130 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964269) PR03896A131 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964270) PR03896A132 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964271) PR03896A133 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964272) PR03896A134 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964273) PR03896A135 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964274) PR03896A136 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964275) PR03896A137 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964276) PR03896A138 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964277) PR03896A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604


Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2964278) PR03896A140 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964279) PR03896A141 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964280) PR03896A142 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964281) PR03896A143 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964282) PR03896A144 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964283) PR03896A145 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964284) PR03896A146 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964285) PR03896A147 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964286) PR03896A148 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964287) PR03896A149 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964288) PR03896A150 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964289) PR03896A151 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964290) PR03896A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604


Started:20/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____

Boxed By _____


 Barcode(2964291) PR03896A153 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964292) PR03896A154 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964293) PR03896A155 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964294) PR03896A156 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964295) PR03896A157 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964296) PR03896A158 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964297) PR03896A159 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964298) PR03896A160 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964299) PR03896A161 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964300) PR03896A162 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964301) PR03896A163 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964302) PR03896A164 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964303) PR03896A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604


Started:20/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green


Q.A. By _____

Boxed By _____


 Barcode(2964304) PR03896A166 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964305) PR03896A167 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964306) PR03896A168 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964307) PR03896A169 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964308) PR03896A170 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2964309) PR03896A171 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964310) PR03896A172 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964311) PR03896A173 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964312) PR03896A174 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964313) PR03896A175 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964314) PR03896A176 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964315) PR03896A177 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2964316) PR03896A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604

Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2964317) PR03896A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964318) PR03896A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964319) PR03896A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964320) PR03896A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964321) PR03896A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964322) PR03896A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964323) PR03896A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964324) PR03896A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964325) PR03896A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964326) PR03896A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964327) PR03896A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964328) PR03896A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964329) PR03896A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604

Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2964330) PR03896A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964331) PR03896A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964332) PR03896A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964333) PR03896A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964334) PR03896A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964335) PR03896A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964336) PR03896A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964337) PR03896A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964338) PR03896A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964339) PR03896A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964340) PR03896A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964341) PR03896A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964342) PR03896A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3896

U Drive: WVM3896.pdf

Advanced Ref 1779276604

Started:20/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2964343) PR03896A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964344) PR03896A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964345) PR03896A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964346) PR03896A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2964347) PR03896A209 Produced [] Q.A. [] Boxed Ready For Sale []