



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879

Started:01/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2945728) PR03898A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945729) PR03898A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945730) PR03898A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945731) PR03898A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945732) PR03898A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945733) PR03898A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945734) PR03898A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945735) PR03898A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945736) PR03898A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945737) PR03898A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945738) PR03898A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945739) PR03898A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945740) PR03898A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879

Started:01/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2945741) PR03898A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945742) PR03898A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945743) PR03898A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945744) PR03898A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945745) PR03898A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945746) PR03898A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945747) PR03898A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945748) PR03898A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945749) PR03898A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945750) PR03898A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945751) PR03898A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945752) PR03898A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945753) PR03898A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879


Started:01/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____

Boxed By _____

 Barcode(2945754) PR03898A36 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945755) PR03898A37 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945756) PR03898A38 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945757) PR03898A39 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945758) PR03898A40 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945759) PR03898A41 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945760) PR03898A42 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945761) PR03898A43 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945762) PR03898A44 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945763) PR03898A45 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945764) PR03898A46 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945765) PR03898A47 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945766) PR03898A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879

Started:01/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2945767) PR03898A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945768) PR03898A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945769) PR03898A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945770) PR03898A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945771) PR03898A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945772) PR03898A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945773) PR03898A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945774) PR03898A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945775) PR03898A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945776) PR03898A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945777) PR03898A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945778) PR03898A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945779) PR03898A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879

Started:01/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2945780) PR03898A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945781) PR03898A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945782) PR03898A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945783) PR03898A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945784) PR03898A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945785) PR03898A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945786) PR03898A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945787) PR03898A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945788) PR03898A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945789) PR03898A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945790) PR03898A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945791) PR03898A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945792) PR03898A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879


Started:01/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____

Boxed By _____


 Barcode(2945793) PR03898A75 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945794) PR03898A76 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945795) PR03898A77 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945796) PR03898A78 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945797) PR03898A79 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945798) PR03898A80 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945799) PR03898A81 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945800) PR03898A82 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945801) PR03898A83 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945802) PR03898A84 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945803) PR03898A85 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945804) PR03898A86 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945805) PR03898A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879

Started:01/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2945806) PR03898A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945807) PR03898A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945808) PR03898A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945809) PR03898A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945810) PR03898A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945811) PR03898A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945812) PR03898A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945813) PR03898A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945814) PR03898A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945815) PR03898A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945816) PR03898A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945817) PR03898A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945818) PR03898A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879

Started:01/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2945819) PR03898A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945820) PR03898A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945821) PR03898A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945822) PR03898A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945823) PR03898A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945824) PR03898A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945825) PR03898A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945826) PR03898A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945827) PR03898A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945828) PR03898A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945829) PR03898A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945830) PR03898A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945831) PR03898A113 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879


Started:01/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2945832) PR03898A114 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945833) PR03898A115 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945834) PR03898A116 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945835) PR03898A117 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945836) PR03898A118 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945837) PR03898A119 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945838) PR03898A120 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945839) PR03898A121 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945840) PR03898A122 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945841) PR03898A123 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945842) PR03898A124 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945843) PR03898A125 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945844) PR03898A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879


Started:01/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____

Boxed By _____


 Barcode(2945845) PR03898A127 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945846) PR03898A128 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945847) PR03898A129 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945848) PR03898A130 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945849) PR03898A131 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945850) PR03898A132 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945851) PR03898A133 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945852) PR03898A134 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945853) PR03898A135 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945854) PR03898A136 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945855) PR03898A137 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945856) PR03898A138 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945857) PR03898A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879


Started:01/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____

Boxed By _____

 Barcode(2945858) PR03898A140 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945859) PR03898A141 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945860) PR03898A142 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945861) PR03898A143 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945862) PR03898A144 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945863) PR03898A145 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945864) PR03898A146 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945865) PR03898A147 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945866) PR03898A148 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945867) PR03898A149 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945868) PR03898A150 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945869) PR03898A151 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945870) PR03898A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879


Started:01/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____


Boxed By _____


 Barcode(2945871) PR03898A153 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945872) PR03898A154 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945873) PR03898A155 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945874) PR03898A156 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945875) PR03898A157 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945876) PR03898A158 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945877) PR03898A159 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945878) PR03898A160 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945879) PR03898A161 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945880) PR03898A162 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945881) PR03898A163 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945882) PR03898A164 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945883) PR03898A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879


Started:01/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2945884) PR03898A166 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945885) PR03898A167 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945886) PR03898A168 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945887) PR03898A169 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945888) PR03898A170 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945889) PR03898A171 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945890) PR03898A172 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945891) PR03898A173 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945892) PR03898A174 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945893) PR03898A175 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945894) PR03898A176 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945895) PR03898A177 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945896) PR03898A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879


Started:01/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____


Boxed By _____

 Barcode(2945897) PR03898A179 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945898) PR03898A180 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945899) PR03898A181 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945900) PR03898A182 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945901) PR03898A183 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945902) PR03898A184 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945903) PR03898A185 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945904) PR03898A186 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945905) PR03898A187 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945906) PR03898A188 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945907) PR03898A189 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945908) PR03898A190 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945909) PR03898A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879


Started:01/May/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2945910) PR03898A192 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945911) PR03898A193 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945912) PR03898A194 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945913) PR03898A195 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945914) PR03898A196 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945915) PR03898A197 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2945916) PR03898A198 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945917) PR03898A199 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945918) PR03898A200 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945919) PR03898A201 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945920) PR03898A202 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945921) PR03898A203 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2945922) PR03898A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3898

U Drive: WVM3898.pdf

Advanced Ref 1777652879

Started:01/May/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2945923) PR03898A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945924) PR03898A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945925) PR03898A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945926) PR03898A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2945927) PR03898A209 Produced [] Q.A. [] Boxed Ready For Sale []