



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331


Started:21/Apr/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2935120) PR03900A10 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935121) PR03900A11 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935122) PR03900A12 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935123) PR03900A13 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935124) PR03900A14 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935125) PR03900A15 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935126) PR03900A16 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935127) PR03900A17 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935128) PR03900A18 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935129) PR03900A19 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935130) PR03900A20 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935131) PR03900A21 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935132) PR03900A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331

Started:21/Apr/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2935133) PR03900A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935134) PR03900A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935135) PR03900A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935136) PR03900A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935137) PR03900A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935138) PR03900A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935139) PR03900A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935140) PR03900A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935141) PR03900A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935142) PR03900A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935143) PR03900A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935144) PR03900A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935145) PR03900A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331


Started:21/Apr/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____


Boxed By _____

 Barcode(2935146) PR03900A36 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935147) PR03900A37 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935148) PR03900A38 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935149) PR03900A39 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935150) PR03900A40 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935151) PR03900A41 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935152) PR03900A42 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935153) PR03900A43 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935154) PR03900A44 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935155) PR03900A45 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935156) PR03900A46 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935157) PR03900A47 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935158) PR03900A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331


Started:21/Apr/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2935159) PR03900A49 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935160) PR03900A50 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935161) PR03900A51 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935162) PR03900A52 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935163) PR03900A53 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935164) PR03900A54 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935165) PR03900A55 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935166) PR03900A56 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935167) PR03900A57 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935168) PR03900A58 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935169) PR03900A59 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935170) PR03900A60 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935171) PR03900A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331

Started:21/Apr/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green


Q.A. By _____


Boxed By _____

 Barcode(2935172) PR03900A62 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935173) PR03900A63 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935174) PR03900A64 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935175) PR03900A65 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935176) PR03900A66 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935177) PR03900A67 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935178) PR03900A68 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935179) PR03900A69 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935180) PR03900A70 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935181) PR03900A71 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935182) PR03900A72 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935183) PR03900A73 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935184) PR03900A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331

Started:21/Apr/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2935185) PR03900A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935186) PR03900A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935187) PR03900A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935188) PR03900A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935189) PR03900A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935190) PR03900A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935191) PR03900A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935192) PR03900A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935193) PR03900A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935194) PR03900A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935195) PR03900A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935196) PR03900A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935197) PR03900A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331

Started:21/Apr/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2935198) PR03900A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935199) PR03900A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935200) PR03900A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935201) PR03900A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935202) PR03900A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935203) PR03900A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935204) PR03900A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935205) PR03900A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935206) PR03900A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935207) PR03900A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935208) PR03900A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935209) PR03900A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935210) PR03900A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331

Started:21/Apr/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____

Boxed By _____

 Barcode(2935211) PR03900A101 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935212) PR03900A102 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935213) PR03900A103 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935214) PR03900A104 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935215) PR03900A105 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935216) PR03900A106 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935217) PR03900A107 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935218) PR03900A108 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935219) PR03900A109 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935220) PR03900A110 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935221) PR03900A111 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935222) PR03900A112 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935223) PR03900A113 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331

Started:21/Apr/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2935224) PR03900A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935225) PR03900A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935226) PR03900A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935227) PR03900A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935228) PR03900A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935229) PR03900A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935230) PR03900A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935231) PR03900A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935232) PR03900A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935233) PR03900A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935234) PR03900A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935235) PR03900A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935236) PR03900A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331


Started:21/Apr/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____


Boxed By _____


 Barcode(2935237) PR03900A127 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935238) PR03900A128 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935239) PR03900A129 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935240) PR03900A130 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935241) PR03900A131 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935242) PR03900A132 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935243) PR03900A133 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935244) PR03900A134 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935245) PR03900A135 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935246) PR03900A136 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935247) PR03900A137 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935248) PR03900A138 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935249) PR03900A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331


Started:21/Apr/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____


Boxed By _____

 Barcode(2935250) PR03900A140 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935251) PR03900A141 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935252) PR03900A142 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935253) PR03900A143 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935254) PR03900A144 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935255) PR03900A145 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935256) PR03900A146 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935257) PR03900A147 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935258) PR03900A148 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935259) PR03900A149 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935260) PR03900A150 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935261) PR03900A151 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935262) PR03900A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331


Started:21/Apr/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____

Boxed By _____


 Barcode(2935263) PR03900A153 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935264) PR03900A154 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935265) PR03900A155 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935266) PR03900A156 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935267) PR03900A157 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935268) PR03900A158 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935269) PR03900A159 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935270) PR03900A160 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935271) PR03900A161 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935272) PR03900A162 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935273) PR03900A163 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935274) PR03900A164 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935275) PR03900A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331


Started:21/Apr/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By _____


Boxed By _____


 Barcode(2935276) PR03900A166 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935277) PR03900A167 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935278) PR03900A168 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935279) PR03900A169 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935280) PR03900A170 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935281) PR03900A171 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935282) PR03900A172 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935283) PR03900A173 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935284) PR03900A174 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935285) PR03900A175 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935286) PR03900A176 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935287) PR03900A177 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935288) PR03900A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331


Started:21/Apr/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By _____

Boxed By _____


 Barcode(2935289) PR03900A179 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935290) PR03900A180 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935291) PR03900A181 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935292) PR03900A182 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935293) PR03900A183 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935294) PR03900A184 Produced [] Q.A. [] Boxed Ready For Sale []


 Barcode(2935295) PR03900A185 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935296) PR03900A186 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935297) PR03900A187 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935298) PR03900A188 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935299) PR03900A189 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935300) PR03900A190 Produced [] Q.A. [] Boxed Ready For Sale []

 Barcode(2935301) PR03900A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331

Started:21/Apr/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2935302) PR03900A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935303) PR03900A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935304) PR03900A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935305) PR03900A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935306) PR03900A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935307) PR03900A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935308) PR03900A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935309) PR03900A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935310) PR03900A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935311) PR03900A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935312) PR03900A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935313) PR03900A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935314) PR03900A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3900

U Drive: WVM3900.pdf

Advanced Ref 1776758331

Started:21/Apr/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2935315) PR03900A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935316) PR03900A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935317) PR03900A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935318) PR03900A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2935319) PR03900A209 Produced [] Q.A. [] Boxed Ready For Sale []