
















# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf  
Advanced Ref 1774345212  
Started:24/Mar/2026 By Catherine Spence Quantity 200  
8000004 Cable assembly for oxygen sensor 8010004  
Produced By Michael Green  
Q.A. By \_\_\_\_\_  
Boxed By \_\_\_\_\_

-  Barcode(2917668) PR03902A10 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917669) PR03902A11 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917670) PR03902A12 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917671) PR03902A13 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917672) PR03902A14 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917673) PR03902A15 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917674) PR03902A16 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917675) PR03902A17 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917676) PR03902A18 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917677) PR03902A19 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917678) PR03902A20 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917679) PR03902A21 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917680) PR03902A22 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf

Advanced Ref 1774345212


Started:24/Mar/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green


Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_

 Barcode(2917681) PR03902A23 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917682) PR03902A24 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917683) PR03902A25 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917684) PR03902A26 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]


 Barcode(2917685) PR03902A27 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917686) PR03902A28 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917687) PR03902A29 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917688) PR03902A30 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917689) PR03902A31 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917690) PR03902A32 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917691) PR03902A33 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917692) PR03902A34 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917693) PR03902A35 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf

Advanced Ref 1774345212

Started:24/Mar/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_



Barcode(2917694) PR03902A36 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917695) PR03902A37 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917696) PR03902A38 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917697) PR03902A39 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917698) PR03902A40 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917699) PR03902A41 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917700) PR03902A42 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917701) PR03902A43 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917702) PR03902A44 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917703) PR03902A45 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917704) PR03902A46 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917705) PR03902A47 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917706) PR03902A48 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf

Advanced Ref 1774345212


Started:24/Mar/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green


Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_

 Barcode(2917707) PR03902A49 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917708) PR03902A50 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917709) PR03902A51 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917710) PR03902A52 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917711) PR03902A53 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917712) PR03902A54 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917713) PR03902A55 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917714) PR03902A56 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917715) PR03902A57 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917716) PR03902A58 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917717) PR03902A59 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917718) PR03902A60 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917719) PR03902A61 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf

Advanced Ref 1774345212

Started:24/Mar/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_



Barcode(2917720) PR03902A62 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917721) PR03902A63 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917722) PR03902A64 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917723) PR03902A65 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917724) PR03902A66 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917725) PR03902A67 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917726) PR03902A68 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917727) PR03902A69 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917728) PR03902A70 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917729) PR03902A71 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917730) PR03902A72 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917731) PR03902A73 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917732) PR03902A74 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf

Advanced Ref 1774345212


Started:24/Mar/2026 By Catherine Spence Quantity 200


8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_


 Barcode(2917733) PR03902A75 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917734) PR03902A76 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917735) PR03902A77 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917736) PR03902A78 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917737) PR03902A79 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917738) PR03902A80 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917739) PR03902A81 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917740) PR03902A82 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917741) PR03902A83 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917742) PR03902A84 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917743) PR03902A85 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917744) PR03902A86 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917745) PR03902A87 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902





U Drive: WVM3902.pdf  
Advanced Ref 1774345212  
Started:24/Mar/2026 By Catherine Spence Quantity 200  
8000004 Cable assembly for oxygen sensor 8010004  
Produced By Michael Green  
Q.A. By \_\_\_\_\_  
Boxed By \_\_\_\_\_

-  Barcode(2917746) PR03902A88 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917747) PR03902A89 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917748) PR03902A90 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917749) PR03902A91 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917750) PR03902A92 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917751) PR03902A93 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917752) PR03902A94 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917753) PR03902A95 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917754) PR03902A96 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917755) PR03902A97 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917756) PR03902A98 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917757) PR03902A99 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917758) PR03902A100 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf  
Advanced Ref 1774345212  
Started:24/Mar/2026 By Catherine Spence Quantity 200  
8000004 Cable assembly for oxygen sensor 8010004  
Produced By Michael Green  
Q.A. By \_\_\_\_\_  
Boxed By \_\_\_\_\_

-  Barcode(2917759) PR03902A101 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917760) PR03902A102 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917761) PR03902A103 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917762) PR03902A104 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917763) PR03902A105 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917764) PR03902A106 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917765) PR03902A107 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917766) PR03902A108 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917767) PR03902A109 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917768) PR03902A110 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917769) PR03902A111 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917770) PR03902A112 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917771) PR03902A113 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902



U Drive: WVM3902.pdf  
Advanced Ref 1774345212  
Started:24/Mar/2026 By Catherine Spence Quantity 200  
8000004 Cable assembly for oxygen sensor 8010004  
Produced By Michael Green  
Q.A. By \_\_\_\_\_  
Boxed By \_\_\_\_\_

-  Barcode(2917772) PR03902A114 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917773) PR03902A115 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917774) PR03902A116 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917775) PR03902A117 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917776) PR03902A118 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917777) PR03902A119 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917778) PR03902A120 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917779) PR03902A121 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917780) PR03902A122 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917781) PR03902A123 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917782) PR03902A124 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917783) PR03902A125 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917784) PR03902A126 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf  
Advanced Ref 1774345212  
Started:24/Mar/2026 By Catherine Spence Quantity 200  
8000004 Cable assembly for oxygen sensor 8010004  
Produced By Michael Green  
Q.A. By \_\_\_\_\_  
Boxed By \_\_\_\_\_

-  Barcode(2917785) PR03902A127 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917786) PR03902A128 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917787) PR03902A129 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917788) PR03902A130 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917789) PR03902A131 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917790) PR03902A132 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917791) PR03902A133 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917792) PR03902A134 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917793) PR03902A135 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917794) PR03902A136 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917795) PR03902A137 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917796) PR03902A138 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917797) PR03902A139 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf

Advanced Ref 1774345212


Started:24/Mar/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004


Produced By Michael Green

Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_

 Barcode(2917798) PR03902A140 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917799) PR03902A141 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917800) PR03902A142 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917801) PR03902A143 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917802) PR03902A144 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]


 Barcode(2917803) PR03902A145 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917804) PR03902A146 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917805) PR03902A147 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917806) PR03902A148 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917807) PR03902A149 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917808) PR03902A150 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



 Barcode(2917809) PR03902A151 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]

 Barcode(2917810) PR03902A152 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902



U Drive: WVM3902.pdf  
Advanced Ref 1774345212  
Started:24/Mar/2026 By Catherine Spence Quantity 200  
8000004 Cable assembly for oxygen sensor 8010004  
Produced By Michael Green  
Q.A. By \_\_\_\_\_  
Boxed By \_\_\_\_\_

-  Barcode(2917811) PR03902A153 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917812) PR03902A154 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917813) PR03902A155 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917814) PR03902A156 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917815) PR03902A157 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917816) PR03902A158 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917817) PR03902A159 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917818) PR03902A160 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917819) PR03902A161 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917820) PR03902A162 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917821) PR03902A163 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917822) PR03902A164 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917823) PR03902A165 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902





U Drive: WVM3902.pdf  
Advanced Ref 1774345212  
Started:24/Mar/2026 By Catherine Spence Quantity 200  
8000004 Cable assembly for oxygen sensor 8010004  
Produced By Michael Green  
Q.A. By \_\_\_\_\_  
Boxed By \_\_\_\_\_

-  Barcode(2917824) PR03902A166 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917825) PR03902A167 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917826) PR03902A168 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917827) PR03902A169 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917828) PR03902A170 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917829) PR03902A171 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917830) PR03902A172 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917831) PR03902A173 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917832) PR03902A174 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917833) PR03902A175 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917834) PR03902A176 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917835) PR03902A177 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917836) PR03902A178 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902




U Drive: WVM3902.pdf  
Advanced Ref 1774345212  
Started:24/Mar/2026 By Catherine Spence Quantity 200  
8000004 Cable assembly for oxygen sensor 8010004  
Produced By Michael Green  
Q.A. By \_\_\_\_\_  
Boxed By \_\_\_\_\_

-  Barcode(2917837) PR03902A179 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917838) PR03902A180 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917839) PR03902A181 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917840) PR03902A182 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917841) PR03902A183 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917842) PR03902A184 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917843) PR03902A185 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917844) PR03902A186 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917845) PR03902A187 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917846) PR03902A188 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917847) PR03902A189 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917848) PR03902A190 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917849) PR03902A191 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf  
Advanced Ref 1774345212  
Started:24/Mar/2026 By Catherine Spence Quantity 200  
8000004 Cable assembly for oxygen sensor 8010004  
Produced By Michael Green  
Q.A. By \_\_\_\_\_  
Boxed By \_\_\_\_\_

-  Barcode(2917850) PR03902A192 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917851) PR03902A193 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917852) PR03902A194 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917853) PR03902A195 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917854) PR03902A196 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917855) PR03902A197 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917856) PR03902A198 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917857) PR03902A199 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917858) PR03902A200 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917859) PR03902A201 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917860) PR03902A202 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917861) PR03902A203 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]
-  Barcode(2917862) PR03902A204 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



# Viamed Production Sheet PS3902

U Drive: WVM3902.pdf

Advanced Ref 1774345212

Started:24/Mar/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By \_\_\_\_\_

Boxed By \_\_\_\_\_



Barcode(2917863) PR03902A205 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917864) PR03902A206 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917865) PR03902A207 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917866) PR03902A208 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]



Barcode(2917867) PR03902A209 Produced [ ] Q.A. [ ] Boxed Ready For Sale [ ]