



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983175) PR03952A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983176) PR03952A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983177) PR03952A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983178) PR03952A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983179) PR03952A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983180) PR03952A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983181) PR03952A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983182) PR03952A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983183) PR03952A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983184) PR03952A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983185) PR03952A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983186) PR03952A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983187) PR03952A22 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983188) PR03952A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983189) PR03952A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983190) PR03952A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983191) PR03952A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983192) PR03952A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983193) PR03952A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983194) PR03952A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983195) PR03952A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983196) PR03952A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983197) PR03952A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983198) PR03952A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983199) PR03952A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983200) PR03952A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983201) PR03952A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983202) PR03952A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983203) PR03952A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983204) PR03952A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983205) PR03952A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983206) PR03952A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983207) PR03952A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983208) PR03952A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983209) PR03952A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983210) PR03952A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983211) PR03952A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983212) PR03952A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983213) PR03952A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983214) PR03952A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983215) PR03952A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983216) PR03952A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983217) PR03952A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983218) PR03952A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983219) PR03952A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983220) PR03952A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983221) PR03952A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983222) PR03952A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983223) PR03952A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983224) PR03952A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983225) PR03952A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983226) PR03952A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983227) PR03952A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983228) PR03952A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983229) PR03952A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983230) PR03952A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983231) PR03952A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983232) PR03952A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983233) PR03952A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983234) PR03952A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983235) PR03952A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983236) PR03952A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983237) PR03952A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983238) PR03952A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983239) PR03952A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983240) PR03952A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983241) PR03952A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983242) PR03952A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983243) PR03952A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983244) PR03952A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983245) PR03952A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983246) PR03952A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983247) PR03952A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983248) PR03952A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983249) PR03952A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983250) PR03952A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983251) PR03952A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983252) PR03952A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983253) PR03952A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983254) PR03952A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983255) PR03952A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983256) PR03952A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983257) PR03952A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983258) PR03952A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983259) PR03952A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983260) PR03952A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983261) PR03952A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983262) PR03952A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983263) PR03952A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983264) PR03952A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983265) PR03952A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983266) PR03952A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983267) PR03952A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983268) PR03952A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983269) PR03952A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983270) PR03952A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983271) PR03952A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983272) PR03952A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983273) PR03952A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983274) PR03952A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983275) PR03952A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983276) PR03952A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983277) PR03952A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983278) PR03952A113 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983279) PR03952A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983280) PR03952A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983281) PR03952A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983282) PR03952A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983283) PR03952A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983284) PR03952A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983285) PR03952A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983286) PR03952A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983287) PR03952A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983288) PR03952A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983289) PR03952A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983290) PR03952A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983291) PR03952A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983292) PR03952A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983293) PR03952A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983294) PR03952A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983295) PR03952A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983296) PR03952A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983297) PR03952A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983298) PR03952A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983299) PR03952A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983300) PR03952A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983301) PR03952A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983302) PR03952A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983303) PR03952A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983304) PR03952A139 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983305) PR03952A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983306) PR03952A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983307) PR03952A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983308) PR03952A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983309) PR03952A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983310) PR03952A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983311) PR03952A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983312) PR03952A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983313) PR03952A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983314) PR03952A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983315) PR03952A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983316) PR03952A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983317) PR03952A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983318) PR03952A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983319) PR03952A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983320) PR03952A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983321) PR03952A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983322) PR03952A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983323) PR03952A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983324) PR03952A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983325) PR03952A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983326) PR03952A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983327) PR03952A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983328) PR03952A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983329) PR03952A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983330) PR03952A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983331) PR03952A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983332) PR03952A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983333) PR03952A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983334) PR03952A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983335) PR03952A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983336) PR03952A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983337) PR03952A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983338) PR03952A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983339) PR03952A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983340) PR03952A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983341) PR03952A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983342) PR03952A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983343) PR03952A178 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983344) PR03952A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983345) PR03952A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983346) PR03952A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983347) PR03952A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983348) PR03952A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983349) PR03952A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983350) PR03952A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983351) PR03952A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983352) PR03952A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983353) PR03952A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983354) PR03952A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983355) PR03952A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983356) PR03952A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983357) PR03952A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983358) PR03952A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983359) PR03952A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983360) PR03952A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983361) PR03952A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983362) PR03952A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983363) PR03952A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983364) PR03952A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983365) PR03952A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983366) PR03952A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983367) PR03952A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983368) PR03952A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983369) PR03952A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3952

U Drive: WVM3952.pdf

Advanced Ref 1782817628

Started:30/Jun/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2983370) PR03952A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983371) PR03952A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983372) PR03952A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983373) PR03952A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2983374) PR03952A209 Produced [] Q.A. [] Boxed Ready For Sale []