



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003104) PR03956A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003105) PR03956A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003106) PR03956A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003107) PR03956A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003108) PR03956A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003109) PR03956A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003110) PR03956A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003111) PR03956A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003112) PR03956A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003113) PR03956A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003114) PR03956A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003115) PR03956A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003116) PR03956A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003117) PR03956A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003118) PR03956A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003119) PR03956A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003120) PR03956A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003121) PR03956A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003122) PR03956A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003123) PR03956A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003124) PR03956A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003125) PR03956A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003126) PR03956A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003127) PR03956A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003128) PR03956A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003129) PR03956A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003130) PR03956A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003131) PR03956A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003132) PR03956A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003133) PR03956A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003134) PR03956A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003135) PR03956A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003136) PR03956A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003137) PR03956A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003138) PR03956A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003139) PR03956A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003140) PR03956A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003141) PR03956A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003142) PR03956A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003143) PR03956A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003144) PR03956A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003145) PR03956A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003146) PR03956A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003147) PR03956A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003148) PR03956A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003149) PR03956A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003150) PR03956A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003151) PR03956A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003152) PR03956A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003153) PR03956A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003154) PR03956A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003155) PR03956A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003156) PR03956A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003157) PR03956A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003158) PR03956A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003159) PR03956A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003160) PR03956A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003161) PR03956A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003162) PR03956A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003163) PR03956A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003164) PR03956A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003165) PR03956A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003166) PR03956A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003167) PR03956A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003168) PR03956A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003169) PR03956A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003170) PR03956A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003171) PR03956A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003172) PR03956A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003173) PR03956A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003174) PR03956A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003175) PR03956A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003176) PR03956A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003177) PR03956A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003178) PR03956A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003179) PR03956A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003180) PR03956A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003181) PR03956A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003182) PR03956A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003183) PR03956A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003184) PR03956A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003185) PR03956A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003186) PR03956A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003187) PR03956A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003188) PR03956A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003189) PR03956A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003190) PR03956A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003191) PR03956A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003192) PR03956A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003193) PR03956A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003194) PR03956A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003195) PR03956A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003196) PR03956A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003197) PR03956A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003198) PR03956A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003199) PR03956A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003200) PR03956A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003201) PR03956A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003202) PR03956A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003203) PR03956A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003204) PR03956A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003205) PR03956A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003206) PR03956A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003207) PR03956A113 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003208) PR03956A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003209) PR03956A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003210) PR03956A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003211) PR03956A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003212) PR03956A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003213) PR03956A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003214) PR03956A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003215) PR03956A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003216) PR03956A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003217) PR03956A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003218) PR03956A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003219) PR03956A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003220) PR03956A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003221) PR03956A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003222) PR03956A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003223) PR03956A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003224) PR03956A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003225) PR03956A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003226) PR03956A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003227) PR03956A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003228) PR03956A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003229) PR03956A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003230) PR03956A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003231) PR03956A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003232) PR03956A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003233) PR03956A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003234) PR03956A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003235) PR03956A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003236) PR03956A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003237) PR03956A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003238) PR03956A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003239) PR03956A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003240) PR03956A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003241) PR03956A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003242) PR03956A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003243) PR03956A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003244) PR03956A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003245) PR03956A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003246) PR03956A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003247) PR03956A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003248) PR03956A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003249) PR03956A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003250) PR03956A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003251) PR03956A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003252) PR03956A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003253) PR03956A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003254) PR03956A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003255) PR03956A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003256) PR03956A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003257) PR03956A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003258) PR03956A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003259) PR03956A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003260) PR03956A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003261) PR03956A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003262) PR03956A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003263) PR03956A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003264) PR03956A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003265) PR03956A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003266) PR03956A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003267) PR03956A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003268) PR03956A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003269) PR03956A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003270) PR03956A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003271) PR03956A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003272) PR03956A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003273) PR03956A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003274) PR03956A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003275) PR03956A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003276) PR03956A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003277) PR03956A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003278) PR03956A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003279) PR03956A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003280) PR03956A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003281) PR03956A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003282) PR03956A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003283) PR03956A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003284) PR03956A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003285) PR03956A191 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003286) PR03956A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003287) PR03956A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003288) PR03956A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003289) PR03956A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003290) PR03956A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003291) PR03956A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003292) PR03956A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003293) PR03956A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003294) PR03956A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003295) PR03956A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003296) PR03956A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003297) PR03956A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003298) PR03956A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3956

U Drive: WVM3956.pdf

Advanced Ref 1785930498

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003299) PR03956A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003300) PR03956A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003301) PR03956A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003302) PR03956A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003303) PR03956A209 Produced [] Q.A. [] Boxed Ready For Sale []