



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3002904) PR03962A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002905) PR03962A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002906) PR03962A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002907) PR03962A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002908) PR03962A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002909) PR03962A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002910) PR03962A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002911) PR03962A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002912) PR03962A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002913) PR03962A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002914) PR03962A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002915) PR03962A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002916) PR03962A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3002917) PR03962A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002918) PR03962A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002919) PR03962A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002920) PR03962A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002921) PR03962A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002922) PR03962A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002923) PR03962A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002924) PR03962A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002925) PR03962A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002926) PR03962A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002927) PR03962A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002928) PR03962A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002929) PR03962A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3002930) PR03962A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002931) PR03962A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002932) PR03962A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002933) PR03962A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002934) PR03962A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002935) PR03962A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002936) PR03962A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002937) PR03962A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002938) PR03962A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002939) PR03962A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002940) PR03962A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002941) PR03962A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002942) PR03962A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3002943) PR03962A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002944) PR03962A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002945) PR03962A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002946) PR03962A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002947) PR03962A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002948) PR03962A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002949) PR03962A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002950) PR03962A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002951) PR03962A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002952) PR03962A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002953) PR03962A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002954) PR03962A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002955) PR03962A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3002956) PR03962A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002957) PR03962A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002958) PR03962A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002959) PR03962A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002960) PR03962A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002961) PR03962A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002962) PR03962A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002963) PR03962A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002964) PR03962A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002965) PR03962A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002966) PR03962A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002967) PR03962A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002968) PR03962A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3002969) PR03962A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002970) PR03962A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002971) PR03962A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002972) PR03962A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002973) PR03962A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002974) PR03962A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002975) PR03962A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002976) PR03962A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002977) PR03962A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002978) PR03962A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002979) PR03962A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002980) PR03962A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002981) PR03962A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3002982) PR03962A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002983) PR03962A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002984) PR03962A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002985) PR03962A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002986) PR03962A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002987) PR03962A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002988) PR03962A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002989) PR03962A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002990) PR03962A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002991) PR03962A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002992) PR03962A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002993) PR03962A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002994) PR03962A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3002995) PR03962A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002996) PR03962A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002997) PR03962A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002998) PR03962A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3002999) PR03962A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003000) PR03962A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003001) PR03962A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003002) PR03962A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003003) PR03962A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003004) PR03962A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003005) PR03962A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003006) PR03962A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003007) PR03962A113 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003008) PR03962A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003009) PR03962A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003010) PR03962A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003011) PR03962A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003012) PR03962A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003013) PR03962A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003014) PR03962A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003015) PR03962A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003016) PR03962A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003017) PR03962A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003018) PR03962A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003019) PR03962A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003020) PR03962A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003021) PR03962A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003022) PR03962A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003023) PR03962A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003024) PR03962A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003025) PR03962A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003026) PR03962A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003027) PR03962A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003028) PR03962A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003029) PR03962A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003030) PR03962A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003031) PR03962A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003032) PR03962A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003033) PR03962A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003034) PR03962A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003035) PR03962A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003036) PR03962A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003037) PR03962A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003038) PR03962A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003039) PR03962A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003040) PR03962A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003041) PR03962A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003042) PR03962A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003043) PR03962A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003044) PR03962A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003045) PR03962A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003046) PR03962A152 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003047) PR03962A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003048) PR03962A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003049) PR03962A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003050) PR03962A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003051) PR03962A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003052) PR03962A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003053) PR03962A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003054) PR03962A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003055) PR03962A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003056) PR03962A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003057) PR03962A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003058) PR03962A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003059) PR03962A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003060) PR03962A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003061) PR03962A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003062) PR03962A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003063) PR03962A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003064) PR03962A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003065) PR03962A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003066) PR03962A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003067) PR03962A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003068) PR03962A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003069) PR03962A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003070) PR03962A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003071) PR03962A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003072) PR03962A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003073) PR03962A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003074) PR03962A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003075) PR03962A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003076) PR03962A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003077) PR03962A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003078) PR03962A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003079) PR03962A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003080) PR03962A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003081) PR03962A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003082) PR03962A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003083) PR03962A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003084) PR03962A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003085) PR03962A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003086) PR03962A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003087) PR03962A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003088) PR03962A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003089) PR03962A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003090) PR03962A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003091) PR03962A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003092) PR03962A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003093) PR03962A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003094) PR03962A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003095) PR03962A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003096) PR03962A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003097) PR03962A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003098) PR03962A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3962

U Drive: WVM3962.pdf

Advanced Ref 1785930451

Started:05/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3003099) PR03962A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003100) PR03962A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003101) PR03962A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003102) PR03962A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3003103) PR03962A209 Produced [] Q.A. [] Boxed Ready For Sale []