



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004407) PR03972A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004408) PR03972A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004409) PR03972A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004410) PR03972A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004411) PR03972A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004412) PR03972A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004413) PR03972A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004414) PR03972A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004415) PR03972A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004416) PR03972A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004417) PR03972A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004418) PR03972A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004419) PR03972A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004420) PR03972A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004421) PR03972A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004422) PR03972A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004423) PR03972A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004424) PR03972A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004425) PR03972A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004426) PR03972A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004427) PR03972A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004428) PR03972A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004429) PR03972A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004430) PR03972A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004431) PR03972A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004432) PR03972A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004433) PR03972A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004434) PR03972A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004435) PR03972A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004436) PR03972A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004437) PR03972A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004438) PR03972A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004439) PR03972A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004440) PR03972A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004441) PR03972A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004442) PR03972A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004443) PR03972A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004444) PR03972A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004445) PR03972A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004446) PR03972A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004447) PR03972A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004448) PR03972A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004449) PR03972A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004450) PR03972A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004451) PR03972A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004452) PR03972A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004453) PR03972A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004454) PR03972A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004455) PR03972A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004456) PR03972A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004457) PR03972A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004458) PR03972A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004459) PR03972A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004460) PR03972A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004461) PR03972A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004462) PR03972A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004463) PR03972A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004464) PR03972A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004465) PR03972A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004466) PR03972A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004467) PR03972A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004468) PR03972A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004469) PR03972A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004470) PR03972A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004471) PR03972A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004472) PR03972A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004473) PR03972A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004474) PR03972A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004475) PR03972A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004476) PR03972A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004477) PR03972A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004478) PR03972A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004479) PR03972A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004480) PR03972A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004481) PR03972A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004482) PR03972A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004483) PR03972A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004484) PR03972A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004485) PR03972A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004486) PR03972A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004487) PR03972A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004488) PR03972A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004489) PR03972A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004490) PR03972A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004491) PR03972A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004492) PR03972A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004493) PR03972A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004494) PR03972A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004495) PR03972A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004496) PR03972A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004497) PR03972A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004498) PR03972A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004499) PR03972A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004500) PR03972A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004501) PR03972A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004502) PR03972A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004503) PR03972A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004504) PR03972A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004505) PR03972A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004506) PR03972A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004507) PR03972A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004508) PR03972A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004509) PR03972A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004510) PR03972A113 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004511) PR03972A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004512) PR03972A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004513) PR03972A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004514) PR03972A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004515) PR03972A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004516) PR03972A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004517) PR03972A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004518) PR03972A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004519) PR03972A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004520) PR03972A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004521) PR03972A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004522) PR03972A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004523) PR03972A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004524) PR03972A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004525) PR03972A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004526) PR03972A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004527) PR03972A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004528) PR03972A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004529) PR03972A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004530) PR03972A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004531) PR03972A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004532) PR03972A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004533) PR03972A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004534) PR03972A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004535) PR03972A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004536) PR03972A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004537) PR03972A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004538) PR03972A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004539) PR03972A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004540) PR03972A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004541) PR03972A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004542) PR03972A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004543) PR03972A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004544) PR03972A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004545) PR03972A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004546) PR03972A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004547) PR03972A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004548) PR03972A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004549) PR03972A152 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004550) PR03972A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004551) PR03972A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004552) PR03972A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004553) PR03972A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004554) PR03972A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004555) PR03972A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004556) PR03972A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004557) PR03972A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004558) PR03972A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004559) PR03972A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004560) PR03972A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004561) PR03972A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004562) PR03972A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004563) PR03972A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004564) PR03972A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004565) PR03972A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004566) PR03972A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004567) PR03972A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004568) PR03972A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004569) PR03972A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004570) PR03972A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004571) PR03972A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004572) PR03972A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004573) PR03972A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004574) PR03972A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004575) PR03972A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004576) PR03972A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004577) PR03972A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004578) PR03972A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004579) PR03972A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004580) PR03972A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004581) PR03972A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004582) PR03972A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004583) PR03972A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004584) PR03972A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004585) PR03972A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004586) PR03972A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004587) PR03972A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004588) PR03972A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004589) PR03972A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004590) PR03972A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004591) PR03972A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004592) PR03972A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004593) PR03972A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004594) PR03972A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004595) PR03972A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004596) PR03972A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004597) PR03972A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004598) PR03972A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004599) PR03972A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004600) PR03972A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004601) PR03972A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3972

U Drive: WVM3972.pdf

Advanced Ref 1786029962

Started:06/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3004602) PR03972A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004603) PR03972A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004604) PR03972A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004605) PR03972A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3004606) PR03972A209 Produced [] Q.A. [] Boxed Ready For Sale []