



Viamed Production Sheet PS3976

U Drive: WVM3976.pdf

Advanced Ref 1786465685

Started:11/Aug/2026 By Catherine Spence Quantity 100

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007236) PR03976A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007237) PR03976A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007238) PR03976A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007239) PR03976A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007240) PR03976A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007241) PR03976A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007242) PR03976A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007243) PR03976A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007244) PR03976A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007245) PR03976A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007246) PR03976A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007247) PR03976A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007248) PR03976A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3976

U Drive: WVM3976.pdf

Advanced Ref 1786465685

Started:11/Aug/2026 By Catherine Spence Quantity 100

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007249) PR03976A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007250) PR03976A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007251) PR03976A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007252) PR03976A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007253) PR03976A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007254) PR03976A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007255) PR03976A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007256) PR03976A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007257) PR03976A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007258) PR03976A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007259) PR03976A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007260) PR03976A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007261) PR03976A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3976

U Drive: WVM3976.pdf

Advanced Ref 1786465685

Started:11/Aug/2026 By Catherine Spence Quantity 100

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007262) PR03976A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007263) PR03976A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007264) PR03976A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007265) PR03976A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007266) PR03976A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007267) PR03976A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007268) PR03976A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007269) PR03976A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007270) PR03976A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007271) PR03976A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007272) PR03976A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007273) PR03976A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007274) PR03976A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3976

U Drive: WVM3976.pdf

Advanced Ref 1786465685

Started:11/Aug/2026 By Catherine Spence Quantity 100

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007275) PR03976A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007276) PR03976A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007277) PR03976A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007278) PR03976A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007279) PR03976A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007280) PR03976A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007281) PR03976A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007282) PR03976A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007283) PR03976A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007284) PR03976A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007285) PR03976A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007286) PR03976A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007287) PR03976A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3976

U Drive: WVM3976.pdf

Advanced Ref 1786465685

Started:11/Aug/2026 By Catherine Spence Quantity 100

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007288) PR03976A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007289) PR03976A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007290) PR03976A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007291) PR03976A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007292) PR03976A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007293) PR03976A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007294) PR03976A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007295) PR03976A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007296) PR03976A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007297) PR03976A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007298) PR03976A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007299) PR03976A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007300) PR03976A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3976

U Drive: WVM3976.pdf

Advanced Ref 1786465685

Started:11/Aug/2026 By Catherine Spence Quantity 100

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007301) PR03976A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007302) PR03976A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007303) PR03976A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007304) PR03976A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007305) PR03976A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007306) PR03976A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007307) PR03976A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007308) PR03976A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007309) PR03976A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007310) PR03976A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007311) PR03976A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007312) PR03976A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007313) PR03976A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3976

U Drive: WVM3976.pdf

Advanced Ref 1786465685

Started:11/Aug/2026 By Catherine Spence Quantity 100

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007314) PR03976A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007315) PR03976A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007316) PR03976A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007317) PR03976A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007318) PR03976A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007319) PR03976A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007320) PR03976A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007321) PR03976A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007322) PR03976A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007323) PR03976A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007324) PR03976A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007325) PR03976A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007326) PR03976A100 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3976

U Drive: WVM3976.pdf

Advanced Ref 1786465685

Started:11/Aug/2026 By Catherine Spence Quantity 100

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007327) PR03976A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007328) PR03976A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007329) PR03976A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007330) PR03976A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007331) PR03976A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007332) PR03976A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007333) PR03976A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007334) PR03976A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007335) PR03976A109 Produced [] Q.A. [] Boxed Ready For Sale []