



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465758

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007336) PR03977A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007337) PR03977A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007338) PR03977A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007339) PR03977A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007340) PR03977A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007341) PR03977A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007342) PR03977A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007343) PR03977A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007344) PR03977A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007345) PR03977A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007346) PR03977A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007347) PR03977A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007348) PR03977A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465758

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007349) PR03977A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007350) PR03977A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007351) PR03977A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007352) PR03977A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007353) PR03977A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007354) PR03977A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007355) PR03977A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007356) PR03977A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007357) PR03977A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007358) PR03977A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007359) PR03977A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007360) PR03977A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007361) PR03977A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465758

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007362) PR03977A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007363) PR03977A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007364) PR03977A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007365) PR03977A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007366) PR03977A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007367) PR03977A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007368) PR03977A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007369) PR03977A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007370) PR03977A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007371) PR03977A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007372) PR03977A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007373) PR03977A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007374) PR03977A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465758

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007375) PR03977A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007376) PR03977A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007377) PR03977A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007378) PR03977A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007379) PR03977A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007380) PR03977A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007381) PR03977A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007382) PR03977A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007383) PR03977A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007384) PR03977A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007385) PR03977A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007386) PR03977A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007387) PR03977A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465758

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007388) PR03977A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007389) PR03977A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007390) PR03977A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007391) PR03977A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007392) PR03977A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007393) PR03977A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007394) PR03977A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007395) PR03977A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007396) PR03977A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007397) PR03977A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007398) PR03977A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007399) PR03977A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007400) PR03977A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465758

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007401) PR03977A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007402) PR03977A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007403) PR03977A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007404) PR03977A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007405) PR03977A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007406) PR03977A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007407) PR03977A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007408) PR03977A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007409) PR03977A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007410) PR03977A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007411) PR03977A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007412) PR03977A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007413) PR03977A87 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465758

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007414) PR03977A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007415) PR03977A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007416) PR03977A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007417) PR03977A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007418) PR03977A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007419) PR03977A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007420) PR03977A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007421) PR03977A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007422) PR03977A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007423) PR03977A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007424) PR03977A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007425) PR03977A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007426) PR03977A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465758

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007427) PR03977A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007428) PR03977A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007429) PR03977A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007430) PR03977A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007431) PR03977A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007432) PR03977A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007433) PR03977A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007434) PR03977A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007435) PR03977A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007436) PR03977A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007437) PR03977A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007438) PR03977A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007439) PR03977A113 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465759

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007440) PR03977A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007441) PR03977A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007442) PR03977A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007443) PR03977A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007444) PR03977A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007445) PR03977A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007446) PR03977A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007447) PR03977A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007448) PR03977A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007449) PR03977A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007450) PR03977A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007451) PR03977A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007452) PR03977A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465759

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007453) PR03977A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007454) PR03977A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007455) PR03977A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007456) PR03977A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007457) PR03977A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007458) PR03977A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007459) PR03977A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007460) PR03977A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007461) PR03977A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007462) PR03977A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007463) PR03977A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007464) PR03977A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007465) PR03977A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465759

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007466) PR03977A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007467) PR03977A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007468) PR03977A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007469) PR03977A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007470) PR03977A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007471) PR03977A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007472) PR03977A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007473) PR03977A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007474) PR03977A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007475) PR03977A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007476) PR03977A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007477) PR03977A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007478) PR03977A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465759

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007479) PR03977A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007480) PR03977A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007481) PR03977A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007482) PR03977A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007483) PR03977A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007484) PR03977A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007485) PR03977A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007486) PR03977A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007487) PR03977A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007488) PR03977A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007489) PR03977A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007490) PR03977A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007491) PR03977A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465759

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007492) PR03977A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007493) PR03977A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007494) PR03977A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007495) PR03977A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007496) PR03977A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007497) PR03977A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007498) PR03977A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007499) PR03977A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007500) PR03977A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007501) PR03977A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007502) PR03977A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007503) PR03977A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007504) PR03977A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465759

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007505) PR03977A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007506) PR03977A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007507) PR03977A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007508) PR03977A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007509) PR03977A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007510) PR03977A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007511) PR03977A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007512) PR03977A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007513) PR03977A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007514) PR03977A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007515) PR03977A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007516) PR03977A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007517) PR03977A191 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007517) PR03977A191 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465759

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007518) PR03977A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007519) PR03977A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007520) PR03977A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007521) PR03977A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007522) PR03977A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007523) PR03977A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007524) PR03977A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007525) PR03977A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007526) PR03977A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007527) PR03977A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007528) PR03977A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007529) PR03977A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007530) PR03977A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3977

U Drive: WVM3977.pdf

Advanced Ref 1786465759

Started:11/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3007531) PR03977A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007532) PR03977A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007533) PR03977A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007534) PR03977A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3007535) PR03977A209 Produced [] Q.A. [] Boxed Ready For Sale []