



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011853) PR03982A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011854) PR03982A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011855) PR03982A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011856) PR03982A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011857) PR03982A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011858) PR03982A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011859) PR03982A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011860) PR03982A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011861) PR03982A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011862) PR03982A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011863) PR03982A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011864) PR03982A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011865) PR03982A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011866) PR03982A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011867) PR03982A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011868) PR03982A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011869) PR03982A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011870) PR03982A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011871) PR03982A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011872) PR03982A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011873) PR03982A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011874) PR03982A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011875) PR03982A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011876) PR03982A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011877) PR03982A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011878) PR03982A35 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011879) PR03982A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011880) PR03982A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011881) PR03982A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011882) PR03982A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011883) PR03982A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011884) PR03982A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011885) PR03982A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011886) PR03982A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011887) PR03982A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011888) PR03982A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011889) PR03982A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011890) PR03982A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011891) PR03982A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011892) PR03982A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011893) PR03982A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011894) PR03982A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011895) PR03982A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011896) PR03982A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011897) PR03982A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011898) PR03982A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011899) PR03982A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011900) PR03982A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011901) PR03982A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011902) PR03982A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011903) PR03982A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011904) PR03982A61 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011905) PR03982A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011906) PR03982A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011907) PR03982A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011908) PR03982A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011909) PR03982A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011910) PR03982A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011911) PR03982A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011912) PR03982A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011913) PR03982A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011914) PR03982A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011915) PR03982A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011916) PR03982A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011917) PR03982A74 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011918) PR03982A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011919) PR03982A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011920) PR03982A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011921) PR03982A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011922) PR03982A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011923) PR03982A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011924) PR03982A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011925) PR03982A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011926) PR03982A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011927) PR03982A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011928) PR03982A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011929) PR03982A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011930) PR03982A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011931) PR03982A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011932) PR03982A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011933) PR03982A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011934) PR03982A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011935) PR03982A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011936) PR03982A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011937) PR03982A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011938) PR03982A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011939) PR03982A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011940) PR03982A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011941) PR03982A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011942) PR03982A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011943) PR03982A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011944) PR03982A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011945) PR03982A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011946) PR03982A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011947) PR03982A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011948) PR03982A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011949) PR03982A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011950) PR03982A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011951) PR03982A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011952) PR03982A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011953) PR03982A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011954) PR03982A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011955) PR03982A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011956) PR03982A113 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011957) PR03982A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011958) PR03982A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011959) PR03982A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011960) PR03982A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011961) PR03982A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011962) PR03982A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011963) PR03982A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011964) PR03982A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011965) PR03982A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011966) PR03982A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011967) PR03982A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011968) PR03982A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011969) PR03982A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011970) PR03982A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011971) PR03982A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011972) PR03982A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011973) PR03982A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011974) PR03982A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011975) PR03982A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011976) PR03982A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011977) PR03982A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011978) PR03982A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011979) PR03982A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011980) PR03982A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011981) PR03982A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011982) PR03982A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011983) PR03982A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011984) PR03982A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011985) PR03982A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011986) PR03982A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011987) PR03982A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011988) PR03982A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011989) PR03982A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011990) PR03982A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011991) PR03982A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011992) PR03982A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011993) PR03982A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011994) PR03982A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011995) PR03982A152 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3011996) PR03982A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011997) PR03982A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011998) PR03982A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3011999) PR03982A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012000) PR03982A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012001) PR03982A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012002) PR03982A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012003) PR03982A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012004) PR03982A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012005) PR03982A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012006) PR03982A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012007) PR03982A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012008) PR03982A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3012009) PR03982A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012010) PR03982A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012011) PR03982A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012012) PR03982A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012013) PR03982A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012014) PR03982A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012015) PR03982A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012016) PR03982A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012017) PR03982A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012018) PR03982A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012019) PR03982A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012020) PR03982A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012021) PR03982A178 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3012022) PR03982A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012023) PR03982A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012024) PR03982A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012025) PR03982A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012026) PR03982A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012027) PR03982A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012028) PR03982A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012029) PR03982A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012030) PR03982A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012031) PR03982A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012032) PR03982A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012033) PR03982A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012034) PR03982A191 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3012035) PR03982A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012036) PR03982A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012037) PR03982A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012038) PR03982A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012039) PR03982A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012040) PR03982A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012041) PR03982A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012042) PR03982A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012043) PR03982A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012044) PR03982A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012045) PR03982A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012046) PR03982A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012047) PR03982A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3982

U Drive: WVM3982.pdf

Advanced Ref 1787673025

Started:25/Aug/2026 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(3012048) PR03982A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012049) PR03982A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012050) PR03982A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012051) PR03982A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(3012052) PR03982A209 Produced [] Q.A. [] Boxed Ready For Sale []