



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836808) PR03850A10 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836809) PR03850A11 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836810) PR03850A12 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836811) PR03850A13 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836812) PR03850A14 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836813) PR03850A15 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836814) PR03850A16 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836815) PR03850A17 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836816) PR03850A18 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836817) PR03850A19 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836818) PR03850A20 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836819) PR03850A21 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836820) PR03850A22 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836821) PR03850A23 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836822) PR03850A24 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836823) PR03850A25 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836824) PR03850A26 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836825) PR03850A27 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836826) PR03850A28 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836827) PR03850A29 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836828) PR03850A30 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836829) PR03850A31 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836830) PR03850A32 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836831) PR03850A33 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836832) PR03850A34 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836833) PR03850A35 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836834) PR03850A36 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836835) PR03850A37 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836836) PR03850A38 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836837) PR03850A39 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836838) PR03850A40 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836839) PR03850A41 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836840) PR03850A42 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836841) PR03850A43 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836842) PR03850A44 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836843) PR03850A45 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836844) PR03850A46 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836845) PR03850A47 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836846) PR03850A48 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836847) PR03850A49 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836848) PR03850A50 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836849) PR03850A51 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836850) PR03850A52 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836851) PR03850A53 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836852) PR03850A54 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836853) PR03850A55 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836854) PR03850A56 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836855) PR03850A57 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836856) PR03850A58 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836857) PR03850A59 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836858) PR03850A60 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836859) PR03850A61 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836860) PR03850A62 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836861) PR03850A63 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836862) PR03850A64 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836863) PR03850A65 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836864) PR03850A66 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836865) PR03850A67 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836866) PR03850A68 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836867) PR03850A69 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836868) PR03850A70 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836869) PR03850A71 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836870) PR03850A72 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836871) PR03850A73 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836872) PR03850A74 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836873) PR03850A75 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836874) PR03850A76 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836875) PR03850A77 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836876) PR03850A78 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836877) PR03850A79 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836878) PR03850A80 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836879) PR03850A81 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836880) PR03850A82 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836881) PR03850A83 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836882) PR03850A84 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836883) PR03850A85 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836884) PR03850A86 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836885) PR03850A87 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836886) PR03850A88 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836887) PR03850A89 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836888) PR03850A90 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836889) PR03850A91 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836890) PR03850A92 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836891) PR03850A93 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836892) PR03850A94 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836893) PR03850A95 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836894) PR03850A96 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836895) PR03850A97 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836896) PR03850A98 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836897) PR03850A99 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836898) PR03850A100 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836899) PR03850A101 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836900) PR03850A102 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836901) PR03850A103 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836902) PR03850A104 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836903) PR03850A105 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836904) PR03850A106 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836905) PR03850A107 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836906) PR03850A108 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836907) PR03850A109 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836908) PR03850A110 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836909) PR03850A111 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836910) PR03850A112 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836911) PR03850A113 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836912) PR03850A114 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836913) PR03850A115 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836914) PR03850A116 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836915) PR03850A117 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836916) PR03850A118 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836917) PR03850A119 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836918) PR03850A120 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836919) PR03850A121 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836920) PR03850A122 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836921) PR03850A123 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836922) PR03850A124 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836923) PR03850A125 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836924) PR03850A126 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836925) PR03850A127 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836926) PR03850A128 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836927) PR03850A129 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836928) PR03850A130 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836929) PR03850A131 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836930) PR03850A132 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836931) PR03850A133 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836932) PR03850A134 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836933) PR03850A135 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836934) PR03850A136 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836935) PR03850A137 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836936) PR03850A138 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836937) PR03850A139 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836938) PR03850A140 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836939) PR03850A141 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836940) PR03850A142 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836941) PR03850A143 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836942) PR03850A144 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836943) PR03850A145 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836944) PR03850A146 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836945) PR03850A147 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836946) PR03850A148 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836947) PR03850A149 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836948) PR03850A150 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836949) PR03850A151 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836950) PR03850A152 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836951) PR03850A153 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836952) PR03850A154 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836953) PR03850A155 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836954) PR03850A156 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836955) PR03850A157 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836956) PR03850A158 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836957) PR03850A159 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836958) PR03850A160 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836959) PR03850A161 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836960) PR03850A162 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836961) PR03850A163 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836962) PR03850A164 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836963) PR03850A165 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836964) PR03850A166 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836965) PR03850A167 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836966) PR03850A168 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836967) PR03850A169 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836968) PR03850A170 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836969) PR03850A171 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836970) PR03850A172 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836971) PR03850A173 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836972) PR03850A174 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836973) PR03850A175 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836974) PR03850A176 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836975) PR03850A177 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836976) PR03850A178 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836977) PR03850A179 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836978) PR03850A180 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836979) PR03850A181 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836980) PR03850A182 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836981) PR03850A183 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836982) PR03850A184 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836983) PR03850A185 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836984) PR03850A186 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836985) PR03850A187 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836986) PR03850A188 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836987) PR03850A189 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836988) PR03850A190 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836989) PR03850A191 Produced [] Q.A. [] Boxed Ready For Sale []





Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2836990) PR03850A192 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836991) PR03850A193 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836992) PR03850A194 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836993) PR03850A195 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836994) PR03850A196 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836995) PR03850A197 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836996) PR03850A198 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836997) PR03850A199 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836998) PR03850A200 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2836999) PR03850A201 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2837000) PR03850A202 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2837001) PR03850A203 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2837002) PR03850A204 Produced [] Q.A. [] Boxed Ready For Sale []



Viamed Production Sheet PS3850

U Drive: WVM3850.pdf

Advanced Ref 1761805561

Started:30/Oct/2025 By Catherine Spence Quantity 200

8000004 Cable assembly for oxygen sensor 8010004

Produced By Michael Green

Q.A. By _____

Boxed By _____



Barcode(2837003) PR03850A205 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2837004) PR03850A206 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2837005) PR03850A207 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2837006) PR03850A208 Produced [] Q.A. [] Boxed Ready For Sale []



Barcode(2837007) PR03850A209 Produced [] Q.A. [] Boxed Ready For Sale []