

oxygen monitoring

UK

Oxygen Sensors

- Sensors that utilize the latest technology
- High performance
- Reliable and accurate

OEM and compatible oxygen sensors for use with most oxygen analysers, oxygen monitors, anaesthesia systems, ventilators, incubators, oxygen concentrators...



Incorporating
Lead-free

M VIAMED

The Leading Medical Oxygen Sensor Supplier

EXPERIENCE

Viamed has been providing Oxygen Sensors since 1977.
Speak to us regarding any of your oxygen sensor requirements.

WIDEST RANGE

Viamed have the widest range available on the market - we supply OEM and compatible oxygen sensors.


LATEST TECHNOLOGY

Sensors utilize the latest technology - providing high performance, reliability and accuracy.
Now including RoHS compliant lead-free oxygen sensors.

Contact Us



01535 634 542



01535 635 582



15 Station Road
Cross Hills
Keighley, West Yorkshire
BD20 7DT



01535 636 757



info@viamed.co.uk



www.viamed.co.uk




VIAMED

0110051
T-1 TELEDYNE
ANALYTICAL
INSTRUMENTS

Main OEM: Teledyne
OEM Sensor Part No.: A37016
Output Connector: Slip rings, 2
Sensor Output: $200 \pm 40 \mu\text{A}$
Sensor Life: 18 months
Response Time: < 30 seconds
Warranty: 12 months

0110018
R-17V VIAMED

Main OEM: Envitec
OEM Sensor Part No.: OOM103-1
Output Connector: Phone jack, 3.5 mm
Sensor Output: 9.0 - 13.0 mV
Sensor Life: $\geq 500,000$ % oxygen hours
Response Time: < 5 seconds
Warranty: 15 months

0110019
R-17Vi VIAMED


Main OEM: Viamed
Application: Incubators
Output Connector: Phone jack, 3.5 mm
Sensor Output: 9.0 - 14.0 mV
Sensor Life: $\geq 1,000,000$ % oxygen hours
Response Time: < 12 seconds
Warranty: 12 months

0110017
R-17MED TELEDYNE
ANALYTICAL
INSTRUMENTS


Main OEM: Teledyne
OEM Sensor Part No.: C43690
Output Connector: Phone jack, 0.141"
Sensor Output: 7.0 - 13.0 mV
Sensor Life: 36 months
Response Time: < 6 seconds
Warranty: 15 months

0110022
R-22MED TELEDYNE
ANALYTICAL
INSTRUMENTS

Main OEM: Teledyne
OEM Sensor Part No.: C-44611
Output Connector: Molex, 3 pin plug
Sensor Output: 7.0 - 13.0 mV
Sensor Life: 36 months
Response Time: < 6 seconds
Warranty: 15 months

0110021
R-22MEDV VIAMED

Main OEM: Dräger
OEM Sensor Part No.: 83 620 30
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 13.0 mV
Sensor Life: $\geq 500,000$ % oxygen hours
Response Time: < 6 seconds
Warranty: 15 months

0110039
R-22VA VIAMED

Main OEM: Atom Medical
OEM Sensor Part No.: C81828-R22MATOM
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 13.0 mV
Sensor Life: $\geq 1,000,000$ % oxygen hours
Response Time: < 12 seconds
Warranty: 12 months

0110073
R-22VA
(Matched Pair) VIAMED

Main OEM: Atom Medical
OEM Sensor Part No.: 60859
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 13.0 mV
Sensor Life: $\geq 1,000,000$ % oxygen hours
Response Time: < 12 seconds
Warranty: 12 months

0110020
R-22Vi VIAMED

Main OEM: Viamed
Application: Incubators
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 14.0 mV
Sensor Life: $\geq 1,000,000$ % oxygen hours
Response Time: < 12 seconds
Warranty: 12 months

0110072
R-22Vi
(Matched Pair) VIAMED

Main OEM: Viamed
Application: Incubators
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 14.0 mV
Sensor Life: $\geq 1,000,000$ % oxygen hours
Response Time: < 12 seconds
Warranty: 12 months

0110023
R-23V VIAMED

Main OEM: Dräger
OEM Sensor Part No.: 6850645
Output Connector: Slip rings, 3
Sensor Output: 24 - 32 μA
Sensor Life: $\geq 500,000$ % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months

Cross reference: www.viamed.co.uk/xref

0110025
R-23Vi

 VIAMED



Main OEM: Dräger
Application: I8000 incubator
Output Connector: Slip rings, 3
Sensor Output: 24 - 32 μ A
Sensor Life: \geq 750,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months

0110040
R-30V

 VIAMED



Main OEM: GE Healthcare
OEM Sensor Part No.: 6050-0004-110
Output Connector: Phone socket, 6P4C
Sensor Output: 9.0 - 12.0 mV
Sensor Life: \geq 1,000,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months

0110024
R-24MED

 TELEDYNE
ANALYTICAL
INSTRUMENTS



Main OEM: Siemens
Teledyne Part No.: C61340
OEM Sensor Part No.: 64 19 332 E380E
Output Connector: Molex, 3 pin plug
Sensor Output: 10.0 - 17.0 mV
Sensor Life: 24 months
Response Time: < 10 seconds
Warranty: 12 months

0110026
R-26MED

 TELEDYNE
ANALYTICAL
INSTRUMENTS



Main OEM: Respiration
OEM Sensor Part No.: 8-100412-00
Output Connector: Phone jack, 0.141"
Sensor Output: 7.0 - 13.0 mV
Sensor Life: 24 months
Response Time: < 10 seconds
Warranty: 12 months

0110040
R-30V

 VIAMED



Main OEM: Stephan
OEM Sensor Part No.: 130060001
Output Connector: AMP, 2 pin plug
Sensor Output: 9.0 - 11.5 mV
Sensor Life: \geq 1,000,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months



0110042
R-42V

 VIAMED



Main OEM: Maxtec
Teledyne Part No.: C75423
OEM Sensor Part No.: R115P85
Output Connector: Mini power socket
Sensor Output: 12.0 \pm 2.0 mV
Sensor Life: \geq 500,000 % oxygen hours
Response Time: < 5 seconds
Warranty: 15 months

0110041
R-41V

 VIAMED



Main OEM: Airshields
OEM Sensor Part No.: 6735142
Output Connector:
Phone socket, 3.5 mm
Sensor Output: 13.0 - 16.0 mV
Sensor Life: \geq 1,000,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months



0110043
R-43V, Pack of 2

 VIAMED




Main OEM: Datex-Ohmeda
OEM Sensor Part No.: 6600-1278-600
Output Connector: Slip rings, 2
Sensor Output: 25.0 - 38.0 mV
Sensor Life: \geq 500,000 % oxygen hours
Output Difference: 1.25 mV
(between the two channels)
Response Time: < 12 seconds
Warranty: 15 months

0110044
R-44V

 VIAMED



Main OEM: MSA
OEM Sensor Part No.: 806572
Output Connector: Molex socket, 3 way
Sensor Output: 9.0 - 13.0 mV
Sensor Life: \geq 1,000,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months



0110045
R-45V

 VIAMED



Main OEM: Acutronic
OEM Sensor Part No.: OOM204
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 13.5 mV (2 channels)
Sensor Life: \geq 500,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months

0110048
R-48V

 VIAMED



Main OEM: City Technology
OEM Sensor Part No.: MOX-3
Output Connector: Phone socket, 4 way
Sensor Output: 10.0 - 12.0 mV
Sensor Life: \geq 1,000,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months



Main OEM: Datascope
OEM Sensor Part No.: 0600-00-0002
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 13.0 mV
Sensor Life: \geq 1,000,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months

Quantity Discounts



0110049
R-49V

 VIAMED

Main OEM: Siemens
OEM Sensor Part No.: 64 19 332 E380E
Output Connector: Molex, 3 pin plug
Sensor Output: 13.0 - 16.0 mV
Sensor Life: \geq 1,000,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months



0110057
T-7

 VIAMED

Main OEM: Teledyne
OEM Sensor Part No.: A51327
Output Connector: Phone socket, 4 way
Sensor Output: $0.4 \pm 0.1 \mu\text{A}$
Sensor Life: 36 months
Response Time: < 6 seconds
Warranty: 12 months



Main OEM: Envitec
OEM Sensor Part No.: OOM105
Output Connector: Phone socket, 4 way
Sensor Output: $0.4 \pm 0.1 \mu\text{A}$
Sensor Life: > 500,000 oxygen hours
Response Time: < 5 seconds
Warranty: 15 months



0110080
UFO 130-1



Main OEM: Spacelabs
OEM Sensor Part No.: 010-1120-00
Output Connector: DIL, 10 pin
Sensor Output: $3.4 \pm 0.4 \text{ V}$
Sensor Life: 6 months
Response Time: < 130 milliseconds
Warranty: 12 months



0110081
UFO 130-2



Main OEM: Spacelabs
OEM Sensor Part No.: 010-1120-01
Output Connector: DIL, 10 pin
Sensor Output: $3.4 \pm 0.4 \text{ V}$
Sensor Life: 24 months
Response Time: < 130 milliseconds
Warranty: 12 months



0110402
MAX-2

Longer Life
R-23V

Main OEM: Dräger
OEM Sensor Part No.: 6850645
Output Connector: Slip rings, 3
Sensor Output: 12.2 - 18.1 mV
Sensor Life: \geq 2,000,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 12 months



0110403
MAX-3

0110461
MAX-7L



0110408
MAX-8



Longer Life
R-15

Main OEM: City Technology
OEM Sensor Part No.: MOX-3
Output Connector: Phone socket, 4 way
Sensor Output: 9.0 - 13.0 mV
Sensor Life: \geq 500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 12 months

Main OEM: Maxtec
OEM Sensor Part No.: R109P13
Output Connector: Phone jack, 3.5 mm
Sensor Output: 3.5 - 7.5 mV
Sensor Life: \geq 1,000,000 % oxygen hours
Response Time: \leq 12 seconds
Warranty: 12 months

Main OEM: GE (Datex-Ohmeda)
OEM Sensor Part No.: 0237-2034-700
Output Connector: Slip rings, 3
Sensor Output: 12.2 - 18.1 mV
Sensor Life: \geq 2,000,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 12 months



0110409
MAX-9

 maxtec



Main OEM: Teledyne
OEM Sensor Part No.: B39636-R13
Output Connector: 1 mm pin, x 4
Sensor Output: 26.4 - 44.0 mV
Sensor Life: 6 months
Response Time: \leq 11 seconds
Warranty: 12 months



0110441
MAX-11i

 maxtec

Main OEM: Dräger
OEM Sensor Part No.: 6850645
Output Connector: Slip rings, 3
Sensor Output: $17.0 \pm 3.0 \text{ mV}$
Sensor Life: \geq 750,000 % oxygen hours
Response Time: \leq 12 seconds
Warranty: 12 months



0110444
MAX-13-250

 maxtec

Main OEM: Maxtec
OEM Sensor Part No.: R125P07
Output Connector: Phone jack, 3.5 mm
Sensor Output: 12.0 - 17.0 mV
Sensor Life: \geq 1,500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 12 months

No minimum order value

 <p>0110420 MAX-14 (Fluke)</p> <p>maxtec</p> <p>Main OEM: Fluke OEM Sensor Part No.: R116P82-001 Output Connector: Molex SL, 2 pin Sensor Output: 9.0 - 13.0 mV Sensor Life: \geq 1,000,000 % oxygen hours Response Time: \leq 12 seconds Warranty: 12 months</p>	 <p>0110416 MAX-16</p> <p>maxtec</p> <p>Main OEM: Nellcor Puritan Bennett OEM Sensor Part No.: 4-072214-00 Output Connector: Molex, 3 pin plug Sensor Output: 8.5 - 15.0 mV Sensor Life: \geq 1,500,000 % oxygen hours Response Time: \leq 15 seconds Warranty: 12 months</p>	 <p>0110465 MAX-24</p> <p>maxtec</p> <p>Main OEM: Maxtec OEM Sensor Part No.: R109P15 Output Connector: AMP plug, 2 pin Sensor Output: 8.5 - 11.5 mV Sensor Life: \geq 500,000 % oxygen hours Response Time: \leq 12 seconds Warranty: 16 months</p>
 <p>0110423 MAX-27</p> <p>maxtec</p> <p></p> <p>Main OEM: Teleflex (Hudson) OEM Sensor Part No.: 5811 Output Connector: AMP, 2 pin plug Sensor Output: 8.5 - 11.5 mV Sensor Life: \geq 500,000 % oxygen hours Response Time: \leq 12 seconds Warranty: 12 months</p>	  <p>0110438 MAX-47</p> <p>maxtec</p> <p></p> <p>Main OEM: Teleflex (Hudson) OEM Sensor Part No.: 5803 Output Connector: Phone socket, 4 way Sensor Output: 4.0 - 11.0 mV Sensor Life: \geq 500,000 % oxygen hours Response Time: \leq 12 seconds Warranty: 12 months</p>	 <p>0110439 MAX-48</p> <p>maxtec</p> <p></p> <p>Main OEM: Analytical Industries OEM Sensor Part No.: AII-11-60 Output Connector: Phone socket, 4 way Sensor Output: 3.8 - 4.8 mV Sensor Life: \geq 500,000 % oxygen hours Response Time: \leq 12 seconds Warranty: 12 months</p>
 <p>0110440 MAX-49</p> <p>maxtec</p> <p></p> <p>Main OEM: Teleflex (Hudson) OEM Sensor Part No.: 5804 Output Connector: Molex 2.5 mm SPOX, 4 way Sensor Output: 4.0 - 11.0 mV Sensor Life: \geq 500,000 % oxygen hours Response Time: \leq 10 seconds Warranty: 12 months</p>	 <p>0110428 MAX-250</p> <p>maxtec</p> <p></p> <p>without 'O' Ring</p> <p>Main OEM: Maxtec OEM Sensor Part No.: R125P01-002 Output Connector: 2 pin socket Sensor Output: 10.0 - 15.5 mV Sensor Life: \geq 1,500,000 % oxygen hours Response Time: \leq 15 seconds Warranty: 24 months</p>	 <p>0110425 MAX-250</p> <p>maxtec</p> <p></p> <p>with 'O' Ring</p> <p>Main OEM: Maxtec OEM Sensor Part No.: R125P01-007 Output Connector: 2 pin socket Sensor Output: 10.0 - 15.5 mV Sensor Life: \geq 1,500,000 % oxygen hours Response Time: \leq 15 seconds Warranty: 24 months</p>
 <p>0110427 MAX-250+</p> <p>maxtec</p> <p></p> <p>Main OEM: Maxtec OEM Sensor Part No.: R125P02-011 Output Connector: Molex SL, 2 pin Sensor Output: 10.0 - 15.5 mV Sensor Life: \geq 1,500,000 % oxygen hours Response Time: \leq 15 seconds Warranty: 24 months</p>	   <p>0110431 MAX-250A</p> <p>maxtec</p> <p></p> <p>Main OEM: Blease OEM Sensor Part No.: 70300001 Output Connector: Phone socket, 4 way Sensor Output: 11.0 ± 2.5 mV Sensor Life: \geq 1,500,000 % oxygen hours Response Time: \leq 15 seconds Warranty: 24 months</p>	 <p>0110432 MAX-250(B)</p> <p>maxtec</p> <p></p> <p>Main OEM: Maxtec OEM Sensor Part No.: R125P02-003 Output Connector: Unterminated Sensor Output: 10.0 - 15.5 mV Sensor Life: \geq 1,500,000 % oxygen hours Response Time: \leq 15 seconds Warranty: 24 months</p>

No order processing charge

**0110436
MAX-250(B)-SLE**

maxtec

Main OEM: SLEtec
OEM Sensor Part No.: N2191/85
Output Connector: 2 pole socket, 1 mm
Sensor Output: 10.0 - 15.5 mV
Sensor Life: \geq 1,500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 24 months

**0110437
MAX-250(B)-SLE**

maxtec

Main OEM: SLE
OEM Sensor Part No.: N2191/10
Output Connector: 3 pole socket, 1 mm
Sensor Output: 10.0 - 15.5 mV
Sensor Life: \geq 1,500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 24 months

**0110429
MAX-250E**

maxtec

Main OEM: Maxtec
OEM Sensor Part No.: R125P03-002
Output Connector: Mini power socket
Sensor Output: 10.0 - 15.5 mV
Sensor Life: \geq 1,500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 24 months

**0110430
MAX-250ESF**

maxtec

Main OEM: Maxtec
OEM Sensor Part No.: R115P85
Output Connector: Mini power socket
Sensor Output: 12.0 ± 2.0 mV
Sensor Life: \geq 500,000 % oxygen hours
Response Time: \leq 5 seconds
Warranty: 12 months

**0110433
MAX-250K with DC**

maxtec

Main OEM: Viasys
OEM Sensor Part No.: 16101
Output Connector: Mini power plug
Sensor Output: 10.0 - 15.5 mV
Sensor Life: \geq 1,500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 24 months

**0110451
MAX-250K with Panduit**

maxtec

Main OEM: Viasys
OEM Equipment: Vela T2
Output Connector: Panduit
Sensor Output: 10.0 - 15.5 mV
Sensor Life: \geq 1,500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 24 months

**0110434
MAX-250M**

maxtec

Main OEM: Maxtec
OEM Sensor Part No.: R125P05-001
Output Connector: Molex, 3 pin plug
Sensor Output: 11 ± 2.5 mV
Sensor Life: \geq 1,500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 24 months

**0110435
MAX-250TM**

maxtec

Main OEM: Maxtec
OEM Sensor Part No.: R125P18-012
Output Connector: Molex, 3 pin plug, 3P2C
Sensor Output: 11.0 ± 2.5 mV
Sensor Life: \geq 1,500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 24 months

**0110452
MAX-550E**

maxtec

Main OEM: Maxtec
OEM Sensor Part No.: R140P02
Output Connector: Stereo phone jack, 3.5 mm
Sensor Output: 10 - 15 mV
Sensor Life: \geq 1,500,000 % oxygen hours
Response Time: \leq 15 seconds
Warranty: 24 months

**0110560
OOM111**

ENVITEC
by Honeywell

**Medical Oxygen
TYPE: OOM111**

Main OEM: Envitec
OEM Sensor Part No.: 01-00-0114
Output Connector: Stereo phone jack, 3.5 mm
Sensor Output: 11.0 - 13.0 mV
Sensor Life: \geq 1,000,000 % oxygen hours
Response Time: < 12 seconds
Warranty: 15 months

**0110660
OOI103**

ENVITEC
by Honeywell

**Oxygen Sensor
OOI103**

Main OEM: Envitec
OEM Sensor Part No.: 01-00-0095
Output Connector: Slip rings, 4
Sensor Output: 9.0 - 15.0 mV
Sensor Life: \geq 500,000 % oxygen hours
Response Time: < 13 seconds
Warranty: 15 months

**0110524
KE-25**

GS YUASA

YUASA

Output Connector: Unterminated
Inlet Connector: Hexagon moulding
Sensor Output: 10.0 - 15.5 mV
Sensor Life: 5 years
Response Time: 14 ± 2 seconds
Warranty: 12 months

FREE Delivery on all Oxygen Sensors



0110525
KE-25

GSYUASA



Output Connector: 2 pole socket, 1 mm
Inlet Connector: Hexagon moulding
Sensor Output: 10.0 - 15.5 mV
Sensor Life: 5 years
Response Time: 14 ± 2 seconds
Warranty: 12 months



0110529
KE-25F1

GSYUASA




Output Connector: Unterminated
Inlet Connector: Hexagon moulding
Sensor Output: 10.0 - 15.5 mV
Sensor Life: 5 years
Response Time: 14 ± 2 seconds
Warranty: 12 months



0110534
KE-25F3

GSYUASA



Output Connector: Unterminated
Inlet Connector: Threaded, M16 x 1 mm
Sensor Output: 10.0 - 15.5 mV
Sensor Life: 5 years
Response Time: 14 ± 2 seconds
Warranty: 12 months



0110539
KE-25F4

GSYUASA



Output Connector: Unterminated
Inlet Connector: O Ring, 16 mm
Sensor Output: 10.0 - 15.5 mV
Sensor Life: 5 years
Response Time: 14 ± 2 seconds
Warranty: 12 months



0110544
KE-50

GSYUASA



Output Connector: Unterminated
Inlet Connector: Hexagon moulding
Sensor Output: 47.0 - 65.0 mV
Sensor Life: 5 years
Response Time: 60 ± 5 seconds
Warranty: 12 months



5620001
504877

PRECISION MEDICAL

Main OEM: Precision Medical
OEM Sensor Part No.: 504877
Output Connector:
Stereo phone jack, 3.5 mm
Sensor Output: 8.0 - 12.0 mV
Sensor Life: ≥ 1,000,000 % oxygen hours
Response Time: ≤ 12 seconds
Warranty: 12 months



Lead-free Oxygen Sensors



RoHS COMPLIANT

In light of the EU directives in relation to RoHS and the Electrical and Electronic Equipment (EEE) Directive (2011/65/EU), from 22nd July 2021 oxygen sensors will no longer be exempted and sensors will not be allowed to contain lead components from this date. Therefore, Viamed has released the RoHS compliant lead-free alternatives on the following pages.

EXPANDING RANGE

Viamed is continually updating its range and plans to include more lead-free oxygen sensors its offering. Should you be unable to find the lead-free alternative you require, please contact us or visit our website www.viamed.co.uk/xref

NHS Credit Facility available





0110700
MLF-03

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 410303
Output Connector: Phone jack, 3.5 mm
Sensor Output: 13.0 - 16.5 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110701
MLF-04

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 410606
Output Connector: Molex, 3 pin plug
Sensor Output: 13.0 - 16.5 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110702
MLF-12A

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 410417
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 13 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110703
MLF-15

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 410523
Output Connector: Phone jack, 3.5 mm
Sensor Output: 8.0 - 13.0 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110704
MLF-16

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 470316
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 13.0 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110705
MLF-19

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 470042
Output Connector: Phone socket, 4 way
Sensor Output: 9.0 - 13.0 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110706
MLF-43

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 410032
Output Connector: Slip rings, 2
Sensor Output: 11.0 - 15.0 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110707
MLF-60HC

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 410040
Output Connector: Molex, 3 pin plug
Sensor Output: 0.8 - 1.25 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110708
MLF-650

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 410033
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 14.0 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110709
MLF-350

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 410035
Output Connector: Molex, 3 pin plug
Sensor Output: 9.0 - 14.0 mV
Sensor Life: ≥ 1,000,000 % oxygen hours
Response Time: < 350 milliseconds
Warranty: 15 months



0110710
MLF-16D

itg



Main OEM: I.T. Gambert
OEM Sensor Part No.: 471116
Output Connector: Molex, 4 pin plug
(digital sensor output signal, I²C interface)
Sensor Output: 2546 - 4455 bytes
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: < 7 seconds
Warranty: 15 months



0110467
MAX-15LF

maxtec



Main OEM: Maxtec
OEM Sensor Part No.: R115P61
Output Connector: Phone jack, 3.5 mm
Sensor Output: 8.0 - 13.0 mV
Sensor Life: ≥ 2,000,000 % oxygen hours
Response Time: ≥ 7 seconds
Warranty: 24 months

RoHS Compliant Lead-Free Sensors

FREE UK DELIVERY* & QUANTITY DISCOUNTS

on all oxygen sensors

No minimum order value

&

no order processing charge

NHS Credit Facility available



Viamed's online short-form cross reference can be used to check compatibility, as well as for details of additional oxygen sensors:

www.viamed.co.uk/xref

Alternatively, or if your oxygen sensor or equipment is not listed, please contact us and we will check against our comprehensive database.



**Free
oxygen sensor
disposal service**

for the safe disposal of
any of your depleted
oxygen sensors

Distributed by:



Viamed Limited · 15 Station Road · Cross Hills
Keighley · West Yorkshire · BD20 7DT · United Kingdom
Tel: +44 (0)1535 634 542 Fax: +44 (0)1535 635 582
Email: info@viamed.co.uk Website: www.viamed.co.uk

