

Document QC 21 Non Conformance Revision ID74575

Suggested Upload Document Name: **Risk Assesment For Updating Document ID74575**

Completed by Derek Lamb 11 Nov 2021

Reason for Risk Assesment

BSI Report 2128198-202111-N4

Added Box to confirm the Corrective action does not affect other parts of the ISO System

Document QC 21 Non Conformance Revision ID74575 Is linked to the Following Standards and processes

Risk Assesment Question	Does Update Affect	Frequency Likly	Severity Likly	Risk Rating	Notes On Risk / Benefits statement if required	Further Action Required on Issue
-------------------------	--------------------	-----------------	----------------	-------------	--	----------------------------------

74575Q0 Does this Update warrant updating
Any External
Parties due to
any **Terms and
Conditional
Agreements**
E.G. Notified
Body

No 1.Improbable 1.Negligible No Action Required

74575Q1 Viamed Ltd
ISO13485:2016
Section: 5.6.2
Review input
General
The input to
management
review shall
include, but is
not limited to,
information
arising from:
a) feedback;
b) complaint
handling;
c) reporting to
regulatory
authorities;
d) audits;
e) monitoring
and measurement
of processes;
f) monitoring and
measurement of
product; Yes 1.Improbable 1.Negligible No Action Required
g) corrective
action;
h) preventive
action;
i) follow-up
actions from
previous
management
reviews;
j) changes that
could affect the
quality
management
system;
k)
recommendations
for improvement;
l) applicable new
or revised
regulatory
requirements.

74575Q2 QProcess7138 No 1.Improbable 1.Negligible No Action Required
Non
Conformance
Issues Any New
QC21 Forms

BSI Report 2128198-202111-N4
Added Box to confirm the
Corrective action does not affect
other parts of the ISO System

To review any new QC 21 Forms

74575Q3 QProcess6931

Customer Complaints Review the Customer Complaints Heading

Current Known Risk things are not followed up in a timely manner or are missed

Current Likly 4 Current Frequency 1

74575Q4 QProcess7070

Management Review To discuss any problems, to assess work load and staffing.

To review issues. Current Known Risk Meetings not carried out regularly.

Current Likly 2 Current Frequency 1

74575Q5 QProcess7091

Calibration Index To ensure that all equipment that requires calibration is done.

In the correct timescale and manor. Current Known Risk That equipment we use to may not be calibrated when we need it.

Current Likly 3 Current Frequency 2

74575Q6 QProcess7713

Review Roles And Responsibilities Ensure All tasks allocated to active Members of staff,

Current Known Risk That not all jobs will be allocated to a member of staff. That we may not share out jobs in a appropriate way.

Risk of being over faced. Current Likly 2 Current Frequency 2


Yes ▼ 1.Improbable ▼ 1.Negligible ▼ No Action

BSI Report 2128198-202111-N4
Added Box to confirm the
Corrective action does not affect
other parts of the ISO System
Does not negativly affect
Process6931

No ▼ 1.Improbable ▼ 1.Negligible ▼ No Action Required

No ▼ 1.Improbable ▼ 1.Negligible ▼ No Action Required

No ▼ 1.Improbable ▼ 1.Negligible ▼ No Action Required

74575Q7	<p>QProcess7741 Review Ethical Policy Review the current Ethical Policy in intrastats Current Known Risk That something is missed that we would like to include Current Likly 1 Current Frequency 1</p>	<input type="button" value="No"/> <input type="button" value="1.Improbable"/> <input type="button" value="1.Negligible"/> <input type="button" value="No"/> Action Required		
74575Q8	<p>QProcess7743 Customer Complaints Paper File Major Customer Complaints get escalated to Paper Customer Complaints file.</p>	<p>Check the File is being Maintained and any relevant documentation is in the File.</p> <p>Current Known Risk Customer Complaints could be missed or not filed correctly</p> <p>Current Likly 2 Current Frequency 1</p>	<input type="button" value="No"/> <input type="button" value="1.Improbable"/> <input type="button" value="1.Negligible"/> <input type="button" value="No"/> Action Required	
74575Q9	<p>QProcess7830 Review Q.A. Failures Report To review the Quantities of Failed product per Stock reference Passing through the Q.A. system</p> <p>Current Known Risk No risk</p> <p>Current Likly 3 Current Frequency 1</p>	<input type="button" value="No"/> <input type="button" value="1.Improbable"/> <input type="button" value="1.Negligible"/> <input type="button" value="No"/> Action Required		
74575Q10	<p>QProcess7837 Review External Parties Influencing The QMS VST / Viamed To Review the External Parties Influencing The QMS VST / Viamed Checked the Scopes and Risks, Review the Underlining Processes and Tasks</p> <p>Current Known Risk External party has un-reviewed expectations</p> <p>Current Likly 1</p>	<input type="button" value="No"/> <input type="button" value="1.Improbable"/> <input type="button" value="1.Negligible"/> <input type="button" value="No"/> Action Required		

Current
Frequency 1
74575Q11 Process 7838

Review
VIAMED
Feedback -
Customer
Feedback
Negative
Review
Customer

No 1.Improbable 1.Negligible No Action Required

Feedback
Negative
Current Known
Risk Rolling
Issues No risk to
process
Current Likly 3
Current
Frequency 1

74575Q12 Process 7839

Review
VIAMED
Feedback -
Customer
Complaints
To Review
Viamed

No 1.Improbable 1.Negligible No Action Required

Customer
Complaints
Current Known
Risk Rolling
Issue No Risk
Current Likly 3
Current
Frequency 1

74575Q13 Process 7842

Review
VIAMED
Product
Feedback
Negative
To review
Negative
feedback form

Products
see if Non No 1.Improbable 1.Negligible No Action Required

Conformance or
customer
Complaints need
to be raised
Current Known
Risk Rolling
ISIssue, No Risk
Current Likly 3
Current
Frequency 1

74575Q14 Process 7846

ISO System
Management
Review Viamed
To Comply with
Top Level

Re-authorise the
Current Audits
for next 12
Months
Cover the
Agenda as Per
VOP13

Current Known
Risk Failure to
do may cause
major non
conformites in
QMS System
Current Likly 1

Current
Frequency 1
74575Q15 Process 7848
Review ISO
Scopes
To Review the
Scope of the
ISO 9001 / ISO
13485 Standards
Current Known
Risk No risks
Rolling issue to
perform task

No 1.Improbable 1.Negligible No Action
Required

Current Likly 1
Current
Frequency 1
74575Q16 Process 7849
Review Product
Failures New
Codes
Review the
Customer
Returns and
Review Product
Failures New
Codes

Current Known
Risk Product
failures / returns
do not get
reviewed and a
new Risk may
occur

No 1.Improbable 1.Negligible No Action
Required

Current Likly 4
Current
Frequency 3
74575Q17 Process 7871
Review
Exclusion From
Viamed
13485:2016 And
VST 9001:2015
To review the
Exclusions /

boundaries to
ISO 13485:2016
for Viamed
Current Known
Risk Something
is missed.

Current Likly 1
Current
Frequency 1

No 1.Improbable 1.Negligible No Action
Required

74575Q18 Final Notes

No ISO Procedures or Process
are negativly affected by updating this document with the new
document proposed