

# oxygen hoods

## Oxygen Hoods

Designed for use with neonates and paediatrics, for the short-term stable delivery of oxygen



**NEW  
IMAGE  
REQ**

**NEW  
IMAGE  
REQ**

### Reusable Oxygen Hoods

- Manufactured from transparent acrylic, reusable Oxygen Hoods provide all round visibility of the patient.
- The edges of these Oxygen hoods are hand polished for smoothness and aid effective cleaning.
- Adjustable neck apertures are as standard and the smallest hood features a sloping front to accommodate the patient's chin.
- A 22 mm oxygen inlet and cut-outs for I.V. and ventilator tubing feature on the back panel.
- The standard Oxygen Hood can be used in conjunction with Viamed phototherapy light shields for use during phototherapy.
- Oxygen Hoods with side ports provide easier access to the patient.

### Disposable Oxygen Hoods

These Oxygen Hoods consist of flat sheets of transparent vinyl with built in support frames and a drape neck opening.

- See through environment provides full patient visibility.
- Drape neck opening provides easy access to the patient.
- Single patient use means reduced risk of cross-infection.
- Flat packed for easy storage and transportation.


#### Standard Hood

The standard Oxygen Hood has two 22 mm inlet ports, a full vinyl bottom, a drape neck opening and is available in a variety of sizes.

Other style variants of the disposable oxygen hoods are also available, including: no-bottom variations, NICU, low birth weight tenthouses...

#### Double Hood

sdfsadfadfadjd adsfjakldjfaldfjasjd; djfasdlkja;slidf;alsdjf alsdkfjasldlfj sdfjasldfj  
asldjfasldfj asldkjasl;dfjasldkfj asdklfj asldfjalskdjf asldkjasldfkjasl dfkjasldkfj asldkfj  
cmdkasdl;ienfaksdnf asd iennsklfn ifdjanskjdjncion a.



In accordance with Annex IX of the EC Council Directive 93/42/EEC (Medical Device Directive) Viamed Oxygen Hoods have been classified as Class IIb.



# Oxygen Hoods

## Reusable Oxygen Hoods

### Standard Hoods

Size	Dimensions (L x W x H)	Part Number
1	165 x 200 x 150	PP8000
2	245 x 255 x 185	PP8050
3	300 x 310 x 230	PP8060
4	400 x 400 x 300	PP8589

### Hoods with Side Ports

Size	Dimensions (L x W x H)	Part Number
1	165 x 200 x 150	PP8020
2	245 x 255 x 185	PP8055
3	300 x 310 x 230	PP8065
4	400 x 400 x 300	PP8715

Non-standard sizes and designs can be manufactured on request.

### Reusable Oxygen Hood Accessories

Oxygen Connector (supplied with each oxygen hood)	PP1968
Oxygen Connector (22 mm O.D. - 22 mm O.D.)	0120126
Silicone Curtain/Flap (Size 1)	1131050

## Disposable Oxygen Hoods

### Standard Oxygen Hood/Tent

Sizes range from 178 mm (L) x 178 mm (W) x 178 mm (H) to 762 mm (L) x 610 mm (W) x 610 mm (H)

These hoods are available in various styles, including:

- Full bottom.
- No-bottom (the bottom has been removed to provide easier access to the patient).
- Partial-bottom (the larger partial bottom tents remain stable while reducing heat build-up under the hood).

### NICU

This style of oxygen hood is bottomless to provide easier access to the patient.

- Can be used in an incubator, or whilst using an infant warmer.
- An additional 75 mm x 125 mm draped access port on the rear panel offers maximum patient access.

### Low Birth Weight Tenthouse

These hoods are for full-body oxygen/aerosol treatments for premature and micro premature neonates on warming tables.

- Available in two sizes.
- These tents can also be used in high humidity/mist procedures, or whilst the neonate is on ventilation.
- A variety of access port options include top access, front drape and rear hand port.

### Double Oxygen Hood/Tent

The double tent is used for protection of the carer whilst delivering aerosol medications. This style combines the standard oxygen hood with a specifically designed outer tent, having four 22 mm ports for vacuum and aerosol tubing.

- Excess medication is vacuumed from the space between the tents.
- Outer tents can be purchased separately.
- Connectors, tubing and filters are not supplied.

CE 0086

Specifications Subject to Change.



# VIAMED

**Viamed Limited** · 15 Station Road · Cross Hills  
Keighley · West Yorkshire · BD20 7DT · United Kingdom  
Tel: +44 (0)1535 634 542 Fax: +44 (0)1535 635 582  
Email: [info@viamed.co.uk](mailto:info@viamed.co.uk) Website: [www.viamed.co.uk](http://www.viamed.co.uk)



BS EN ISO 9001:2008  
ISO 13485:2003

Part Number: 0392050  
Date: 11/10

