



Unsubscribed Opted in Aug 30, 2022 Originated from List Import from Copy/Pasted File on Aug 30, 2022

Christa Dumschat

Rarely ★★☆☆☆
Engagement Rating

50%
Open rate

50%
Click rate

[Connect your store to get order data](#)

Tags

[Add/Edit Tags](#)

- Jan 2020 - August 2022 Customers
- Existing Customer Since 2020
- Arab Health Invitation 2023-01-17
- Teledyne Medical 2023-02-06 USD EUR Dist

Profile Information

[Edit Profile Information](#)

Email Address	christa.dumschat@honeywell.com
First Name	—
Last Name	—
Address	
Phone Number	—
Full Name	Christa Dumschat
Account Number	CID4348
Customer Type	DIS Distributor
Account Type	ECX EC Export Sale
Acc Number	7,282
Company	Honeywell Healthcare Solutions GmbH
Job Title	—
Country	Germany
Price List	4

Activity Feed

Last 30 days ▼

All History ▼

92 activities

Feb 21, 2023



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

06:25 PM Greenwich Mean Time



		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 06:24 PM Greenwich Mean Time
		Clicked a link in the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 09:27 AM Greenwich Mean Time
		Clicked a link in the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 09:27 AM Greenwich Mean Time
		Clicked a link in the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 09:26 AM Greenwich Mean Time
		Clicked a link in the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 09:26 AM Greenwich Mean Time
Feb 20, 2023		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 09:26 AM Greenwich Mean Time
		Unsubscribed via admin action. 01:49 PM Greenwich Mean Time
		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 01:18 PM Greenwich Mean Time
		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 10:45 AM Greenwich Mean Time
		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 07:52 AM Greenwich Mean Time
Feb 17, 2023		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 09:07 PM Greenwich Mean Time
		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 01:34 PM Greenwich Mean Time
		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 01:15 PM Greenwich Mean Time
		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 01:15 PM Greenwich Mean Time
		Opened the email Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR 01:15 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:13 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:13 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:12 PM Greenwich Mean Time



Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:12 PM Greenwich Mean Time



Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:11 PM Greenwich Mean Time



Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:11 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:10 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

10:15 AM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:54 AM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:37 AM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:30 AM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:30 AM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:29 AM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:23 AM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:21 AM Greenwich Mean Time

- 

09:05 AM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:05 AM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:57 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:45 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:45 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:45 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:45 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:44 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:44 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:44 AM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:41 AM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:29 AM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:29 AM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

08:28 AM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

07:51 AM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

Feb 16, 2023

- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

10:59 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

10:58 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

10:57 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

10:57 PM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

10:57 PM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:57 PM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:55 PM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:28 PM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:26 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:25 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:25 PM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:25 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:25 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:25 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:25 PM Greenwich Mean Time



Clicked [a link](#) in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:25 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:24 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:23 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:22 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:21 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:21 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:16 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

02:04 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:59 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:59 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:46 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:42 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:35 PM Greenwich Mean Time



Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:29 PM Greenwich Mean Time



Clicked [a link](#) in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:59 AM Greenwich Mean Time

Feb 6, 2023

- 

09:59 AM Greenwich Mean Time

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:58 AM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:58 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:57 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:57 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

09:57 AM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:56 PM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:55 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:55 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:55 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:55 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:55 PM Greenwich Mean Time
- 

Clicked **a link** in the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:55 PM Greenwich Mean Time
- 

Opened the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:55 PM Greenwich Mean Time
- 

Was sent the email **Viamed Pricing Update: Teledyne Medical Oxygen Sensor Distributor USD EUR**

01:55 PM Greenwich Mean Time

Notes

Add Note

You have not added any notes to this contact yet.

 Add a note

Settings

Predicted Location 

—

Predicted Email Client

—

Email format

HTML 

Language

English 

Last Updated

Feb 20, 2023

GDPR

— [Edit Preferences](#)