

① #297246

7 June 23 all present
Wednesday meeting.

CH Renew
website translations sorted
with SH.

back tracked from country to
make sure its ending correct
stuff.

looked at emission testers in
other countries. and did from there.

not live yet. - DL make it
live now please.. CH will be Friday
shopify still working well.

Waiting on SN sent. message on
Shopee. up to 22 sensors. standard 19.23
express saves 25.78/30.61.

HK need statement saying be
aware of Duty + tax is on
check out page
CH will add, Friday.

RS shipping times.
CH can be set default is 2 days.
Despatched in 2 days at present.

Exhibitions. have portfolio one missing
to f.

SN do Tat Leaflet Separately.
O₂ Sensors. CH only export
but should be on only Carriage
difference.

SN get some Uh ones.
look at price breaks.

V1000 Oxyquant.
pass 2023 calendars. O₂ ones
on back.

Waze stream. Latest version
only for Iridium ones rest
2018 version.

SN lets get all three types
printed.

CH TOF mysigno maxtec monitors

RS can send by email anything missing.

CH Hotel booked stand alone
boxes labels.

SN Gambet doing a dummy stand
for three sensors.

SN to RS yes please do as much
as you can.

RS sampling line boards

③ RS has plan same as
medica.

SN go through dummy run
set it up and fit it in to
car.

CH email sent to SN.
SN will re check it. Give
answer by tomorrow.

CH additional sponsor ship
£5k. Could pick and choose.

SN lets not row. Lets see how
we go.

SN went to glasgow - quiet
very few British Doctors.

European Docs run by Euro
anesthetist.

SN MIPM going to have new
Dence to go with Tgt. Hand
Trigger mechanical tester.

MIPM
going to work on training video
graphics.

CH ebay wanting on pieces from
SN finger pulse oximeter.

④ Vanda graph not selling
them as medical and
difficult to clear

RS got tender 312 Ultra Max
Africa. USD prices.

AMREF. got tender through
for O₂ concentrators.

doesn't fully see specs but
sending and hope.

SN max a2 P

SH got medical Aid International
looks like same one. GBP price

2 litres of some cherry.

RS you could tell. then they
can have USD price (to SH)

SN we get good price for Ultra
max.

RS nothing else.

SH asked for Cert of analysis
RS has on his list too

⑤ manufactures own, not fixed
notarised.

15223-1:2016 - Device Labels.
Standard. Symbols.

RS its on their Declaration of
Conformity.

CH website done. + added, taxies
and duty responsibility of
customer.

made live ✓ SN DL oked.

Site Linking between sites,
website checked all ok.

SH John Radcliffe + Harton Hosp.
order done waiting on them
sending.
looking at 8, 2 on 5 or 6
in stock
no idea on accessories.

and could be one order or two.
be requisitioned and approved but
not with us yet
£12k. approx

SN have unit to take to

⑥ exhibition.

SN need to order more at least 4.

SH potential orders for S
and some for Nutfield.

CVS vets want Demo not
sure if we risk it.

use Demo one from exhibition.

SH James paget want to
upgrade Reus cabinet
with Blender.
may need Rails

0332057 or 5940cm Rail.
2056 - Bristol made can use to make
kits. depends on Holes.

monitor gas in cabinet.
could use max. Blend 2.
going to see if we can try
in cabinet.

SH Blender Hoses - to be disposed
of.

SN yes bin - maybe keep
some fittings.

SH put in van can one.

⑦ SH need emails from Dive
Soft complaint need adding
to issue.

SN will send on to SH.

Sales lead page

GM perspective page.

DL wed meeting
1. nothing new

2. " "

3. " "

per pap updated. waiting on sample

→ click status

Can we have CRM Loh. on
page.

SN price updates for export
customers.

CH system issue need to look
at new way.

SN need a black list