


capnography

# VersaStream®


## Respironics CO<sub>2</sub> Sampling Lines

Innovative Solutions for Sidestream Monitoring



**M** VIAMED

# VersaStream® CO<sub>2</sub> sampling lines



**The VersaStream® CO<sub>2</sub> sampling lines combine reliability, flexibility and cost efficiencies**

## Why VersaStream® CO<sub>2</sub> sampling lines?

- Cost-effective alternative to Nafion® tubes.
- The gas-selective non-porous material facilitates fast and complete removal of condensation from the sampling line.
- The integrated bacterial filter prevents contamination.
- Reliable measured gas values, due to negligible dead space volume of the filter - even in cases of high respiration rates.
- For use with LoFlo™ sidestream modules
- Integrated bacteria filter and water removal reduces the number of patient circuit parts and speeds up patient monitoring preparation time.

## Innovative material technologies

Latest material technologies permit active and complete removal of moisture and water – even in cases of low temperatures and high humidity.

No need to use expensive Nafion® tubes, which are not resistant to bending.

VersaStream® CO<sub>2</sub> sampling lines are very flexible and are suitable for short-term and long-term applications.

## Available CO<sub>2</sub> sampling lines



Nasal Sampling Line



Nasal Cannula



Nasal/Oral Cannula








Airway Adapter Sampling Line




## Reduction of contamination risks

The integrated bacteria filter of the VersaStream® CO<sub>2</sub> sampling lines prevent contamination of gas-conducting components in and at the patient monitor. Transmission of germs, e.g. by contamination at the sample gas connection port of the monitor or at the water separation unit is prevented.



VersaStream®



LDS filter – Low-dead-space bacteria filter

## Reliable measured values - even in cases of high breathing or ventilation frequency

The dead space volume of the filter unit has been reduced to only a few micro litres, thus facilitating precise measurement of CO<sub>2</sub> concentrations in the breathing gas - even at high respiration rates.



## Diverse areas of application

VersaStream® CO<sub>2</sub> sampling lines are suitable for use in areas, such as:

- Short and long term patient monitoring applications
- Monitoring of intubated and non-intubated patients
- Emergency medicine
- Patient transport
- Anaesthesia
- Intensive-care medicine – for adults and children
- Sedation
- Pain therapy, pain therapy management
- Homecare
- Sleep clinics and CPAP-ventilation

Short-term application – Nasal Sampling Line		Packaging unit	Viamed Part Number	Model Number
CO <sub>2</sub>		40 pcs./box	4420950	P-S-RES-200
Short-term application – Nasal Cannula		Packaging unit	Viamed Part Number	Model Number
CO <sub>2</sub>	Adult	25 pcs./box	4420951	NA-S-RES-200
	Paediatric	25 pcs./box	4420952	NP-S-RES-200
	Infant	25 pcs./box	4420953	NI-S-RES-200
O <sub>2</sub> /CO <sub>2</sub>	Adult	10 pcs./box	4420954	NAO2-S-RES-200
	Paediatric	10 pcs./box	4420955	NPO2-S-RES-200
	Infant	10 pcs./box	4420956	NIO2-S-RES-200
Long-term application – Nasal Cannula		Packaging unit	Viamed Part Number	Model Number
CO <sub>2</sub>	Adult	25 pcs./box	4420957	NA-L-RES-200
	Paediatric	25 pcs./box	4420958	NP-L-RES-200
	Infant	25 pcs./box	4420959	NI-L-RES-200
O <sub>2</sub> /CO <sub>2</sub>	Adult	10 pcs./box	4420960	NAO2-L-RES-200
	Paediatric	10 pcs./box	4420961	NPO2-L-RES-200
	Infant	10 pcs./box	4420962	NIO2-L-RES-200
Short-term application – Nasal/Oral Cannula		Packaging unit	Viamed Part Number	Model Number
CO <sub>2</sub>	Adult	25 pcs./box	4420963	ONA-S-RES-200
	Paediatric	25 pcs./box	4420964	ONP-S-RES-200
O <sub>2</sub> /CO <sub>2</sub>	Adult	10 pcs./box	4420965	ONAO2-S-RES-200
	Paediatric	10 pcs./box	4420966	ONPO2-S-RES-200
Long-term application – Nasal/Oral Cannula		Packaging unit	Viamed Part Number	Model Number
CO <sub>2</sub>	Adult	25 pcs./box	4420967	ONA-L-RES-200
	Paediatric	25 pcs./box	4420968	ONP-L-RES-200
O <sub>2</sub> /CO <sub>2</sub>	Adult	10 pcs./box	4420969	ONAO2-L-RES-200
	Paediatric	10 pcs./box	4420970	ONPO2-L-RES-200
Short-term application – Airway Adapter Sampling Line		Packaging unit	Viamed Part Number	Model Number
Adult/Paediatric		25 pcs./box	4420971	A22-S-RES-200
Infant/Neonatal ID ≤ 4.0 mm		25 pcs./box	4420972	A4.0-S-RES-200
Long-term application – Airway Adapter Sampling Line		Packaging unit	Viamed Part Number	Model Number
Adult/Paediatric		25 pcs./box	4420973	A22-L-RES-200
Infant/Neonatal ID ≤ 4.0 mm		25 pcs./box	4420974	A4.0-L-RES-200

Short term ≤ 24 hrs  
 Long term ≤ 72 hrs  
 Sampling flow rate ≤ 230ml/min

O<sub>2</sub>/CO<sub>2</sub> = O<sub>2</sub> delivery and CO<sub>2</sub> monitoring  
 CO<sub>2</sub> = CO<sub>2</sub> monitoring only

€ 0086

Specifications subject to change



Distributed by:

**VIAMED**

**Viamed Limited** · 15 Station Road · Cross Hills  
 Keighley · West Yorkshire · BD20 7DT · United Kingdom  
 Tel: +44 (0)1535 634 542   Fax: +44 (0)1535 635 582  
 Email: info@viamed.co.uk   Website: www.viamed.co.uk



Part Number: 4490102  
 Date: 11/14



ISO 13485:2003