

# ENVITEC

by Honeywell


All specifications are applicable at standard conditions: 1013 mbar, 25°C dry ambient air.

Product Specification  
Oxygen Sensor  
OOM102-A

ENVITEC  
by Honeywell

Confidential - For Viamed only!

Mechanical draft:



General tolerances ISO 2768-c

\*Intermediate thread: Metric / Unified Extra Fine

**Product Specification**  
**Oxygen Sensor**  
**OOM102-A**








**ENVITEC**  
by Honeywell

**Confidential - For Viamed only!**

Customized Design Specification:

- NA

Product Labeling

OOM102-A: 1002504 (REF 0110039 / R-22VA)	
Label on Sensor (90x15)	Label on Blister- Card (63,5x46,6)
<div><b>VIAMED</b> Tel: +44 (0)1535 634542 Email: info@viamed.co.uk Website: www.viamed.co.uk</div> <div><b>Medical Oxygen Sensor</b> PN: 0110039 SN: V123456 TYPE: R- 22VA</div> <div> 2017- 12</div>	<div><b>Medical Oxygen Sensor</b></div> <div>TYPE R- 22VA</div> <div>PN 0110039 SN V123456</div> <div> (01)00000000000000(11)171201(21)V123456</div> <div><b>VIAMED</b> 15 Station Road • Cross Hills • Keighley West Yorkshire • BD20 7DT • United Kingdom</div> <div><b>CE 0086</b> Tel: +44 (0)1535 634542 Email: info@viamed.co.uk Website: www.viamed.co.uk <small>Depending on the ambient conditions the sensor may require up to 30 minutes to reach signal stability after installation. The sensor contains caustic liquid. In case of leakage avoid contact with eyes and skin! Recommended storage temperature: 5°C - 15°C!</small></div>

Customer Approval    ✓2

Date: 19th December 2017

Signature:

