

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #1

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #2

People Definitions:

| | |
|---------------|-----------------------------------|
| Employee | General Employee |
| Employee Area | Employee working in specific area |
| Guest | General Guest |
| Public | Unauthorised Public |

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #3

Hazards Identified:

Computer Workstation
Work at height
Vehicles Parking
slipping/tripping hazards
Pressure Systems
Poor Lighting
Noise
Moving parts of Machinery
Mezzanine floors
Manual handling
Low temperature
Fumes
Fire Faulty Electricals
Fire Cigarettes
Ejection of material
Dust
Chemicals
Blades
Waste Paper
Waste Plastic
Waste Electronic
Large Boxes
Power Cuts Lighting
Vehicles Fork lift
Vehicles Transit

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #4

Area Definitions:

Archives
Assembly Cabinets
Basement Stairs
Boiler Room
Compressor room
DIL Office
Directors Office
Entrance Hall
Filing
General Offices
Jeans Office 2
Goods Inward
Jeans Office
JSL Office
Kitchen
Library
Literature
Loft
Main Corridor
Mechanical Workshop
Meeting room
Non Conforming Area
Oxygen Bank
Packing Area
Patio
Plant Landing
Production
R & D
Reception Goods In
Repair Area
SpO2 Cupboard
Stairs
Stores Area Warehouse

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #5

Area Definitions:

SWN Office
Toilets Downstairs
Toilets upstairs
Toilets Warehouse
Tom Thumb Room
Vandagraph workshop

VIAMED
 H.S.E.
 Risk Assessment
 AND
 Fire Assessment
 17/Oct/2006
 Page: #6

Area Archives:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | High | Alarms |
| Fumes | Employee Area: | High | Alarms |
| Fumes | Guest: | High | Alarms |
| Fumes | Public: | High | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

VIAMED
 H.S.E.
 Risk Assessment
 AND
 Fire Assessment
 17/Oct/2006
 Page: #7

Area Assembly Cabinets:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Low | None required |
| Blades | Employee Area: | Low | None required |
| Blades | Guest: | Low | None required |
| Blades | Public: | Low | None required |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | High | Alarms |
| Fumes | Employee Area: | High | Alarms |
| Fumes | Guest: | High | Alarms |
| Fumes | Public: | High | Alarms |
| Manual handling | Employee: | Medium | HSE Lifting procedures |
| Manual handling | Employee Area: | Medium | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Basement Stairs:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Boiler Room:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | High | Alarms |
| Fumes | Employee Area: | High | Alarms |
| Fumes | Guest: | High | Alarms |
| Fumes | Public: | High | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| Pressure Systems | Employee: | High | No Entry |
| Pressure Systems | Employee Area: | High | Training |
| Pressure Systems | Guest: | High | Training |
| Pressure Systems | Public: | High | No Entry |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

VIAMED
 H.S.E.
 Risk Assessment
 AND
 Fire Assessment
 17/Oct/2006
 Page: #10

Area Compressor room:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| Moving parts of Machinery | Employee: | Medium | Restricted Access & use |
| Moving parts of Machinery | Employee Area: | High | Training and control |
| Moving parts of Machinery | Guest: | Low | Restricted Access & use |
| Moving parts of Machinery | Public: | Low | Restricted Access & use |
| Noise | Employee: | High | Ear muffs available |
| Noise | Employee Area: | High | Ear muffs available |
| Noise | Guest: | High | Ear muffs available |
| Pressure Systems | Employee: | High | No Entry |
| Pressure Systems | Employee Area: | High | Training |
| Pressure Systems | Guest: | High | Training |
| Pressure Systems | Public: | High | No Entry |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #11

Area Compressor room:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------|------------------|-----------------|--------------------------|
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

VIAMED
 H.S.E.
 Risk Assessment
 AND
 Fire Assessment
 17/Oct/2006
 Page: #12

Area DIL Office:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Low | None required |
| Blades | Employee Area: | Low | None required |
| Blades | Guest: | Low | None required |
| Blades | Public: | Low | None required |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Directors Office:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Low | None required |
| Blades | Employee Area: | Low | None required |
| Blades | Guest: | Low | None required |
| Blades | Public: | Low | None required |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Entrance Hall:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Large Boxes | Employee: | High | General Awareness |
| Large Boxes | Employee Area: | High | General Awareness |
| Large Boxes | Guest: | High | General Awareness |
| Large Boxes | Public: | High | General Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

| Area Filing: | | | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area General Offices:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Low | None required |
| Blades | Employee Area: | Low | None required |
| Blades | Guest: | Low | None required |
| Blades | Public: | Low | None required |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Jeans Office 2:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Low | None required |
| Blades | Employee Area: | Low | None required |
| Blades | Guest: | Low | None required |
| Blades | Public: | Low | None required |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Large Boxes | Employee: | High | General Awareness |
| Large Boxes | Employee Area: | High | General Awareness |
| Large Boxes | Guest: | High | General Awareness |
| Large Boxes | Public: | High | General Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #18

Area Jeans Office 2:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------|------------------|-----------------|--------------------------|
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Goods Inward:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Medium | HSE Lifting procedures |
| Manual handling | Employee Area: | Medium | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Waste Electronic | Employee: | Low | Separate Waste Container |
| Waste Electronic | Employee Area: | Low | Separate Waste Container |
| Waste Electronic | Guest: | Low | Separate Waste Container |
| Waste Electronic | Public: | Low | Separate Waste Container |
| Large Boxes | Employee: | High | General Awareness |
| Large Boxes | Employee Area: | High | General Awareness |

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #20

Area Goods Inward:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------|------------------|-----------------|--------------------------|
| Large Boxes | Guest: | High | General Awareness |
| Large Boxes | Public: | High | General Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

VIAMED
 H.S.E.
 Risk Assessment
 AND
 Fire Assessment
 17/Oct/2006
 Page: #21

Area Jeans Office:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Medium | HSE Information |
| Work at height | Employee Area: | Medium | HSE Information |
| Work at height | Guest: | Medium | HSE Information |
| Work at height | Public: | Medium | HSE Information |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Large Boxes | Employee: | High | General Awareness |
| Large Boxes | Employee Area: | High | General Awareness |
| Large Boxes | Guest: | High | General Awareness |
| Large Boxes | Public: | High | General Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #22

Area Jeans Office:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------|------------------|-----------------|--------------------------|
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area JSL Office:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Low | None required |
| Blades | Employee Area: | Low | None required |
| Blades | Guest: | Low | None required |
| Blades | Public: | Low | None required |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

| Area Kitchen: | | | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution Sign when wet |
| slipping/tripping hazards | Employee Area: | Medium | Caution Sign when wet |
| slipping/tripping hazards | Guest: | Medium | Caution Sign when wet |
| slipping/tripping hazards | Public: | Medium | Caution Sign when wet |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Library:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Low | None required |
| Blades | Employee Area: | Low | None required |
| Blades | Guest: | Low | None required |
| Blades | Public: | Low | None required |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Medium | HSE Information |
| Work at height | Employee Area: | Medium | HSE Information |
| Work at height | Guest: | Medium | HSE Information |
| Work at height | Public: | Medium | HSE Information |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Literature:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

| | Area Loft: | | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Main Corridor:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Large Boxes | Employee: | Medium | General Awareness |
| Large Boxes | Employee Area: | Medium | General Awareness |
| Large Boxes | Guest: | Medium | General Awareness |
| Large Boxes | Public: | Medium | General Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Mechanical Workshop :

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Chemicals | Employee: | High | C.O.S.H.H |
| Chemicals | Employee Area: | High | Training |
| Chemicals | Guest: | Medium | C.O.S.H.H |
| Chemicals | Public: | High | C.O.S.H.H |
| Dust | Employee: | High | Masks & Eyeshields |
| Dust | Employee Area: | High | Masks & Eyeshields |
| Dust | Guest: | High | Masks & Eyeshields |
| Dust | Public: | High | Masks & Eyeshields |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | High | Alarms |
| Fumes | Employee Area: | High | Alarms |
| Fumes | Guest: | High | Alarms |
| Fumes | Public: | High | Alarms |
| Manual handling | Employee: | Medium | HSE Lifting procedures |
| Manual handling | Employee Area: | Medium | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| Moving parts of Machinery | Employee: | Medium | Restricted Access & use |
| Moving parts of Machinery | Employee Area: | High | Training and control |
| Moving parts of Machinery | Guest: | Low | Restricted Access & use |
| Moving parts of Machinery | Public: | Low | Restricted Access & use |
| Noise | Employee: | High | Ear muffs available |
| Noise | Employee Area: | High | Ear muffs available |
| Noise | Guest: | High | Ear muffs available |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #30

Area Mechanical Workshop :

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|--------------------------|
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Meeting room:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Low | None required |
| Blades | Employee Area: | Low | None required |
| Blades | Guest: | Low | None required |
| Blades | Public: | Low | None required |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

VIAMED
 H.S.E.
 Risk Assessment
 AND
 Fire Assessment
 17/Oct/2006
 Page: #32

| Area Non Conforming Area: | | | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Oxygen Bank:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

| Area Packing Area: | | | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | High | HSE Lifting procedures |
| Manual handling | Employee Area: | High | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Medium | HSE Information |
| Work at height | Employee Area: | Medium | HSE Information |
| Work at height | Guest: | Medium | HSE Information |
| Work at height | Public: | Medium | HSE Information |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Large Boxes | Employee: | High | General Awareness |
| Large Boxes | Employee Area: | High | General Awareness |
| Large Boxes | Guest: | High | General Awareness |
| Large Boxes | Public: | High | General Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #35

| Area Packing Area: | | | |
|---------------------|------------------|-----------------|--------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

| | Area Ratio: | | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | High | Restricted access |
| slipping/tripping hazards | Employee Area: | High | Restricted access |
| slipping/tripping hazards | Guest: | High | Restricted access |
| slipping/tripping hazards | Public: | High | Restricted access |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Plant Landing:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Production:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Chemicals | Employee: | Low | C.O.S.H.H |
| Chemicals | Employee Area: | Medium | Training |
| Chemicals | Guest: | Low | C.O.S.H.H |
| Chemicals | Public: | High | C.O.S.H.H |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | High | Bench extraction units |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Waste Electronic | Employee: | Low | Separate Waste Container |
| Waste Electronic | Employee Area: | Low | Separate Waste Container |

VIAMED
H.S.E.
Risk Assesment
AND
Fire Assesment
17/Oct/2006
Page: #39

Area Production:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------|------------------|-----------------|--------------------------|
| Waste Electronic | Guest: | Low | Seperate Waste Container |
| Waste Electronic | Public: | Low | Seperate Waste Container |
| Large Boxes | Employee: | High | General Awareness |
| Large Boxes | Employee Area: | High | General Awareness |
| Large Boxes | Guest: | High | General Awareness |
| Large Boxes | Public: | High | General Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

| Area R & D: | | | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Chemicals | Employee: | Medium | C.O.S.H.H |
| Chemicals | Employee Area: | High | Training |
| Chemicals | Guest: | Low | C.O.S.H.H |
| Chemicals | Public: | Low | C.O.S.H.H |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution Sign when wet |
| slipping/tripping hazards | Employee Area: | Medium | Caution Sign when wet |
| slipping/tripping hazards | Guest: | Medium | Caution Sign when wet |
| slipping/tripping hazards | Public: | Medium | Caution Sign when wet |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Waste Electronic | Employee: | Low | Separate Waste Container |
| Waste Electronic | Employee Area: | Low | Separate Waste Container |

VIAMED
H.S.E.
Risk Assesment
AND
Fire Assesment
17/Oct/2006
Page: #41

| Area R & D: | | | |
|---------------------|------------------|-----------------|--------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Waste Electronic | Guest: | Low | Seperate Waste Container |
| Waste Electronic | Public: | Low | Seperate Waste Container |
| Large Boxes | Employee: | Medium | General Awareness |
| Large Boxes | Employee Area: | Medium | General Awareness |
| Large Boxes | Guest: | Medium | General Awareness |
| Large Boxes | Public: | Medium | General Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

| | Area Reception | Goods In: | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | High | HSE Lifting procedures |
| Manual handling | Employee Area: | High | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Repair Area:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Chemicals | Employee: | Medium | C.O.S.H.H |
| Chemicals | Employee Area: | High | Training |
| Chemicals | Guest: | Low | C.O.S.H.H |
| Chemicals | Public: | Low | C.O.S.H.H |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | High | Alarms |
| Fumes | Employee Area: | High | Alarms |
| Fumes | Guest: | High | Alarms |
| Fumes | Public: | High | Alarms |
| Manual handling | Employee: | Medium | HSE Lifting procedures |
| Manual handling | Employee Area: | Medium | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Waste Electronic | Employee: | Low | Separate Waste Container |
| Waste Electronic | Employee Area: | Low | Separate Waste Container |

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #44

Area Repair Area:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------|------------------|-----------------|--------------------------|
| Waste Electronic | Guest: | Low | Seperate Waste Container |
| Waste Electronic | Public: | Low | Seperate Waste Container |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area SpO2 Cupboard:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

VIAMED
 H.S.E.
 Risk Assessment
 AND
 Fire Assessment
 17/Oct/2006
 Page: #46

| | Area Stairs: | | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

VIAMED
 H.S.E.
 Risk Assessment
 AND
 Fire Assessment
 17/Oct/2006
 Page: #47

| | Area Stores | Area Warehouse: | |
|---------------------------|------------------|-----------------|-----------------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Medium | HSE Information |
| Work at height | Employee Area: | Medium | HSE Information |
| Work at height | Guest: | Medium | HSE Information |
| Work at height | Public: | Medium | HSE Information |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

VIAMED
 H.S.E.
 Risk Assessment
 AND
 Fire Assessment
 17/Oct/2006
 Page: #48

Area SWN Office:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Low | None required |
| Blades | Employee Area: | Low | None required |
| Blades | Guest: | Low | None required |
| Blades | Public: | Low | None required |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Toilets Downstairs:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Toilets upstairs:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Toilets Warehouse:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Low | None required |
| slipping/tripping hazards | Employee Area: | Low | None required |
| slipping/tripping hazards | Guest: | Low | None required |
| slipping/tripping hazards | Public: | Low | None required |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Tom Thumb Room:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution |
| slipping/tripping hazards | Employee Area: | Medium | Caution |
| slipping/tripping hazards | Guest: | Medium | Caution |
| slipping/tripping hazards | Public: | Medium | Caution |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Computer Workstation | Employee: | Low | HSE Safety Guide |
| Computer Workstation | Employee Area: | Low | HSE Safety Guide |
| Computer Workstation | Guest: | Low | HSE Safety Guide |
| Computer Workstation | Public: | Low | HSE Safety Guide |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |

Area Vandagraph workshop:

| Hazard | Potential Victim | Grading of Risk | Action Taken |
|---------------------------|------------------|-----------------|-----------------------------------|
| Blades | Employee: | Medium | General awareness |
| Blades | Employee Area: | Medium | General awareness |
| Blades | Guest: | Medium | General awareness |
| Blades | Public: | Medium | General awareness |
| Fire Faulty Electricals | Employee: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Employee Area: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Guest: | Low | PAT Testing / User Responsibility |
| Fire Faulty Electricals | Public: | Low | PAT Testing / User Responsibility |
| Fumes | Employee: | Low | Alarms |
| Fumes | Employee Area: | Low | Alarms |
| Fumes | Guest: | Low | Alarms |
| Fumes | Public: | Low | Alarms |
| Manual handling | Employee: | Low | HSE Lifting procedures |
| Manual handling | Employee Area: | Low | HSE Lifting procedures |
| Manual handling | Guest: | Low | HSE Lifting procedures |
| slipping/tripping hazards | Employee: | Medium | Caution Sign when wet |
| slipping/tripping hazards | Employee Area: | Medium | Caution Sign when wet |
| slipping/tripping hazards | Guest: | Medium | Caution Sign when wet |
| slipping/tripping hazards | Public: | Medium | Caution Sign when wet |
| Work at height | Employee: | Low | Awareness |
| Work at height | Employee Area: | Low | Awareness |
| Work at height | Guest: | Low | Awareness |
| Work at height | Public: | Low | Awareness |
| Waste Electronic | Employee: | Low | Separate Waste Container |
| Waste Electronic | Employee Area: | Low | Separate Waste Container |
| Waste Electronic | Guest: | Low | Separate Waste Container |
| Waste Electronic | Public: | Low | Separate Waste Container |
| Large Boxes | Employee: | Medium | General Awareness |
| Large Boxes | Employee Area: | Medium | General Awareness |
| Large Boxes | Guest: | Medium | General Awareness |
| Large Boxes | Public: | Medium | General Awareness |
| Power Cuts Lighting | Employee: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Employee Area: | Low | Emergency Lighting/Signs |

VIAMED
H.S.E.
Risk Assessment
AND
Fire Assessment
17/Oct/2006
Page: #54

| Area Vandagraph workshop: | | | |
|---------------------------|------------------|-----------------|--------------------------|
| Hazard | Potential Victim | Grading of Risk | Action Taken |
| Power Cuts Lighting | Guest: | Low | Emergency Lighting/Signs |
| Power Cuts Lighting | Public: | Low | Emergency Lighting/Signs |