

Date & Time of Print: 18/03/2026 10:28:31 – Time Zone: Greenwich Mean Time

Buyer Organisation: Supply Chain Coordination Limited

Overview

ITT Code	ITT_2167
ITT Title	Lot 5 – Temperature Sensors and Associated Products
ITT Description	
Status	Running

ITT Settings

Online Response Required:	Yes
Event Currency	GBP
Allow Bidding Group Response	Details in Qualification Only ITT Settings
Closing	28/04/2026 15:00:00
Time Limit for Expressing Interest	28/04/2026 15:00:00
Awarding Strategy	Most Advantageous Tender

Attachments

Path	Description	Folder Size
Top Level (0)		
The Directory is empty		

Envelopes

Qualification Envelope	No
Technical Envelope	Yes
Commercial Envelope	Yes

Technical Envelope

General Attachments
Not Allowed

Resilience – Section Max Score 25

Question	Description	Min/Max Score	Question Type
1A	If you experience unforeseen demand that exceeds planned stock levels, what is the maximum lead time required to replenish additional stock into your UK/EU distribution centre for the product submitted as part of this line award?	0/1	Option List
1B	Further to your response to Q1A please provide a detailed explanation of your replenishment process, including (but not limited to): stock-holding levels and logistics workflow. Your written response is not to exceed the Jaggaer 2000 character limit	0/6	Text
2A	If your Business Continuity Plan (BCP) were activated, within what timeframe would you be able to resume normal supply to NHS Supply Chain and its customers?	0/1	Option List
2B	In relation to your response to Q2A provide a detailed overview of your BCP covering: * measures/mitigations to resume normal supply * escalation procedure * product alternatives (where applicable) * communication plan (including timescales for updates to NHSSC) Your written response is not to exceed the Jaggaer 2000 character limit	0/6	Text
3	Please detail the resilience measures will you commit to in order to ensure continuity of supply – your response should example but not limited to: 1. Supplier Diversification (i.e. raw materials, production facilities) 2. Inventory Strategies & Buffer Stock 3. Use of multiple transportation modes 4. Regular Engagement to Collaborative Forecasting with SCCL 5. Real Time Tracking & Supply Chain Visibility Your written response is not to exceed the Jaggaer 2000 character limit	0/10	Text
4	Will you base your stockholding for both Stock and E-Direct consumable products (as applicable) on the latest 12 weeks demand through the Framework Agreement, and confirm you will provide regular and ad hoc reports evidencing stock availability to cover this requirement?	0/1	Yes/No Value

Contract Management – Section Max Score 15

Question	Description	Min/Max Score	Question Type
4	Please confirm you will: <ul style="list-style-type: none"> • use your Company website in order to promote the Framework Agreement and advise customers of the NHS Supply Chain catalogue • use meetings with customers in order to promote the Framework Agreement to customers? 	0/2	Yes/No Value
5	Data submission: following contract award the Authority shall request completion of the below requirements within 14 working days. > Confirm you will provide any critical data requirements upon request? > Confirm that NHSSC Form templates (known as PROC's) are to be completed within reasonable timeframe > Images for all products (documentation can also be uploaded) to be submitted within a reasonable timeframe	0/2	Yes/No Value

6	<p>Please detail your product recall management process: Your response should include (but not limited to):</p> <ol style="list-style-type: none"> 1. Identification and tracing of defective products; 2. roles and responsibilities of dedicated personnel; 3. Recall execution process and timelines; 4. Prevention, corrective actions and continuous improvement <p>Your written response is not to exceed the Jaggaer 2000 character limit</p>	0/11	Text
---	--	------	------

Social Value – Section Max Score 10

Question	Description	Min/Max Score	Question Type
7	What is your companies Social Value proposition/opportunities for your customers?	0/10	Text

Commercial Envelope

General Attachments
Not Allowed

Line Responses

Code	Description			
All Pricing submitted must be for an 'EACH'.	<p>All Pricing submitted must be for an 'EACH' (individual item).</p> <p>Tenderers should note that whilst NHS Supply Chain will evaluate an 'EACH' price Unit of Measure (UOM), NHS Supply Chain will purchase Goods in the Supplier's Unit of Purchase (UOP) and they will be sold in Unit of Issue (UOI).</p> <p>Tenderers MUST refer to Section 4.2 of the ITT for Pricing Instructions.</p>			
Code	Description	Remarks	Unit of Measurement	Quantity
PTM5_1	Single use general purpose probe – sterile 9Fr		Each	1
PTM5_2	Single use sterile general purpose temperature probe 12 Fr		Each	1

PTM5_3	Single use sterile foley catheter with temperature sensor 8 Fr		Each	1
PTM5_4	Single use sterile foley catheter with temperature sensor 10 Fr		Each	1
PTM5_5	Single use sterile foley catheter with temperature sensor 12 Fr		Each	1
PTM5_6	Single use sterile foley catheter with temperature sensor 14 Fr		Each	1
PTM5_7	Single use sterile foley catheter with temperature sensor 16 Fr		Each	1
PTM5_8	Single use sterile oesophageal stethoscope with temperature sensor 9 Fr		Each	1
PTM5_9	Single use sterile oesophageal stethoscope with temperature sensor 18 Fr		Each	1
PTM5_10	Single use sterile skin temperature sensor / probe		Each	1
PTM5_11	Interface / extension cable specific for temperature probe		Each	1
PTM5_12	temperature probe cover		Each	1
PTM5_13	Single use non-invasive heat flux for core temperature sensor		Each	1

PTM5_14	non-invasive heat flux for core temperature sensor – accessories		Each	1					
E-Direct (£) exc VAT (Each Price)	Supplier Full Product Description	Brand Name	Supplier Unit of Purchase (UOP) Description	Supplier Unit of Purchase (UOP) Units	Manufacturer Product Code (MPC)	Distributor Product Code (DPC) – where applicable	GTIN Allocated to Product	Name of Manufacturer	Manuf Addre
Section total included in total?				Yes					

Submission Confirmation

Question	Description	Question Type
E-Direct Price Offer	In line with Section 4.2 of the ITT Tenderers are also invited to submit an e-direct route of pricing in addition to the evaluated stock prices. Where the Tenderer does not submit an e-Direct price at point of tender submission, for any product bid, the authority reserves the right to prohibit the Tenderer from supplying that product via the e-Direct route over the lifetime of the Framework. Please confirm if you are providing E-Direct Prices for this Lot.	Yes/No Value
Mandatory Submission Confirmation	Please confirm that you have completed all requested information for the product line submitted.	Yes/No Value

Additional Lines

Question	Description	Question Type
Additional Lines Submission	Are you offering any Additional Lines for this Lot? If yes, please complete Annex 1F Additional Lines and upload your response to Q31 at Section 1.35.3 within ITT_2159. Where no offer is made, the Tenderer must clearly state 'No Offer' within the document.	Yes/No Value